


*Hawa Badlegi*



**LOOK  
UP** **TO GREAT DESIGNS**  
**TO WIDE RANGE**  
**TO ENERGY SAVINGS**

**WIDEST RANGE OF STAR RATED  
DESIGNER FANS BY HAVELLS.**

**Premium Underlight Fans**  
12

**BLDC Energy Saving Fans**  
38

**Special Finish Fans**  
58

**Kids Fans**  
78

**Decorative Fans**  
84

**Regular Fans**  
112

**Table Fans**  
128

**Wall Fans**  
136

**Lifestyle Fans**  
156

**Pedestal Fans**  
168

**Ventil Air Fans**  
192

**Industrial Fans**  
218



# PURITY FOR **SURETY**

## HIGH STRENGTH

Stronger than aluminum

## HIGH PERFORMANCE

Almost twice the current carrying capacity vs aluminum

## HIGH STABILITY

Copper is non-reactive to Water, not susceptible to Oxidation and unaffected by Temperature changes

## HIGH DUCTILITY

Can be drawn into very thin wires, easier to solder, very high flexibility, hence easy to install and repair



# Amaya

An Italian Elegance and  
Sophistication that screams  
STUNNING !

# Range of style, comfort & decor

Presenting a wide range of Domestic and Industrial fans from the house of Havells



## AWARDS AND RECOGNITION



Artificial  
Intelligence

iOT  
control

real time emotion  
analysis

wi-fi

AI

language  
process

automation

pattern  
recognition

temperature  
sensing

machine  
learning





## FAN PLANT

Havells has installed India's most modern and integrated manufacturing plant for fans in the country. Located in Haridwar. Equipped with state-of-the-art technology including automated CNC machines for motor winding, CNC machines for end covers machining, advanced conveyor assembly lines complete with computerized testing facilities.

The plant has augmented its manufacturing capacity by adding two new units which are further equipped with world-class automated processes. Let the wide range of Havells fans bring in a new change and add value to your lifestyle.

Haridwar, Uttrakhand



## QRG TOWER

Head office, Sec. 126, Noida, UP.



## ABOUT HAVELLS

Havells India Limited, a leading Fast Moving Electrical Goods (FMEG) company is known for launching top quality and innovative products in India, which are in sync with customer's changing preferences and requirements. Havells has been extremely responsive to the dynamics of the economy and has always broken fresh ground backed by its strong research and development team, raised the bar with contemporary designs, value for money and high quality models.

Over the years, Havells have been a pioneer in the fan category with many "firsts" to its credit. Havells was the First in launching Electroplated Fans, First to introduce Decorative Fans with Metallic Colours (akin to the auto industry) and revolutionized the industry with India's Most Energy Efficient 40 W Ceiling Fan in Induction Motor category and the most "Silent Ceiling Fan". Continuing this legacy, Havells is now introducing a new range of Intelligent and Decorative Ceiling Fans with Smart IoT Functionality, energy saving environment friendly fans with Eco-BLDC technology, best-in-class personal & pedestal fan range with world class finish & features.

The new range offers premium designs with sleek style and intelligence to cater to the needs of a modern consumer. who is discerning and demands the best.



HOWELL



LOOK UP TO  
PREMIUM  
UNDERLIGHT  
FANS





# STEALTH

PURO AIR



Height Adjustable Canopy



Upper Ceiling Mood Light & LED Underlight



H-II HEPA & Carbon Filter



Free Installation



Low Noise



- Elegant Design with Premium Trims & ABS molded blades
- Built-in Air Purifier with independent & synchronous operation modes with fan
- Upper Ceiling Mood-light and LED underlight

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min



Pearl White Lt Copper



GOOD AQI



MODERATE AQI



UNHEALTHY AQI



VERY UNHEALTHY AQI



HAZARDOUS AQI





BLDC+

## ALBUS BLDC UNDERLIGHT



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Unique 4 blade design



Low Noise



BLDC INVERTER TECHNOLOGY



Satin Black Wood



Satin Pine Wood

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min








**BLDC+**

# FLORETTE BLDC UNDERLIGHT



Satin Pine Wood



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Unique 4 blade design



Low Noise



**BLDC INVERTER TECHNOLOGY**



Satin Black Wood

- Side changeable Premium MDF blades to suit your home decor
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min





**BLDC+**

# CRISTA BLDC UNDERLIGHT



Free Installation



RF remote control for all direction sensing




Underlight with Colour changing tech



Winglet Design for low noise



Low Noise



Champagne Cola




Pearl White LT Copper



Slate Chrome

- Aerodynamic Winglet blades for superior air delivery
- Mood Changing Undelight with Dimming Features
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m <sup>3</sup> /min







## INOX BLDC UNDERLIGHT



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



ABS ribbed blades for high strength




Low Noise



**BLDC INVERTER TECHNOLOGY**

- Ambience LED Undelight with Dimming Features
- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	280 r/min	245 m <sup>3</sup> /min




Gold Mist



Pearl White





**BLDC+**

# LIBECCIO BLDC UNDERLIGHT



Slate



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



Aerodynamic ABS Blades



Unique 4 blade design



Low Noise




**BLDC INVERTER TECHNOLOGY**



Pearl White

- Premium LED Undelight with Dimming Features
- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	260 r/min	245 m <sup>3</sup> /min





HAVELLS



## OCTET UNDERLIGHT




Low  
Noise



RF remote control for  
all direction sensing



Underlight with  
Colour changing tech



8 Wooden Finish  
blades



- Contemporary Look with 8 blades & stylish undelight
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	88 W	290 r/min	280 m <sup>3</sup> /min



Brushed Nickel - Wenge



Black Nickel - Walnut





# URBANE UNDERLIGHT



Unique 4 blade design



RF remote control for all direction sensing



Underlight with Colour changing tech



Free Installation



100%  
COPPER WIRE  
WINDING MOTOR

- Ambience LED Undelight with Color change Tech
- Superior Air Delivery & Silent Operation
- All Direction-Sensing RF Remote

Black Nickel



Brushed Nickel



Antique Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m <sup>3</sup> /min



HAVELLS



# LUMENO UNDERLIGHT



Free Installation



RF remote control for all direction sensing



Underlight with Colour changing tech



- LED Undelight with Intensity adjustment control
- All Direction-Sensing RF Remote
- Contemporary Design to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	74 W	280 r/min	260 m <sup>3</sup> /min



Rainbow Pearl Ivory



Dusk



Indigo Blue




Lavender Mist



Pearl White



HAVELLS




# FLORENCE ES

## UNDERLIGHT



Unique 4 blade design



Pull cord for Speed & Light function




Underlight



Free Installation



- Premium Antique Looks with 4 lamp shades
- All weather fan with dual side rotation
- Contemporary wood finish to match home decor

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m <sup>3</sup> /min



Wenge-Black Antique Brass



Walnut-Black Antique Copper



Elegant White-Nickel





HAVELLS



# TRINITY ES

## UNDERLIGHT



Dusk Lt copper



RF remote control for all direction sensing




Underlight with Colour changing tech



Free Installation




- Mood Changing Undelight with Dimming Features
- Futuristic Shank-less design with Metallic paint finish
- RF Remote control for Fan, Light, Intensity control



Pearl White Lt Copper



Metallic Black Lt Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m <sup>3</sup> /min



HAVELLS



# STEALTH AIR UNDERLIGHT



Metallic Black



RF remote control for all direction sensing




Underlight with Colour changing tech



Free Installation



Aerodynamic ABS Blades



- LED Underlight with dimmable & tunable option
- Highest Air delivery in its class with 18 pole motor
- Dust & Mark Resistant ABS reinforced blades




Pearl White



Indigo Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min





LOOK UP TO  
BLDC  
ENERGY  
SAVING FANS



# FLORETTE

BLDC



Unique 4 blade design



RF remote control for all direction sensing



Free Installation



Low Noise



**BLDC INVERTER TECHNOLOGY**

- Side changeable Premium MDF blades to suit your home decor
- All Direction-Sensing RF Remote with Breeze, Sleep modes along with Timer function

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	40 W	270 r/min	245 m <sup>3</sup> /min

Satin Black wood



Satin Pine Wood



# CRISTA

BLDC



Winglet Design for low noise



Free Installation



**BLDC INVERTER TECHNOLOGY**



Low Noise


- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	255 m <sup>3</sup> /min

**BLDC+**



Champagne Cola



Slate Chrome

Pearl White LT Copper





# INOX

BLDC



RF remote control for all direction sensing



Low Noise



Free Installation



ABS ribbed blades for high strength



Dust Resistant Lacquering  
Easy Cleaning of Blades



100% COPPER WIRE WINDING MOTOR  
SUPERIOR QUALITY


- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	38 W	280 r/min	245 m3/min



BLDC+

Gold Mist




Slate



Pearl White



BLDC+



Pearl White



# LIBECCIO

BLDC



RF remote control for all direction sensing



Low Noise



Unique 4 blade design




Aerodynamic ABS Blades



Free Installation



- Aerodynamic 4 blade for Superior Air Delivery
- Dust Resistant coating on the blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m <sup>3</sup> /min



Slate



# AMAYA

BLDC

Silver Ash



RF remote control for all direction sensing



Unique 4 blade design



Low Noise




Free Installation



**BLDC INVERTER TECHNOLOGY**

- Italian Rivet-less design with Premium PU Finish
- Compound ABS blades for high strength, silent operation and better air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	40 W	270 r/min	255 m <sup>3</sup> /min



Satin White



BLDC+



Pearl White Wood



# STEALTH NEO

BLDC



RF remote control for all direction sensing



Premium PU finish ABS Blades



Free Installation




Low Noise



**BLDC INVERTER**  
TECHNOLOGY

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m <sup>3</sup> /min



Mist Wood



# STEALTH PRIME

BLDC



BLDC+



Marble Dusk



RF remote control for all direction sensing



Premium PU finish ABS Blades



Free Installation




Low Noise



Marble Pearl White

- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	270 r/min	245 m <sup>3</sup> /min



# STEALTH AIR

BLDC



RF remote control for all direction sensing



Premium PU finish ABS Blades




Low Noise




Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	275 r/min	245 m <sup>3</sup> /min

BLDC+



Indigo Blue



Metallic Black



Pearl White



# TRINITY

BLDC

Black Lt Copper



RF remote control for all direction sensing



- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	330 r/min	225 m <sup>3</sup> /min



Dusk Lt Copper



Pearl White Lt Copper



# ENTICER

BLDC



RF remote control for all direction sensing




**BLDC INVERTER TECHNOLOGY**

- Contemporary Design with Wider Blades
- Premium Metallic Finish with Dust Resistant lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	235 m <sup>3</sup> /min

Champagne



Pearl White Chrome



Bronze Copper Cola Chrome



Espresso Brown LT Copper



Indigo Blue Chrome





# BIANCA

BLDC



RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**

- Modern Design with Wider Blade for High Air Thrust
- Premium Metallic Finish with Dust Resistant lacquer


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	360 r/min	222 m <sup>3</sup> /min



Espresso Brown



Gold Mist



Slate



Pearl White



# MILOR

BLDC




RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**


- Stylish Design, Energy Efficient fan
- Premium Metallic Finish with Dust-Resistant Lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min

Gold



Dusk



Pearl White



# FESTIVA PRIME

BLDC



Dusk Chrome



RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**




Beige Cola Chrome



Pearl White LT Copper

- Energy Efficient, High-Speed motor for higher air thrust
- Premium Metallic Finish with Dust-Resistant Lacquer

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min



# EQUUS

BLDC




RF remote control for all direction sensing




**BLDC INVERTER TECHNOLOGY**

- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	380 r/min	225 m <sup>3</sup> /min



Smoke Brown



Bianco Bronze



White Maroon



# ASTURA

BLDC



Bianco Bronze



RF remote control for all direction sensing



**BLDC INVERTER**  
TECHNOLOGY


- Modern Design with Energy Efficient BLDC motor
- Wider Blades for High Strength and Air Delivery



Smoke Brown



White Maroon

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	32 W	350 r/min	225 m <sup>3</sup> /min



# EFFICIENCIA NEO

BLDC



RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**

- Industry's Most Energy Efficient Fan – 26 Watts
- Ribbed Blades for High Strength

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	33 W	300 r/min	245 m <sup>3</sup> /min
	1200 mm	26 W	350 r/min	220 m <sup>3</sup> /min
	900 mm	28 W	430 r/min	150 m <sup>3</sup> /min

\* Also available without remote in regulator compatible variant for projects and institutions



White



Bianco



Brown



# EFFICIENCIA PRIME

BLDC

Bianco



RF remote control for all direction sensing



HIGH SPEED



BLDC INVERTER TECHNOLOGY


- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength



White



Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	35 W	370 r/min	225 m <sup>3</sup> /min



# EFFICIENCIA DX

BLDC



RF remote control for all direction sensing



**BLDC INVERTER TECHNOLOGY**




Brown

- Energy Efficient Fan with 5-Star rating
- Ribbed Blades for High Strength



Bianco

White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	30 W	350 r/min	225 m <sup>3</sup> /min

\* Also available without remote in regulator compatible variant for projects and institutions





HAVELLS



LOOK UP TO  
**SPECIAL  
FINISH  
FANS**



# CRISTA ES

BLDC



Winglet Design for low noise



Aerodynamic ABS Blades



- Aerodynamic Winglet blades for Superior Air Delivery
- Dust Resistant coating on the blades


Slate Chrome



Champagne Cola




Pearl White LT Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	300 r/min	245 m <sup>3</sup> /min



# INOX ES



Gold Mist



Low Noise



Aerodynamic ABS Blades




- Aerodynamic blades for Superior Air Delivery
- Dust Resistant coating on the blades



Slate




Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	280 r/min	245 m <sup>3</sup> /min





# OCTET



8 Wooden Finish blades



Free Installation



- Contemporary Look with 8 blades
- Superior Air Delivery & Silent Operation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	84 W	280 r/min	270 m3/min

Walnut-Black Nickel



Wenge Brushed Nickel



# STEALTH WOOD I - ES

Pinewood-Cola



Smart Sense & IOT



Free Installation




Rust Proof ABS Blades



Walnut-Cola

- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture
- Humidity & Temperature sensor for auto speed control

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	80 W	280 r/min	280 m <sup>3</sup> /min





# FLORENCE ES



Black Antique Copper



Unique 4 blade design



Free Installation




- All weather fan with dual side rotation
- Premium Antique Looks in 1 star rating
- Contemporary finish to match home decor



Nickel Gold



Black Antique Brass

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	310 r/min	218 m <sup>3</sup> /min





# YORKER



Brushed Nickel



Unique 4 blade design



Free Installation



- Electroplated rust proof lacquer finish blades
- Four blade for wider Air Delivery



Antique Brass



Antique Copper

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	1320 mm	82 W	300 r/min	260 m <sup>3</sup> /min



# STEALTH WOOD ES

Pinewood Cola Chrome



Free Installation




Rust Proof ABS  
Blades



- Superior Air delivery with 18 pole motor
- Dust Resistant ABS blades in wooden texture



Walnut Cola Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min



# STEALTH NEO



Rust Proof ABS Blades



Free Installation




- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

Wood Mist



Wood Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min



# STEALTH PRIME




Rust Proof ABS Blades



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades in premium PU finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min


Wood Mist



Wood Pearl White



# STEALTH AIR ES



Indigo Blue





Rust Proof ABS Blades



Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	60 W	270 r/min	245 m <sup>3</sup> /min
	900 mm	45 W	400 r/min	145 m <sup>3</sup> /min



Pearl White



Metallic Black



# STEALTH AIR

Pearl White



Rust Proof ABS Blades




Free Installation



- Aerodynamic Blades for Superior Air delivery
- Dust Resistant ABS blades



Metallic Black



Indigo Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
N. A.	1250 mm	80 W	280 r/min	280 m <sup>3</sup> /min



# TRINITY I - ES

Dusk LT Copper



Free Installation



RF remote control for all direction sensing




Smart Sense




- Futuristic Shank-less & Non-Rivet Blade design
- Modular 14 Pole motor for superior performance



Silver Chrome




Metallic Cream Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	280 m <sup>3</sup> /min





India's First  
Stainless Steel Fan




## FAN-TA-STEEL



Steel


- Premium Rust-Free Stainless Steel
- Wider Blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min





# EP TRENDY



Antique Brass



- Electro-Phoretic lacquered surface for anti-rusting
- Wider tip blades for effective Air circulation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	220 r/min	350 m <sup>3</sup> /min
	900 mm	42 W	140 r/min	420 m <sup>3</sup> /min
NA	600 mm	63 W	800 r/min	110 m <sup>3</sup> /min



Antique Copper

Brushed Nickel





# ORION ES



Antique Brass




- Exotic Rich looks with Lacquered Ani-rust Surface
- Wider Blades for Better Air Circulation



Antique Copper




Brushed Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min



## TRINITY ES

Metallic Black LT Copper



Non-rivet Blade design


- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance



Dusk LT Copper



Pearl White Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	220 r/min	350 m <sup>3</sup> /min






LOOK UP TO  
**KIDS  
RANGE**



## SAUROUS WORLD ES




Wider Blade Tip




Exclusive Design  
for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m <sup>3</sup> /min



# OCEAN QUEST ES




Wider Blade Tip



Exclusive Design for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min





# UNICORN ES




Wider Blade Tip




Exclusive Design for Kids room

- Exclusive Kids Design with static center
- Wider Tip blade for more air Spread

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	350 r/min	226 m3/min







LOOK UP TO  
DECORATIVE  
CEILING  
FANS





# ENTICER ART ES

LIMITED EDITION



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min

Metallic Black



Pearl White



# ENTICER ART ES

HERITAGE EDITION

Espresso Brown Cooper



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min



# ENTICER ES WOOD

WOOD



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min

Oakwood



Rosewood







# ENTICER ART ES

VINEER EDITION



Walnut

- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with unique wood finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min



# ENTICER ART ES

NATURE SERIES



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min


Espresso Brown



Beige




Stone Pearl White



Flora Sapphire



Wave Pearl Brown



Fauna Champagne





# ENTICER ART ES

COLLECTOR EDITION

Rose Gold



- Unique IMD Pattern to compliment interior decor
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min





# ENTICER ES




- High performance motor with optimum air delivery
- Wider Blade tip with Superior Metallic Paint Finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	1200 mm	57 W	380 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min


Pearl Ivory Beige




Maroon Chrome




Beige Copper




Pearl white gold



Rose Gold



Pearl White Chrome




Metallic Black Chrome




Bronze Cola Chrome



Matt White Chrome



Espresso Brown Copper



Pearl Ivory Cola Chrome



Sapphier Silver



Pearl White Rose Gold



Indigo Blue Chrome



Bronze Pearl Brown




# BIANCA ART ES




Gold Mist



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish



Pearl White Nickel

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m <sup>3</sup> /min



# BIANCA ES



- Nature Inspired Designs to match modern interior
- Wider Blade tip with Superior Metallic Paint Finish



Gold Mist




Slate



Pearl White



Sapphire Silver


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	370 r/min	225 m <sup>3</sup> /min





# TRINITY ES

Pearl White Lt Copper



Non-rivet Blade design


- Futuristic Shank-less & Non-Rivet Blade design
- Modular motor for superior performance



Dusk Lt copper



Metallic Black Lt Copper


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	320 r/min	220 m <sup>3</sup> /min



# NICOLA ES



- Contemporary elegant design in metallic paint finish
- Decorative trims on motor cover & blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min

Gold Mist Copper



Bronze Copper



Pearl Ivory Gold



Pearl White Silver



# MILOR ES



Dusk




- Unique Design in Dust Resistant Premium metallic paint finish
- Premium Canopy set with Down rod Cover



Gold



Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m <sup>3</sup> /min



# ANDRIA ES



- Modern design to suit contemporary interiors
- Ribbed blade for high air delivery & air thrust

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min

Quartz



Indigo Blue



Pearl White




Espresso Brown




# ASTURA ES



- Decorative trims with foiling on blades & canopy
- Wider Blade With Dust resistant Metallic Paint Finish
- Robust motor with large diameter

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	390 r/min	218 m <sup>3</sup> /min

Bianco Bronze



White Pearl Ivory



White Maroon



Brown Gold Mist



# EQU S ES

White Maroon



- Crisp, Geometric design to suit contemporary Interiors
- High quality and Subtle Chrome Highlights for Modern looks




Smoke Brown



Ivory Bronze



White Pearl Ivory

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min



# LEGANZA ES

4 BLADES



Mist Honey



Unique 4 blade design

- Superior Metallic Paint Finish
- 4 blade innovative design with blade trim & Body ring



Bronze Gold



Pearl White Silver

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	215 m <sup>3</sup> /min



# ZESTER ES



Slate




- Modern styling with tangential blades
- Decorative blade trims with 3D design pattern



Dusk

Pearl White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	222 m <sup>3</sup> /min





# FUSION PRIME ES

Beige - Brown



- Broad blades with elegant trims
- Stylish canopies with unique downrod cover




Mist - Espresso Brown



Pearl Brown-Gold



Pearl Ivory-Beige



Silver - Blue



Pearl Ivory-Gold



Espresso Brown - Cola Copper




Pearl White - LT Copper



Indigo Blue - Chrome



Matt Black

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	350 r/min	220 m <sup>3</sup> /min



# FESTIVA PRIME ES

Rose Gold Cola Chrome



- Dust Resistant with metallic paint finish
- Wider blade tip for high Air delivery
- Robust motor with large diameter




Beige Cola Chrome



Pearl White LT Copper



Dusk Chrome

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	225 m <sup>3</sup> /min



# FESTIVA ES



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy
- Robust motor with large diameter

Ocean Blue Silver



Mauve



Espresso Brown



Mist



Pearl Copper Gold




Pearl Ivory




Pearl White Silver



Gold Mist

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min



# FUSION ES

Espresso Brown



- Dust Resistant with metallic paint finish
- Decorative Trims on Blade & Canopy



Pearl White Silver



Silver Blue



Beige-Brown



Pearl Ivory Gold

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min



# QUICK AIR

Matt Blue



- Wider Tip Blade for Higher Air Delivery
- UV metallized Body ring and Trim for Enhanced Looks
- Robust motor with large diameter




White




Bianco



Smoke Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	56 W	380 r/min	225 m <sup>3</sup> /min





HAVELLS

LOOK UP TO  
**REGULAR  
FANS**









## SS 390 METALLIC ES



- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min

Pearl White



Sparkle Brown



Pearl Brown



Pearl Ivory Gold




# SS 390 ES




- Wider Tip Blade for Effective Air Circulation
- Aerodynamic Designed blades for High Air Delivery

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	320 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min

Bianco



White



Matt White



Brown




# AEROKING ES



Bianco




- Unique Ribbed Aluminum Blades for Better Air Spread
- Elegant Design & High Speed Performance.



White



Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m <sup>3</sup> /min



# SAMRAAT ES

Brown



- Aerodynamically designed Aluminum Blades for Better Air Spread
- Elegant Design & High-Speed Performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	55 W	390 r/min	230 m <sup>3</sup> /min
	900 mm	42 W	430 r/min	140 m <sup>3</sup> /min
N. A.	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min



White

Bianco



# THRILL AIR ES



Brown



- High Speed optimum Air Delivery
- Long Lasting paint finish



Smoke Brown




Matt Blue



Bianco




Sea Green



Grey



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	52 W	390 r/min	215 m <sup>3</sup> /min



## PACER ES

Brown



- Optimum Air Delivery with 2 STAR Rating
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	250 m <sup>3</sup> /min
	1200 mm	50 W	350 r/min	225 m <sup>3</sup> /min



White



Bianco



## VELOCITY ES



- Optimum Air Delivery even at low voltage
- Long Lasting paint finish

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1400 mm	60 W	290 r/min	252 m <sup>3</sup> /min
	1200* mm	52 W	350 r/min	220 m <sup>3</sup> /min
	900 mm	42 W	420 r/min	140 m <sup>3</sup> /min

\*1200 mm is ISI certified.

Bianco



Brown



White





## SUPER SPEED ES




- High Speed optimum Air Delivery.
- Long Lasting paint finish

Bianco



White

Brown

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	53 W	380 r/min	220 m <sup>3</sup> /min



# ES 40



- Aerodynamic Blades for maximum Air delivery.
- Energy Efficient 3 star rating


Bianco



Brown



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	40 W	300 r/min	212 m <sup>3</sup> /min



# ES 50



Brown




- Simplistic design with optimum Air Delivery.
- Energy Efficient 2 star rating



Bianco

White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



# ES NEO



- Simplistic design with optimum Air Delivery
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



Brown



Bianco


White



## ES PLUS



- Ergonomic design with optimum Air Delivery.
- Energy Efficient 2 star rating

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	1200 mm	50 W	350 r/min	226 m <sup>3</sup> /min



Brown



Bianco



# SPEEDSTER




Unique 4 blade design



High Speed

- Aerodynamically designed blades
- Superior air delivery even at low voltage

Brown



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	600 mm	65 W	850 r/min	110 m <sup>3</sup> /min




**HAVELLS**



LOOK UP TO  
**TABLE  
FANS**





## VELOCITY NEO-HS



Double Ball Bearing


White

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# SWING LX HS



Purple



Cool Blue




Double Ball Bearing

- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



## ACCELERO HS/NS




White Red



- Hi-speed motor for better air delivery
- Smooth oscillation

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	High Speed	120 W	2100 r/min	95 m <sup>3</sup> /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min

Model is available with High and Normal Speed Variant.



White Grey





# SWING LX




- Smooth oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Cherry




White



# SAMEERA



White




Grey



- Jerk free oscillation
- Pivot arrangement for tilting & oscillation
- Aerodynamically designed & balanced PP blades

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min








LOOK UP TO  
**WALL  
FANS**






## GIRIK GOLD



Pull cord for Speed  
& Oscillation

- Wooden texture body & blade to complement room decor
- Golden guards & trim for premium look
- Pull cord for On/Off, Speed & Oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Gold





# AINDRILA



- Upto 8 hours timer
- Remote control operation
- Soft touch panel for fan operation
- ABS body for high strength and gloss
- Standard, Natural, Breeze & Sleep Mode
- Additional fuse for protection against high voltage & spikes

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Brown Black




Blue Grey



Dusty Rose White



## PLATINA BLDC




Magenta




**BLDC INVERTER**  
TECHNOLOGY


- Sturdy and well built design
- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades



Yellow



Blue


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m <sup>3</sup> /min



## PLATINA REMOTE



- Smooth oscillation with synchronous motor
- I.R. remote control
- High performance motor
- Aerodynamically designed & balanced heavy duty PP blades



White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## PLATINA - HS




Double Ball Bearing



Pull cord for Speed & Oscillation




- Smooth oscillation
- Aerodynamically designed balanced heavy duty PP blade



White


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# PLATINA




White



Pull cord for Speed & Oscillation

- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## MARVEL WIND HS




Double Ball Bearing




Pull cord for Speed & Oscillation



- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades




White Yellow



White Blue


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# AIRBALL-HS



Double Ball Bearing



Pull cord for Speed & Oscillation




- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades


White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1750 r/min	100 m <sup>3</sup> /min





## ACCELERO - HS / NS





Pull cord for Speed & Oscillation

- Smooth oscillation
- Pull cord for 3-speed control

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	High Speed	90 W	2000 r/min	65 m <sup>3</sup> /min
NA	400 mm	High Speed	120 W	2100 r/min	95 m <sup>3</sup> /min
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m <sup>3</sup> /min
NA	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min

Model is available with High and Normal Speed Variant.






# PENTAFORCE



- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades




Grey-Wine



White-Green


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m <sup>3</sup> /min



## D'ZIRE HS



Double Ball Bearing\*




Pull cord for Speed & Oscillation



- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	45 W	2800 r/min	30 m <sup>3</sup> /min
NA	300 mm	90 W	2000 r/min	65 m <sup>3</sup> /min


\*Only available in 300 mm sweep



White



# D'ZIRE



Pull cord for Speed & Oscillation

- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation



Grey


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	50 W	1350 r/min	55 m <sup>3</sup> /min
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## SWING - HS



Double Ball Bearing



Pull cord for Speed & Oscillation




- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades


STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	90 W	2000 r/min	65 m <sup>3</sup> /min
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



White




# SWING




Pull cord for Speed & Oscillation

- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed balanced blades




Off White

STAR RATING	SWEEP	Variant	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	Normal Speed	50 W	1350 r/min	55 m <sup>3</sup> /min
	400 mm	Normal Speed	55 W	1350 r/min	65 m <sup>3</sup> /min




# SAMEERA




Pull cord for Speed & Oscillation

- Elegant looks
- High Air Delivery
- Attractive colour combinations



Grey



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



## V3



Black


- Sturdy & heavy duty aluminium blades for high air delivery
- Sleek & stylish design
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1350 r/min	100 m <sup>3</sup> /min






# GIRIK NEO



Black



Pull cord for Speed & Oscillation

- Wider oscillation
- Rust free Aluminium blades
- Powerful motor for high air delivery
- Pull cord control for speed & oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min





LOOK UP TO  
**LIFESTYLE  
FANS**





## CIERA HS



- Grill for protection
- Ideal for mounting on low height ceiling and in cabin



White



Off White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	58 W	2600 r/min	55 m <sup>3</sup> /min
NA	300 mm	80W	2400 r/min	75 m <sup>3</sup> /min



## SWING GYRO



- 360° gyroscopic movement / adjustable wind direction
- Grill for protection
- Ideal for mounting on low height ceiling
- Aerodynamically designed balanced ABS blades



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	60 W	1350 r/min	65 m <sup>3</sup> /min



# KOOL-MATE



- 90° vertical tilting
- 30° - 90° - 180° - 360° automatic horizontal oscillation
- Aerodynamic turbo design for maximum air
- 1 hour - 2 hours - 4 hours - 8 hours auto-timer
- 3 speed modes normal, nature & sleep
- Remote control and LED display

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	200 mm	45 W	2200 r/min	12 m <sup>3</sup> /min



White





# AIRWYNN

White




- Grill for protection
- Ideal for mounting on low height ceiling and in cabin

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m <sup>3</sup> /min





## MINI YO



Grey



White



Carbon filter for pure air



Portable usb charging



Stylish carry handle



Gentle touch power button



2 Speed setting



Upto 3 Hours battery backup



## COOLBUDDY



- 90° vertical tilting
- Rechargeable design with USB connection
- Digital button to control wind speed Upto 4-Levels



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	140 mm	5 W	2200 r/min	5 m <sup>3</sup> /min



# CRESCENT



- Revolving grill for wide spread of air
- Table and wall mounting - dual purpose
- 3 speed operation
- 180° fan head movement
- Super silent operation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	40 W	1300 r/min	50 m <sup>3</sup> /min



Yellow



Blue



# I COOL- HS



White Maroon



Black Grey

- Unique multi-directional adjustment for desired air flow
- Unique propeller, deep pitched blades for powerful air flow
- Multi purpose fan can be mounted on table, wall & ceiling



On wall



On Table



On Ceiling

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	175 mm	52 W	2200 r/min	40 m <sup>3</sup> /min



## BIRDIE HS



- Jerk free oscillation and smooth running
- Multi use fan suitable for desk, wall or cabin mounted application
- Strong air blast

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	230 mm	40 W	2800 r/min	38 m <sup>3</sup> /min




Yellow Maroon



Black Grey



## BREEZO - HS



White



- High Speed & High air thrust
- Multipurpose - Can be used as Desk fan or Wall fan
- Three speed control

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	300 mm	80 W	2200 r/min	60 m <sup>3</sup> /min





LOOK UP TO  
**PEDESTAL  
FANS**





# AINDRILA PREMIUM



- Square Guard Design for premium Looks
- Timers Upto 8 hours
- LED Light at the Bottom
- Sleep Mode and Breeze Mode
- Soft touch option along with remote control



Brown Black



Blue Grey



Silky Crystal



Dusty Rose White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



# TOURNER



- Up to 8 h timer for automatic switch OFF
- Adjustable oscillation from 30° to 360°
- 90° face up position for air circulation in room
- Remote control operation and LED touch panel on fan



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	65 W	1250 r/min	65 m <sup>3</sup> /min



## SPRINT-18 HS



Double Ball Bearing

- Smooth oscillation
- Heavy base for stability


White



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	120 W	2000 r/min	100 m <sup>3</sup> /min



## SPRINT-16 HS



Double Ball Bearing

- Smooth oscillation
- Heavy base for stability



White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2000 r/min	90 m <sup>3</sup> /min



## SPRINT BLDC



Low Noise



Low Power Consumption



Sturdy and Well-built



1350 Revolution per minute



**BLDC INVERTER TECHNOLOGY**

- Attractive bi-colour metallic finish
- Telescopic height adjustment

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	28 W	1350 r/min	65 m <sup>3</sup> /min



White Yellow




Wine Red



Blue






## SPRINT LED



- Heavy base for stability
- LED indicator lights
- Available in two attractive color combinations

Model also available without remote.

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Wine Red

Blue



## TRENDY METALLIC



- Sturdy base for more stability
- Rust free aluminium blades
- Upto 2 hours timer with automatic switch off

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



Mettalic Black



## TRENDY HS



Double Ball Bearing

- Motorized smooth oscillation
- 3 Speed control
- ABS blades for better air thrust



Yellow



Blue

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min





## TRENDY



- Elegantly designed switch box
- Higher air delivery
- Available in attractive colour combinations



Blue White




Golden White



Green White

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



# PENTAFORCE



- Elegant Looks
- Sturdy Square Base for more stability
- 3 Speed Control
- 5 Leaf Blade design for High Air delivery
- Upto 2 hours timer with automatic switch off




Magenta



White Green

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	62 W	1350 r/min	65 m <sup>3</sup> /min





# MARVELWIND HS




Double Ball Bearing

- Elegant looks
- Sturdy base for more stability




STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



## SWING




- Smooth oscillation
- Elegantly designed switch box

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min



White



# ACCELERO NS



- Elegant looks
- Sturdy base for more stability




White Grey



White Red

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




# ACCELERO HS



White Grey



White Red



- Elegant looks
- Sturdy base for more stability

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	120 W	2100 r/min	95 m <sup>3</sup> /min



# ORO



- 3 speed control
- Smooth oscillation

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	55 W	1350 r/min	65 m <sup>3</sup> /min




White



# MINI HS



- Three step speed control
- Aluminium blades for high air flow
- Smooth oscillation & wider area coverage



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	250 mm	50 W	2000 r/min	55 m <sup>3</sup> /min





## V2



- High structural stability
- Strong motor for High Air Delivery
- Superior performance at Low & High voltages
- Aerodynamically designed rust proof Aluminium blades
- Speed independent smooth & constant oscillations

Black Silver



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	110 W	1400 r/min	110 m <sup>3</sup> /min



V3




- Smooth oscillation
- Aerodynamically designed rust proof aluminium blades
- Heavy base for stability



Black

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	450 mm	100 W	1400 r/min	100 m <sup>3</sup> /min



# WINDSTORM OXY



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- 3 leaf metal blade
- Smooth oscillation

Silver Grey



STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m <sup>3</sup> /min




## WINDSTORM OXY - II



- Sweep 400 mm
- High performance motor
- Aerodynamically designed blades
- Smooth oscillation

Silver Grey

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	400 mm	115 W	2200 r/min	100 m <sup>3</sup> /min



# WINDSTORM



Silver Black



- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- Unique aerodynamically designed 3 leaf metal blade for excellent air thrust

STAR RATING	SWEEP	POWER INPUT	SPEED	AIR DELIVERY
NA	500 mm	130 W	1400 r/min	135 m <sup>3</sup> /min





HAVELLS

LOOK UP TO  
**VENTILAIR  
FANS**



HAVELLS







# VENTO JET

Auto Inox

- Brushed steel finish
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



# VENTO JET

Auto

- Off-white color
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning



Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	31 mm
150 mm	194 mm	194 mm	148 mm	124 mm	38 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



# VENTO JET

Inox

- Brushed steel finish
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	89.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## VENTO JET

- Off-white color
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable screwless front for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	98 mm	98.5 mm	38 mm
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2500 r/min (RPM)	98 m <sup>3</sup> /h	220 V-240 V	50 Hz	38 dB
150 mm	25 W	2200 r/min (RPM)	320 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## VENTILAIR ZX

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery



Sweep	A	B	C	D	E
150 mm	194 mm	194 mm	148 mm	124 mm	34 mm




Front View

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2200 r/min (RPM)	275 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## VENTILAIR ZXC

- Ease of cleaning & maintenance
- Seamless design & finish
- Low noise operation
- High Air Delivery




Sweep	A	B	C	D	E
100 mm	235 mm	213 mm	30 mm	95 mm	200 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	26 W	1400 r/min (RPM)	74 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DX-C

- Modern design & elegant look
- Ideal for centrally air conditioned bathrooms and mounting on ceiling




Sweep	A	B	C	D	E
130 mm	264 mm	242 mm	33.5 mm	97 mm	228 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
130 mm	24 W	1200 r/min (RPM)	150 m <sup>3</sup> /h	220 V-240 V	50 Hz	42 dB



## DXW CELSO

- Modern looks and sleek design for easy fitting
- Ideal for mounting on glass
- Pull cord for fan switch on-off and shutter open-close
- Shutter to prevent entry of insects, pest and rodents



Sweep	A	B	C	D	E	F
150 mm	198 mm	198 mm	90 mm	148 mm	35 mm	55 mm
200 mm	250 mm	250 mm	250 mm	106 mm	180 mm	60 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	15 W	1750 r/min (RPM)	170 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB
200 mm	20 W	1600 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB





## VENTILAIR DX-WE

- Modern design, fashionable and elegant look
- Suitable for window & wall mounted indoor installation
- Electrically operated automated front shutter



Sweep	A	B	C	D	E	F
150 mm	208 mm	208 mm	120 mm	146 mm	58 mm	62 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1760 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB


Note: Also available with thermally operated automatic shutter (DX-WT)



## VENTILAIR BLDC



- Easy installation on glass window & wood panels
- Powerful air suction for clean and odorless air
- Mosquito net to avoid entry of insects
- Very low noise




Sweep	A	B	C	D	Cut out space for installation Ø A
150 mm	200 mm	147 mm	93.5 mm	18 mm	153 mm
200 mm	250 V	180 mm	128 mm	11 mm	184 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	5 W	1760 r/min (RPM)	180 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	6 W	1760 r/min (RPM)	252 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB



## VENTILAIR DXW

- Modern design, fashionable & elegant look
- Ideal for mounting on glass window & wood panels




Sweep	A	B	C	D	E	F	Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	150 mm	150 mm	81 mm	97 mm	35 mm	46 mm	100 mm	15 W	2400 r/min (RPM)	100 m <sup>3</sup> /h	220 V-240 V	50 Hz	43 dB
150 mm	208 mm	208 mm	106 mm	146 mm	46 mm	60 mm	150 mm	25 W	2000 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DXR

- Back shutter & fan "ON-OFF" operations are inter-locked through pull cord
- Easy installation on glass & wood panels




Sweep	A	B	C	D	E	F	G	H
150 mm	210 mm	150 mm	80 mm	72 mm	35 mm	32 mm	180 mm	142 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1800 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR HUSH

- Modular concept
- High suction capacity
- Noiseless operation
- Removable front plate for easy cleaning




Sweep	A	B	C	D	E
100 mm	150 mm	150 mm	27 mm	72 mm	98 mm
150 mm	200 mm	200 mm	28 mm	94 mm	145 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
100 mm	15 W	2450 r/min (RPM)	140 m <sup>3</sup> /h	220 V-240 V	50 Hz	35 dB
150 mm	25 W	2000 r/min (RPM)	275 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB



## VENTILAIR DXZ NEO

- Easy installation on glass / window panels
- High quality plastic, resistant to colour change
- Elegant front grill
- Also available in black color




Sweep	A	B	C	D
150 mm	165 mm	165 mm	115 mm	68 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	2000 r/min (RPM)	250 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB



## VENTILAIR DX

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties




Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm
250 mm	250 mm	348 mm	290 mm	90 mm	48 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	25 W	1350 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	32 W	1350 r/min (RPM)	520 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB
250 mm	35 W	1200 r/min (RPM)	860 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB



## VENTILAIR DX - HS

- Ideal for mounting on wood
- High quality engineering plastic, resistant to colour change with anti-static properties



Sweep	A	B	C	D	E
150 mm	150 mm	241 mm	172 mm	73 mm	50 mm
200 mm	200 mm	298 mm	240 mm	90 mm	40 mm


Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	2300 r/min (RPM)	600 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	850 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB





## VENTILAIR LX

- Modern design, fashionable and elegant look
- Ideal for mounting on glass window and wooden panels




Sweep	A	B	C	D	E
150 mm	208 mm	21 mm	90 mm	150 mm	208 mm
200 mm	255 mm	22 mm	90 mm	200 mm	255 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	22 W	2000 r/min (RPM)	280 m <sup>3</sup> /h	220 V-240 V	50 Hz	50 dB
200 mm	35 W	1800 r/min (RPM)	500 m <sup>3</sup> /h	220 V-240 V	50 Hz	50 dB



## THRILL AIR DX

- Rust proof body and blades
- Automatic shutter
- Durable motor




Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm
250 mm	250 mm	344 mm	312 mm	291 mm	69 mm	115 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	24 W	1370 r/min (RPM)	270 m <sup>3</sup> /h	220 V-240 V	50 Hz	40 dB
200 mm	28 W	1350 r/min (RPM)	500 m <sup>3</sup> /h	220 V-240 V	50 Hz	45 dB
250 mm	36 W	1300 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	48 dB



## THRILL AIR - DX HS

- Rust proof body and blades
- Automatic shutter
- Durable motor



Sweep	A	B	C	D	E	F
150 mm	150 mm	244 mm	212 mm	191 mm	65 mm	125 mm
200 mm	200 mm	294 mm	262 mm	241 mm	70 mm	101 mm

Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	55 W	2500 r/min (RPM)	650 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB
200 mm	65 W	2000 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	60 dB




## VENTILAIR DB

- Double ball bearings
- Heavy duty motor
- Protective steel bird guard
- Robust construction



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	45 W	1400 r/min (RPM)	860 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	70 W	1400 r/min (RPM)	1850 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## VENTILAIR DS

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	38 W	2800 r/min (RPM)	400 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
230 mm	35 W	1400 r/min (RPM)	800 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	40 W	1400 r/min (RPM)	1060 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## VENTILAIR DSP

- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
150 mm	30 W	1400 r/min (RPM)	300 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
230 mm	40 W	1350 r/min (RPM)	510 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB
300 mm	50 W	1350 r/min (RPM)	900 m <sup>3</sup> /h	220 V-240 V	50 Hz	45-50 dB



## VENTILAIR DS HS

REVERSIBLE


- Specially designed metal blades
- Powder coated for long lasting finish
- Sturdy steel bird guard



Sweep	Power Input	Speed	Air Delivery	Rated Voltage	Rated Frequency	Noise Level
230 mm	65W	2300 r/min (RPM)	1050 m <sup>3</sup> h	220 V - 240 V	50 Hz	68 dB
300 mm	75 W	2300 r/min (RPM)	1533 m <sup>3</sup> h	220 V - 240 V	50 Hz	70 dB







LOOK UP TO  
**INDUSTRIAL  
FANS**





# TURBOFORCE

PEDESTAL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

## Dimensional Specifications (mm) - Pedestal:

Size (Sweep)	A	B	C	D	E	F	
						Minimum	Maximum
450 mm	500 mm	145 mm	365 mm	785 mm	450 mm	1290 mm	1430 mm
600 mm	670 mm	166 mm	390 mm	1150 mm	585 mm	1340 mm	1650 mm
750 mm	840 mm	176 mm	412 mm	1150 mm	705 mm	1340 mm	1650 mm

## Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m <sup>3</sup> /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Pedestal	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m <sup>3</sup> /min	3 N	3	62 dB
600 mm Pedestal	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m <sup>3</sup> /min	3 N	1	72 dB
750 mm Pedestal	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m <sup>3</sup> /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan.  
Built-in regulators available only for 450 mm sweep.  
Conforming to IS: 2997-1964.

Tolerance on ratings (As per IS 2997-1964)  
Speed -10%  
Power +10%  
Air Delivery -10%

\* Design/Specifications may vary without notice due to continuous technology up-gradation.



# TURBOFORCE

WALL AIR CIRCULATOR FAN




- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Indexable to different positions up to 15°
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sweep

## Dimensional Specifications (mm) - Wall:

Size (Sweep)	A	B	C	D	E	G1	G2	H
450 mm	500 mm	145 mm	590 mm	200 mm	565 mm	84 mm	108 mm	157 mm
600 mm	670 mm	166 mm	585 mm	185 mm	680 mm	150 mm	120 mm	170 mm
750 mm	840 mm	176 mm	660 mm	185 mm	680 mm	150 mm	120 mm	170 mm

## Technical Specifications:

Sweep	Volt (V)	Frequency (Hz)	Power Consumption	Speed r/min (RPM)	Phase	Air Del. m <sup>3</sup> /min	No. of blades	No. of Speeds	Noise Level dB
450 mm Wall	230 V	50 Hz	100 W	1440 r/min	1 Phase	150 m <sup>3</sup> /min	3 N	3	62 dB
600 mm Wall	230 V	50 Hz	180 W	1440 r/min	1 Phase	280 m <sup>3</sup> /min	3 N	1	72 dB
750 mm Wall	230 V	50 Hz	235 W	1400 r/min	1 Phase	300 m <sup>3</sup> /min	3 N	1	75 dB



Air delivery measurement at a distance of 6 times blade sweep from the fan.  
 Built-in regulators available only for 450 mm sweep.  
 Conforming to IS: 2997-1964.


Tolerance on ratings (As per IS 2997-1964)  
 Speed -10%  
 Power +10%  
 Air Delivery -10%

\* Design/Specifications may vary without notice due to continuous technology up-gradation.





## TURBOFORCE / TURBOFORCE NEO

HEAVY DUTY EXHAUST FAN



- Corrosion resistant body, minimal noise operation & maintenance free design
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings
- Aerodynamically contoured blades handle maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase
- An IP55 rated product (protected from limited dust ingress and from low pressure water jets from any direction)
- Available 300 mm, 380 mm, 450 mm, 600 mm & 900 mm Sweep  
(Above size are available in 900 r/ min (RPM) and 1400 r/ min (RPM))






### Dimensional Specifications (mm) :

Dimensions (in mm)	Ø H mm	X mm	YSQ mm	Ø S mm
300 mm H.D. Exhaust Fan	7.7 mm	388 mm	310 mm	322 mm
380 mm H.D. Exhaust Fan	10.5 mm	462 mm	373 mm	401 mm
450 mm H.D. Exhaust Fan	10.5 mm	550 mm	442 mm	483 mm
600 mm H.D. Exhaust Fan	10.5 mm	718 mm	603 mm	635 mm

### Technical Specifications :

Sweep (mm)	Phase	Speed r/min (RPM)	Input (Watt)	Current (Ampere)	Free air flow (m³/h)	Noise Level (dB)
300 mm	1 Phase	900 r/min	55 W	0.26 A	1275 m³/h	50 dB - 55 dB
		1400 r/min	90 W	0.43 A	1950 m³/h	60 dB - 65 dB
380 mm	1 Phase	900 r/min	100 W	0.48 A	2250 m³/h	55 dB - 60 dB
		1400 r/min	166 W	0.77 A	3700 m³/h	65 dB - 70 dB
450 mm	1 Phase	900 r/min	145 W	0.7 A	4400 m³/h	60 dB - 65 dB
		1400 r/min	410 W	1.98 A	6200 m³/h	75 dB - 80 dB
600 mm	1 Phase	900 r/min	850 W	2.65 A	10520 m³/h	70 dB - 75 dB
380 mm	3 Phase	1400 r/min	170 W	0.4 A	3700 m³/h	65 dB - 70 dB
450 mm	3 Phase	1400 r/min	370 W	0.82 A	6800 m³/h	75 dB - 80 dB
600 mm	3 Phase	900 r/min	500 W	0.95 A	10520 m³/h	70 dB - 75 dB
900 mm	3 Phase	700 r/min	1320 W	5.73 A	25200 m³/h	75 dB - 80 dB



Tolerance on ratings (As per IS 2312-1967)  
 Speed -5% to +10%  
 Power +10%  
 Air Delivery -10%

At 230 V, 1 Phase, 50 Hz AC  
 or 400 V, 3 Phase, 50 Hz AC