

SIMPLIFIED INTELLIGENT LIGHTING

Edition
September 2023



CREST



LIGHTING SIMPLIFIED INSPIRATION AMPLIFIED



INDEX

06 – 08	About Litomatic
09	About Crest Series
10	Litomatic's Presence
11 – 17	Downlight
18 – 19	Backlit Panel & Frame
20	Surface Downlight
21 – 33	Spotlight
34 – 35	MR-16 Module and Frame
36 – 37	Wall Washer & Surface Spotlight
38 – 39	Zoom Light & Spotlight

INDEX

40 – 41	Laser Blade
42 – 44	Movable Surface Spotlight
45 – 48	Track Light
49	Slim Surface Spotlight
50 – 53	Mini Spotlight
54 – 55	Footlight
56 – 57	Strip Light
58 – 59	Slim SMPS & Beat SMPS
60 – 61	Scene Mode Controller & Remote
62	Our Clients



About Litomatic

Established in the year 1992, Kardhar Electric Co. has been into the business of Electricals and Power Cables, fulfilling the demands of Construction Industry, Hotel Industry, Hospitals and Residence etc. With growing demand, we stepped into the LED market. "LITOMATIC", brings you to the world of Simplified Intelligent Lighting, the world which will make our lives more beautiful than ever before.

Introduction

LITOMATIC, a company focused on Simplified Intelligent Lighting aims to enhance our lives by offering innovative solutions. Recognizing the increasing demand for different color temperatures (CCT) and dimming capabilities in LED lights, we ventured into the world of smart LED lighting. However, we strongly believed that achieving CCT and dimming functionality should be effortless, reliable, and consistent across all age groups and applications. This conviction led us to develop and introduce LITOMATIC to the market in 2016.

Since then, technology has witnessed exponential growth globally, and we have embraced this evolution. As board members, we collectively brainstormed and conceived the concept of marketing Remote Controlled LED lights. This new feature allows users to control their LED lights using a remote, adding convenience and flexibility to the lighting experience.

It is our immense pleasure to introduce ourselves as the Pioneer in initiating the concept of Remote Controlled LED lights of it's kind since 2016.

Litomatic is a leading lighting brand in India, experiencing rapid growth. We boast 200+ dies and extrusion molds to meet robust demands and fuel our accelerated expansion. Our competent R&D team drives innovation, offering cutting-edge technology to our customers. With an in-house powder coating plant, we ensure excellent quality and superior finishes. Housed in a 60,000 sq. ft. facility, we have the infrastructure to deliver outstanding lighting solutions.

- These lights come with high efficiency and are flicker free.
- These lights work on communication protocol : RF 2.4G.
- These LED lights come with dimming range of 10% to 100%.
- These lights can achieve CCT from 2700k to 6500k smoothly
- These lights have 4 various scene modes, which help you to get your customized or desired lighting ambience by just one press on the remote.

We are committed to continuously improving our products and incorporating cutting-edge technologies to meet the ever-evolving needs of our customers. We aim to make lighting simpler, smarter, and more beautiful than ever before.



LITOMATIC R&D

Lighting Innovations: Product Development & Design

LITOMATIC's expertise shines in luminaire engineering, blending aesthetics and functionality for unrivalled brilliance. Our meticulous approach encompasses the precise selection of light sources, materials with optimal heat sink capacity, and cutting-edge technologies. With a keen focus on achieving the highest standard of lighting emission, each functional prototype serves as a catalyst for refining elements and orchestrating a seamless creative progression. Experience the alchemy of innovation as we illuminate the path to luminaire excellence.

Factory Innovations - Crafting Excellence

At Litomatic, we are dedicated to delivering products that embody contemporary design through exceptional craftsmanship. Our cautious material selection, accurate finishing, and continuous research and development ensure durable and reliable products that elevate the global market. Each creation harmoniously fuses structure, light, and architecture, challenging artistic boundaries.

Machining Center - Precision Meets Artistry

Our cutting-edge machining centers enable us to achieve uncompromising quality, from grinding to precise processing. These high-precision machines play an indispensable role in crafting our finest products.

Exquisite Workmanship - Quality and Beauty

Litomatic lamps are renowned for their superior quality and meticulous manufacturing. From mold manufacturing to die casting, we passionately uphold the highest standards of craftsmanship.

Seamless Assembly - Precision and Safety

Our skilled staff follows strict procedures on electrical and mechanical assembly lines, guaranteeing compliance with regulations. We prioritize electrical safety checks, ensuring the utmost reliability of our luminaires.

Packing and Delivery - Global Excellence

Every Litomatic product undergoes painstaking preparation and packaging, ready to be shipped worldwide. As a trusted brand, Litomatic delivers excellence to customers across numerous countries and regions.





CRI Technology for Color Accuracy

Color accuracy is crucial in lighting, and the Color Rendering Index (CRI) helps assess how faithfully a light source reveals colors compared to natural light. LED lighting, with its different color temperatures and light variations, directly affects color accuracy. Opting for higher CRI-rated LEDs ensures more accurate color representation. Experience vibrant and true-to-life colors with Litomatic's advanced CRI technology.

Glare-Free LED Lighting

At Litomatic, we prioritize the ultimate lighting experience with our precision-engineered anti-glare technology. Through meticulous control and innovative design, we ensure secondary optical refraction curves and superior electroplate treatment, resulting in flicker-free, high-performance lighting even in low-light conditions. With a generous beam angle of up to 40°, our luminaires create a serene and comfortable lighting atmosphere, allowing you to enjoy the illumination without any distracting glare.



LED Chips Illuminating Innovation

LED chips, the heart of modern lighting, revolutionize illumination with advanced technology. These compact semiconductor devices drive efficiency, superior color rendering, and remarkable longevity. Powering smart light bulbs and energy-saving solutions, LED chips redefine lighting experiences. Illuminate your space with efficiency and brilliance using Litomatic's high-quality LED chips.

Brilliant COB Lighting

Experience flawless lighting with Litomatic's cutting-edge Chip-On-Board (COB) technology. Our COB fixtures deliver even, natural light without double images, creating a clean and dimensionally rich lighting experience. Say goodbye to blurry edges and embrace Litomatic's superior COB lighting for captivating illumination.




ABOUT CREST SERIES



CREST

Introducing the Crest series by Litomatic, a groundbreaking wave of lighting solutions. Explore captivating and inspiring designs that redefine the capabilities of lighting. To exemplify our dedication to innovation, many Crest series products feature an anti-glare technology for superior comfort and usability. Use the brilliance of Litomatic to illuminate spaces, establishing a new standard for lighting technology. Join us on this journey of extraordinary illumination. Welcome to Crest series, where every detail is meticulously crafted and customer fulfillment is guaranteed. Enter a realm of unparalleled brilliance and encounter radiance as never before.



1st
PIONEER
with this CONCEPT
SINCE **2016**




OUR PRESENCE

100+ Cities 300+ Dealers Across India

Ambikapur, Amravati, Amritsar, Agra, Ahmedabad, Ajmer, Anand, Aurangabad, Balgaum, Bareilly, Barmer, Barnala, Baroda, Begusarai, Begur, Bengaluru, Bharuch, Bhatinda, Bhavnagar, Bhawanipatna, Bhilai, Bhilwara, Bhopal, Bhubaneswar, Bikaner, Bokaro, Bilaspur, Chandigarh, Chennai, Cochin, Coimbatore, Dehradun, Dhule, Ernakulam, Faridabad, Firojabad, Gandhidham, Ghaziabad, Goa, Gopalpura, Gorakhpur, Gurgaon, Guwahati, Hanumangarh, Hazaribagh, Hoshiarpur, Hubli, Hyderabad, Indore, Jabalpur, Jaipur, Jalgaon, Jamnagar, Jhalandar, Jind, Jodhpur, Kakinada, Karnal, Kendujhar, Khanna, Kishangarh, Kochi, Kolkata, Kota, Kottayam, Kozhikode, Lucknow, Ludhiana, Madurai, Mandsaur, Mangluru, Mathura, Meerut, Moga, Mumbai, Mysore, Nabha, Nagpur, Nashik, Navi Mumbai, Nawanshahr, New Delhi, Palakkad, Panipat, Patiala, Patna, Prayagraj, Pune, Raipur, Rajkot, Rajsamand, Ranchi, Ratlam, Satara, Secunderabad, Sikar, Siliguri, Siwan, Solapur, Surat, Taleigao, Thane, Thiruvananthapuram, Thrissur, Trichy, Trivandrum, Udaipur, Vadodara, Visakhapatnam, Wazirabad, Yelanahalli.

DIVINE DOWNLIGHT



BK **WH** Body Color Available


Watt	:	12w	18w	24w
Dimension	:	120 x 50mm	155 x 55mm	175 x 55mm
Cut Out	:	110mm	145mm	165mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

Beam Angle : 110°
 CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic



DIVINE DOWNLIGHT



BK **WH** Body Color Available

Watt	: 12w	18w
Dimension	: 110 x 110 x 50mm	145 x 145 x 55mm
Cut Out	: 100 x 100mm	135 x 135mm
CCT (K)	: 3000k/4000k/6500k/3000-6500k (Tunable)	
	Note: 2700/3500/5000k (available on request)	
Beam Angle	: 110°	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Bridgelux / Litomatic	



GRACE DOWNLIGHT



BK **WH** Body Color Available

Watt	:	12w	18w	24w
Dimension	:	90 x 56mm	100 x 56mm	124 x 55mm
Cut Out	:	85mm	95mm	118mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

Beam Angle : 120°
 CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic



AQUA DOWNLIGHT



BK **WH** Body Color Available

Watt	:	12w	18w	24w
Dimension	:	110 x 22mm	130 x 22mm	160 x 22mm
Cut Out	:	100mm	120mm	145mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 120°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic



AQUA DOWNLIGHT



BK **WH** Body Color Available


Watt	: 12w	18w	24w
Dimension	: 110 x 110 x 22mm	131 x 131 x 22mm	159 x 159 x 22mm
Cut Out	: 98 x 98mm	120 x 120mm	146 x 146mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

Beam Angle : 120°
 CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic



DELIGHT DOWNLIGHT



BK **WH** Body Color Available

Watt	:	6w	12w	18w
Dimension	:	84 x 30mm	110 x 30mm	155 x 30mm
Cut Out	:	74mm	100mm	145mm


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle	:	120°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic



FISCO DOWNLIGHT



BK **WH** Body Color Available

Watt : 12w
Dimension : 110 X 45mm (55mm After Moving)
Cut Out : 95mm


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 110°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic



ORBIT

BACKLIT PANEL



WH Body Color Available

- Watt : 36w
- Dimension : 595 X 595 X 40mm
- Cut Out : 575 X 575mm

- CCT (K) : 3000k/6500k/3000-6500k (Tunable)
- Beam Angle : 120°
- CRI : 80/90 (available on request)
- Material : M.S. Sheet with Smooth Finish Coating
- LED Brand : Bridgelux / Litomatic



SOLITAIRE

FRAME



WH Body Color Available

Watt : 36w
Dimension : 595 X 595 X 16mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Beam Angle : 120°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic

IGNITE

SURFACE DOWNLIGHT



BK **WH** Body Color Available

Watt : 8w 15w 22w
Dimension : 90 x 75mm 110 x 75mm 125 x 75mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 110°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic



CRUISE SPOTLIGHT



BK **WH** Body Color Available

Watt	:	5-7w	12-15w	20-25w	30-36w
Dimension	:	70 x 65mm	85 x 75mm	95 x 90mm	115 x 105mm
Cut Out	:	60mm	76mm	85mm	105mm
Beam Angle	:	15/24/36/55°	15/24/36/55°	24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



DUKE SPOTLIGHT



BK **WH** Body Color Available

Watt	: 5-7w	12-15w	20-25w
Dimension	: 70 x 58mm	85 x 65mm	98 x 90mm
Cut Out	: 63mm	75mm	86mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



EXOTIC SPOTLIGHT



BK **WH** Body Color Available

Available Inner Reflector : Rose Gold, Gold, Chrome, Gun Metal, Black Nickel

Watt	: 5-7w	12-15w
Dimension	: 74 x 68mm	85 x 78mm
Cut Out	: 65mm	76mm
Beam Angle	: 15/24/36/55°	15/24/36/55°


CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



CURVE

MOVABLE SPOTLIGHT



BK **WH** Body Color Available


Watt	:	5-7w	12-15w	20-25w	30-36w
Dimension	:	78 x 65mm	88 x 75mm	100 x 98mm	120 x 101mm
Cut Out	:	72mm	80mm	94mm	113mm
Beam Angle	:	15/24/36/55°	15/24/36/55°	24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



HECTOR SPOTLIGHT



BK **WH** Body Color Available


Watt : 12-15w
Dimension : 90 x 95mm
Cut Out : 80mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree




HARRIER SPOTLIGHT



BK **WH** Body Color Available

Watt	:	12-15w
Dimension	:	84 x 85mm
Cut Out	:	76mm
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)
Beam Angle	:	15/24/36/55°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree

BLAST SPOTLIGHT



BK **WH** Body Color Available

Watt	:	12-15w
Dimension	:	75 x 58mm
Cut Out	:	65mm
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)
Beam Angle	:	15/24/36/55°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree

COMPASS SPOTLIGHT



BK **WH** Body Color Available

Watt	: 5-7w	12-15w	20-25w
Dimension	: 60 x 80mm	70 x 95mm	85 x 126mm
Cut Out	: 53mm	62mm	75mm
Beam Angle	: 15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



TRUMP SPOTLIGHT



BK **WH** Body Color Available

- Watt : 12-15 w / 2 x 12 - 15 w
Dimension : 83 X 83 X 83 mm / 162 x 83 x 83 mm
Cut Out : 77 X 77 mm / 155 x 77 mm
- CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)
- Beam Angle : 15/24/36/55°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree


ARC SPOTLIGHT



BK **WH** Body Color Available

- Watt : 12-15w
Dimension : 72 X 75mm
Cut Out : 66mm
- CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)
- Beam Angle : 15/24/36/55°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

PASSION SPOTLIGHT



BK **WH** Body Color Available

Watt	: 5-7w	12-15w
Dimension	: 80 x 54mm	108 x 70mm
Cut Out	: 68mm	95mm
Beam Angle	: 15/24/36/55°	15/24/36/55°
CCT (K)	: 3000k/4000k/6500k/3000-6500k (Tunable)	
	Note: 2700/3500/5000k (available on request)	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Bridgelux / Litomatic / Cree	



EYE SPOTLIGHT



BK **WH** Body Color Available

Watt : 5-7w
Dimension : 65 x 60mm
Cut Out : 54mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree



BOOST SPOTLIGHT



BK **WH** Body Color Available

Watt	: 5w	7-12w
Dimension	: 40 x 58mm	60 x 88mm
Cut Out	: 35mm	52mm
Beam Angle	: 24/36°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree



TWIST TRIMLESS SPOTLIGHT




BK **WH** Body Color Available


Watt : 12w
Dimension : 82 x 80mm
Cut Out : 82mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree



IRIS 360° ROTATING SPOTLIGHT



BK **WH** Body Color Available

Watt : 7-12w

Dimension : 90 x 92mm

Cut Out : 82mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle : 24/36/55°


CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux / Litomatic / Cree



VISION MR - 16 MODULE



BK **WH** Body Color Available

Watt : 12w

Dimension : 49.8 X 68mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)


Note: 2700/3500/5000k (available on request)

Beam Angle : 15/24/36/55°

CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux / Litomatic / Cree




SPARK MR - 16 TRIMLESS FRAME



BK **WH** Body Color Available

Available Inner Reflector : Rose Gold, Chrome, Black

Watt : MR -16 Trimless Frame
Dimension : 91 x 46mm
Cut Out : 91mm
Material : Aluminium with PC Reflector



GLOW WALL WASHER



BK **WH** Body Color Available

Watt	:	12w	20w
Dimension	:	85 x 70mm	108 x 86mm
Cut Out	:	72mm	92mm
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)	
Beam Angle	:	60°	
CRI	:	80/90 (available on request)	
Material	:	Aluminium	
LED Brand	:	Bridgelux / Litomatic / Cree	



DESIRE

SURFACE SPOTLIGHT



BK **WH** Body Color Available

Watt	:	7w	12w	20w
Dimension	:	56 x 75mm	64 x 85mm	70 x 95mm
Beam Angle	:	15/24/36/55°	15/24/36/55°	24/36/55°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux/Litomatic/Cree



WONDER ZOOM LIGHT



BK **WH** Body Color Available

Watt	:	12w	20/30w	36w
Dimension	:	113 x 92mm	138 x 120mm	165 x 160mm
Cut Out	:	100mm	125mm	150mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)

Beam Angle : 38°
 CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree



POLO SPOTLIGHT



BK **WH** Body Color Available


Watt	:	7w	12w	20w	30w	40w
Dimension	:	86 x 32mm	114 x 42mm	142 x 50mm	168 x 60mm	227 x 70mm
Cut Out	:	76mm	100mm	130mm	155mm	200mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
 Note: 2700/3500/5000k (available on request)



Beam Angle : 45°
 CRI : 80/90 (available on request)
 Material : Aluminium
 LED Brand : Bridgelux / Litomatic / Cree




LOOP LASER BLADE



Watt	:	4w	6w	8w
Dimension	:	52 x 32 x 40mm	62 x 32 x 40mm	52 x 52 x 40mm
Cut Out	:	46 x 26mm	56 x 26mm	46 x 46mm




Watt	:	10w	15w	20w
Dimension	:	108 x 32 x 40 mm	71 x 71 x 40mm	204 x 32 x 40mm
Cut Out	:	102 x 26mm	65 x 65mm	198 x 26mm




BK **WH** Body Color Available

CCT (K)	:	3000k/4000k/3000-6500k (Tunable)
Beam Angle	:	30°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree

STREAK LASER BLADE



Watt	:	4w	12w
Dimension	:	52 x 52 x 56mm	128 x 52 x 56mm
Cut Out	:	42 x 42mm	120 x 42mm



Watt	:	16w	20w
Dimension	:	90 x 90 x 56mm	205 x 52 x 56mm
Cut Out	:	80 x 80mm	195 x 42mm

BK **WH** Body Color Available

CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable)
Beam Angle	:	38°
CRI	:	80/90 (available on request)
Material	:	Aluminium
LED Brand	:	Bridgelux / Litomatic / Cree

CORE

MOVABLE SPOTLIGHT



BK **WH** Body Color Available

Watt : 12w
Dimension : 54 x 80mm OD : 60 x 30mm
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)
Beam Angle : 36°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

CORE SURFACE MOVABLE SPOTLIGHT




BK **WH** Body Color Available

Watt : 12w
Dimension : 54 x 80mm OD : 54 x 30mm
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)
Beam Angle : 36°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

GLINT

SURFACE MOVABLE SPOTLIGHT



BK **WH** Body Color Available

Watt : 12w

Dimension : 50 X 170mm

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)

Note: 2700/3500/5000k (available on request)

Beam Angle : 38°


CRI : 80/90 (available on request)

Material : Aluminium

LED Brand : Bridgelux / Litomatic / Cree



FORCE TRACKLIGHT



BK **WH** Body Color Available

Watt : 12w 20/30w
Dimension : 170 X 60 X 151mm 160 X 150 X 80mm
CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)
Beam Angle : 24/38°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree



CHARGE TRACKLIGHT



BK **WH** Body Color Available

Watt	:	12w	20w	30w
Dimension	:	168 x 120 x 50mm	190 x 135 x 65mm	220 x 155 x 76mm
Beam Angle	:	15/24/36/55°	24/36/55°	24/36/55°
CCT (K)	:	3000k/4000k/6500k/3000-6500k (Tunable) Note: 2700/3500/5000k (available on request)		
CRI	:	80/90 (available on request)		
Material	:	Aluminium		
LED Brand	:	Bridgelux / Litomatic / Cree		

FLARE TRACKLIGHT




BK **WH** Body Color Available

Watt : 30w
Dimension : 165 X 115 X 185mm
Beam Angle : 90°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
Note: 2700/3500/5000k (available on request)

CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree



TRACK

TRACK CHANNEL



BK **WH** Body Color Available

DIMENSIONS

1meter	:	1000 X 35 X 18mm
1.5meter	:	1500 X 35 X 18mm
2meter	:	2000 X 35 X 18mm


GLIDE SLIM SURFACE SPOTLIGHT



BK **WH** Body Color Available

IP54
RATED

Watt	: 3w	5w
CCT (K)	: 2200k/3000k/4000k/6500k	3000k
Dimension	: 60 X 16mm	
Beam Angle	: 110°	
CRI	: 80/90 (available on request)	
Material	: Aluminium	
LED Brand	: Litomatic	



COMPASS SPOTLIGHT

BK **WH** Body Color Available



Watt : 3w
Dimension : 40 X 44 mm
Cut Out : 32 mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

BOAT SPOTLIGHT

BK **WH** Body Color Available




Watt : 3w
Dimension : 40 x 30mm
Cut Out : 32mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

PEARL SPOTLIGHT

BK **WH** Body Color Available



Watt : 3w
Dimension : 50 x 35mm
Cut Out : 44mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

CRUISE SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 40 X 35 mm
Cut Out : 32 mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

DUKE SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 40 x 29mm
Cut Out : 32mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

BLAST SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 40 X 26 mm
Cut Out : 32 mm
Beam Angle : 15/24°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

ATOM SPOTLIGHT



BK **WH** Body Color Available

Watt : 5w
Dimension : 50 X 45 mm
Cut Out : 43 mm
Beam Angle : 40°

CCT (K) : 3000k/4000k/6500k/3000-6500k (Tunable)
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

SENSE SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 46 x 60mm
Cut Out : 43mm
Beam Angle : 25°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

ZEST SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 40 x 32mm
Cut Out : 33mm
Beam Angle : 30°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

HAMMER SPOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 36 X 45 mm
Cut Out : 30 mm

CCT (K) : 3000k/4000k
Beam Angle : 25°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

STRIKE SPOTLIGHT




BK **WH** Body Color Available

Watt : 3w
Dimension : 40 x 36mm
Cut Out : 36mm

CCT (K) : 3000k/4000k
Beam Angle : 25°
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

BRIO FOOTLIGHT




BK **WH** Body Color Available

Watt : 3w
Dimension : 45 X 24 mm
Cut Out : 35 mm
Beam Angle : 120°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

EDGE FOOTLIGHT




BK **WH** Body Color Available

Watt : 3w
Dimension : 45 X 24 mm
Cut Out : 35 mm
Beam Angle : 180°

CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree


GUSTO FOOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 45 X 24 mm
Cut Out : 35 mm
CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

DASH FOOTLIGHT



BK **WH** Body Color Available

Watt : 3w
Dimension : 45 x 24mm
Cut Out : 35mm
CCT (K) : 3000k/4000k
CRI : 80/90 (available on request)
Material : Aluminium
LED Brand : Bridgelux / Litomatic / Cree

BEAT STRIP LIGHT



COMING SOON

Watt	:	6w/mtr. (8mm)	12w/mtr. (5mm)	12w/mtr. (8mm)	18w/mtr. (5mm)
Size	:	2835 (60 LED/mtr.)	2835 (120 LED/mtr.)	2835 (120 LED/mtr.)	2835 (180 LED/mtr.)
		18w/mtr. (10mm)	24w/mtr. (10mm)		
		2835 (180 LED/mtr.)	2835 (240 LED/mtr.)		

CCT (K) : 3000k/4000k/6500k
 Note: 2700/3500/5000k (available on request)

Beam Angle : 120°
 Voltage : 12/24v
 IP Rating : IP20
 CRI : 80/90 (available on request)
 LED Brand : Bridgelux / Litomatic

BEAT STRIP LIGHT (TUNABLE)



COMING SOON

Watt	:	12w/mtr. (8mm)	18w/mtr. (10mm)	24w/mtr. (10mm)
Size	:	2835 (120 LED/mtr.)	2835 (180 LED/mtr.)	2835 (240 LED/mtr.)
CCT (K)	:	3000k - 6500k (Tunable)		
Beam Angle	:	120°		
Voltage	:	12/24v		
IP Rating	:	IP20		
CRI	:	80/90 (available on request)		
LED Brand	:	Bridgelux / Litomatic		


SLIM S M P S



Watt / Amp	: 24w / 2Amp	60w / 5Amp
Dimension	: 190 x 18 x 16mm	315 x 18 x 16mm
Voltage	: 12 v	

BEAT

S M P S



Voltage : 12v

Watt / Amp	: 60w / 5Amp	100w / 8.5Amp	120w / 10Amp
Dimension	: 150 x 53 x 22mm	195 x 53 x 22mm	226 x 53 x 22mm

Watt / Amp	: 150w / 12.5Amp	200w / 16.5Amp
Dimension	: 250 x 53 x 22mm	282 x 53 x 22mm

Voltage : 24v


Watt / Amp	: 60w / 2.5Amp	100w / 4.1Amp	120w / 5Amp
Dimension	: 150 x 53 x 22mm	145 x 49 x 29mm	226 x 53 x 22mm

SCENE MODE CONTROLLER



MULTIFUNCTIONAL

REMOTE CONTROLLER



OUR CLIENTS

RAMADA

Radisson
HOTELS & RESORTS

ananta
Hotels & Resorts

Hilton
HOTELS & RESORTS

H
Holiday Inn

THE WESTIN

SAYAJI
Since 1968

COURTYARD
BY HARRIOTT

Howard Johnson
BY WYNDHAM

KALHAAR
Golf & Country

ITC HOTELS
RESPONSIBLE LUXURY

EFFINGUT
LUXURY HOMES

tapri
the tea house

MALL OF JAIPUR
CELEBRATIONS OF LIFE

PHOENIX
MARKET CITY
Pune

nexus
CELEBRATION

MIRAJ
GROUP

SECURE

ARTEN
SPACE

I. EVO

RK MARBLE

haique
ELEVATED LIVING

KALYAN
JEWELLERS

D.P. Jewellers
— A BRAND OF TRUST SINCE 1986 —
A VENTURE OF D.P. ARBORAK LIMITED

STATUS OF UNITY

kotak
Kotak Mahindra Bank

बैंक ऑफ बड़ोदा
Bank of Baroda

Bank of India

firstery
A Division of Mahindra.com

PETER ENGLAND

zari

Klub Fox

Rustomjee

madame

JAIPUR RUGS

OZONE
FOR A SAFER WORLD

Mahindra

TATA

HYUNDAI

MORRIS GARAGES
Since 1924

hero

INDIRA IVF
FERTILITY & IVF CENTRE

zydus
Dedicated To Life

Vedantaa
— INSTITUTE OF MEDICAL RESEARCH —
VEDANTAA HOSPITAL & RESEARCH CENTRE

Apollo
PHARMACY

VIJAYA
medical centre

Eris
POWER OF EMPATHY
TRUTH OF SCIENCE

Olive
HEALTHCARE



WHERE LIGHT
**BECOMES THE
MASTERPIECE**

www.litomatic.com

Head Office

Plot No. : E1-228, RIICO Industrial Area,
Opp. Urban Square Mall, Sukher, Udaipur - 313001 (Raj.)

E-mail

info@litomatic.com