















MAGNETIC TRACK PRICE LIST (07.02.24)

A modern interior space featuring a track lighting system installed on the ceiling. The room has a minimalist design with a grey floor, white walls, and a white pillar. A yellow semi-transparent banner is overlaid on the image, containing the text "Introducing Magnetic Track Light".

Introducing
Magnetic Track Light



SR NO.	IMAGE	MODEL NO	POWER	CCT	LED BRAND	DIMENSIONS	BEAM ANGLE	DLP																				
1	 <p>Model : NL-MT01</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>10W</td> <td>L300*W22*H25</td> <td>Osram</td> <td>120°</td> <td></td> </tr> <tr> <td>20W</td> <td>L600*W22*H25</td> <td>Osram</td> <td>120°</td> <td></td> </tr> <tr> <td>30W</td> <td>L900*W22*H25</td> <td>Osram</td> <td>120°</td> <td></td> </tr> </tbody> </table> <p>3000K 4000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	10W	L300*W22*H25	Osram	120°		20W	L600*W22*H25	Osram	120°		30W	L900*W22*H25	Osram	120°		MT01	10W	3000K 4000K 5000K	OSRAM	L300*W22*H25mm	120°	785
		Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																						
		10W	L300*W22*H25	Osram	120°																							
20W	L600*W22*H25	Osram	120°																									
30W	L900*W22*H25	Osram	120°																									
20W	L600*W22*H25mm	1100																										
30W	L900*W22*H25mm	1800																										
2	 <p>Model : NL-MT02</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>L113*W22*H25</td> <td>Osram</td> <td>24°</td> <td>1080</td> </tr> <tr> <td>12W</td> <td>L220*W22*H25</td> <td>Osram</td> <td>24°</td> <td>1575</td> </tr> </tbody> </table> <p>3000K 4000K 5000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	6W	L113*W22*H25	Osram	24°	1080	12W	L220*W22*H25	Osram	24°	1575	MT02	6W	3000K 4000K 5000K	OSRAM	L113*W22*H25mm	36°	535					
		Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																						
6W	L113*W22*H25	Osram	24°	1080																								
12W	L220*W22*H25	Osram	24°	1575																								
12W	L220*W22*H25mm	825																										
3	 <p>Model : NL-MT03</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>ø35*H80</td> <td>Cree</td> <td>24°</td> <td></td> </tr> <tr> <td>12W</td> <td>ø45*H100</td> <td>Cree</td> <td>24°</td> <td></td> </tr> <tr> <td>20W</td> <td>ø60*H120</td> <td>Cree</td> <td>24°</td> <td></td> </tr> </tbody> </table> <p>3000K 4000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	7W	ø35*H80	Cree	24°		12W	ø45*H100	Cree	24°		20W	ø60*H120	Cree	24°		MT03	7W	3000K 4000K 5000K	OSRAM	Ø35*L80mm	24°	950
		Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																						
		7W	ø35*H80	Cree	24°																							
12W	ø45*H100	Cree	24°																									
20W	ø60*H120	Cree	24°																									
12W	Ø45*L100mm	1200																										
20W	Ø60*L120mm	1800																										
4	 <p>Model : NL-MT04</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>L113*W24*H108</td> <td>Osram</td> <td>24°</td> <td>2150</td> </tr> <tr> <td>12W</td> <td>L221*W24*H125</td> <td>Osram</td> <td>24°</td> <td>2950</td> </tr> </tbody> </table> <p>3000K 4000K 5000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	6W	L113*W24*H108	Osram	24°	2150	12W	L221*W24*H125	Osram	24°	2950	MT04	6W	3000K 4000K 5000K	OSRAM	L113*W24*H108mm	24°	1175					
		Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																						
6W	L113*W24*H108	Osram	24°	2150																								
12W	L221*W24*H125	Osram	24°	2950																								
12W	L221*W24*H125mm	1675																										
5	 <p>Model : NL-MT05</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>ø40xL300</td> <td>Cree</td> <td>24°</td> <td></td> </tr> </tbody> </table> <p>3000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	7W	ø40xL300	Cree	24°		MT05	7W	3000K 4000K	CREE	Ø40*L300mm	24°	1760										
Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																								
7W	ø40xL300	Cree	24°																									
6	 <p>Model : NL-MT06</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>ø90x90xH35mm</td> <td>Cree</td> <td>36°</td> <td>3500</td> </tr> </tbody> </table>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	12W	ø90x90xH35mm	Cree	36°	3500	MT06	7W	3000K 4000K	CREE	Ø100*70mm	24°	2175										
Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																								
12W	ø90x90xH35mm	Cree	36°	3500																								
7	 <p>Model : NL-MT07</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimensions (mm)</th> <th>Led Brand</th> <th>Beam Angle</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>ø70xL50</td> <td>Cree</td> <td>30°</td> <td></td> </tr> </tbody> </table> <p>3000K 4000K</p>	Power	Dimensions (mm)	Led Brand	Beam Angle	MRP	7W	ø70xL50	Cree	30°		MT07	7W	3000K 4000K	CREE	Ø100*70mm	24°	1800										
Power	Dimensions (mm)	Led Brand	Beam Angle	MRP																								
7W	ø70xL50	Cree	30°																									









SR NO.	IMAGE	MODEL NO	POWER	DIMENSIONS	BEAM ANGLE	DLP
						
1		AIR - MT01	10W	L300*W22*H25mm	120°	1510
			20W	L600*W22*H25mm		1960
2		AIR - MT02	6W	L113*W22*H25mm	36°	1215
			12w	L220*W22*H25mm		1550
3		AIR - MT03	7W	Ø35*L80mm	24°	1750
			12W	Ø45*L100mm		2100
4		AIR - MT04	6W	L113*W24*H108mm	24°	2000
			12w	L221*W24*H125mm		2700











Scan Download
Neptune Air APP

- 1.No network required、Wireless control
- 2.Voice control
- 3.Scene function



SR NO.	IMAGE	MODEL NO	POWER	CCT	LED BRAND	DIMENSIONS	DLP				
8		MTS20 (SURFACE & SUSPENDED TYPE)				L1000*W25.5*H50mm (1MT)	850				
						L2000*W25.5*H50mm (2MT)	1700				
						L3000*W25.5*H50mm (3MT)	2550				
9		MTR20 (RECESS TYPE)				L1000*W62*H50mm (1MT)	1000				
						L2000*W62*H50mm (2MT)	2000				
						L3000*W62*H50mm (3MT)	3000				
10	 <div style="display: flex; flex-direction: column; align-items: flex-start;"> <p>Model : CORNER(NL) <small>(SURFACE CEILING)</small></p> <table border="1"> <tr> <td>Dimensions (mm)</td> <td>MRP</td> </tr> <tr> <td>1100xW100xH50</td> <td>1150</td> </tr> </table> </div>	Dimensions (mm)	MRP	1100xW100xH50	1150	(NL - MTS20) SURFACE CEILING CORNER	N/A	N/A	N/A	L100*W100*H50mm	450
Dimensions (mm)	MRP										
1100xW100xH50	1150										
11	 <div style="display: flex; flex-direction: column; align-items: flex-start;"> <p>Model : CORNER(NL) <small>(SURFACE WALL)</small></p> <table border="1"> <tr> <td>Dimensions (mm)</td> <td>MRP</td> </tr> <tr> <td>1100xW100xH50</td> <td>1150</td> </tr> </table> </div>	Dimensions (mm)	MRP	1100xW100xH50	1150	(MTS20) SURFACE TO WALL CORNER	N/A	N/A	N/A	L100*W100*H50mm	450
Dimensions (mm)	MRP										
1100xW100xH50	1150										
12	 <div style="display: flex; flex-direction: column; align-items: flex-start;"> <p>Model : CORNER(NL-M) <small>(RECESSED CEILING)</small></p> <table border="1"> <tr> <td>Dimensions (mm)</td> <td>MRP</td> </tr> <tr> <td>1100xW52xH100</td> <td>1150</td> </tr> </table> </div>	Dimensions (mm)	MRP	1100xW52xH100	1150	(NL - MTR20) RECESSED CEILING CORNER	N/A	N/A	N/A	L100*W100*H50mm	450
Dimensions (mm)	MRP										
1100xW52xH100	1150										
13	 <div style="display: flex; flex-direction: column; align-items: flex-start;"> <p>Model : CORNER(NL-M) <small>(RECESSED WALL CORNER)</small></p> <table border="1"> <tr> <td>Dimensions (mm)</td> <td>MRP</td> </tr> <tr> <td>1100xW52xH100</td> <td>1150</td> </tr> </table> </div>	Dimensions (mm)	MRP	1100xW52xH100	1150	(MTRS0) RECESS TO WALL CORNER	N/A	N/A	N/A	L100*W100*H50mm	450
Dimensions (mm)	MRP										
1100xW52xH100	1150										

SR NO.	IMAGE	MODEL NO	POWER	CCT	LED BRAND	DIMENSIONS	DLP												
14	 <p>Model : RECESSED KIT (SURFACE)</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>W14xH2xH15</td> <td>360</td> </tr> </table>	Dimensions (mm)	MRP	W14xH2xH15	360	RECESSED KIT	N/A	N/A	N/A	W14/2*H52mm*W15mm	260								
Dimensions (mm)	MRP																		
W14xH2xH15	360																		
15	 <p>Model : CORNER CONNECT</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>L390</td> <td>500</td> </tr> </table>	Dimensions (mm)	MRP	L390	500	CORNER CONNECT MODULE	N/A	N/A	N/A	L390mm	325								
Dimensions (mm)	MRP																		
L390	500																		
16	 <p>Model : INPUT MOD</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>L500</td> <td>380</td> </tr> </table>	Dimensions (mm)	MRP	L500	380	INPUT MODULE	N/A	N/A	N/A	L500mm	250								
Dimensions (mm)	MRP																		
L500	380																		
17	 <p>Model : STRAIGHT MODULE</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>L197xW17xH7</td> <td>480</td> </tr> </table>	Dimensions (mm)	MRP	L197xW17xH7	480	STRAIGHT MODULE	N/A	N/A	N/A	L197*W17*H17mm	300								
Dimensions (mm)	MRP																		
L197xW17xH7	480																		
18	 <p>Model : TRACK JOINTER</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>L70xW12</td> <td>150</td> </tr> </table>	Dimensions (mm)	MRP	L70xW12	150	TRACK JOINTER (SURFACE)	N/A	N/A	N/A	L70*W17 (SF) / (RE) L70*W23	90								
Dimensions (mm)	MRP																		
L70xW12	150																		
19	 <p>Model : HANGING WIRE KIT</p> <table border="1"> <tr> <th>Dimensions (mm)</th> <th>MRP</th> </tr> <tr> <td>L100xW62xH100</td> <td>1150</td> </tr> </table>	Dimensions (mm)	MRP	L100xW62xH100	1150	HANGING WIRE ACCESSORIES KIT (L100 X W62 X H100)	N/A	N/A	N/A	1.2M	275								
Dimensions (mm)	MRP																		
L100xW62xH100	1150																		
20	<p>POWER SUPPLY</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Output</th> <th>Dimensions (mm)</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>100W</td> <td>DC 48V 2.1amp</td> <td>L220xW20xH45</td> <td>2000</td> </tr> <tr> <td>180W</td> <td>DC 48V 3.8amp</td> <td>L300xW22xH45</td> <td>2820</td> </tr> </tbody> </table>  	Power	Output	Dimensions (mm)	MRP	100W	DC 48V 2.1amp	L220xW20xH45	2000	180W	DC 48V 3.8amp	L300xW22xH45	2820	DC48V 2.1A	100W	N/A	N/A	L220*W20*H45mm	1175
		Power	Output	Dimensions (mm)	MRP														
100W	DC 48V 2.1amp	L220xW20xH45	2000																
180W	DC 48V 3.8amp	L300xW22xH45	2820																
DC48V 4.1A	200W	N/A	N/A	L300*W22*H45mm	1800														