






PRICE LIST

w.e.f 07-02-2024

















INDOOR LIGHTS

REF. IMAGE	ITEM	LEMP	SIZE	COLOR	DLP																				
 <p>STRIP LIGHT</p> <p>LED-2835</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Model</th> <th>PCB</th> <th>Lumens</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>120L</td> <td>5mm/2oz</td> <td>18-20</td> </tr> <tr> <td>12W</td> <td>120L</td> <td>8mm/2oz</td> <td>18-20</td> </tr> <tr> <td>17W</td> <td>168L</td> <td>10mm/3oz</td> <td>26-28</td> </tr> <tr> <td>21W</td> <td>204L</td> <td>10mm/3oz</td> <td>26-28</td> </tr> </tbody> </table> <p>168L / 204L = 8K 4K 3K</p> <p>120L = 8K 4K 3K BL GR RS PK ICE</p>  	Power	Model	PCB	Lumens	12W	120L	5mm/2oz	18-20	12W	120L	8mm/2oz	18-20	17W	168L	10mm/3oz	26-28	21W	204L	10mm/3oz	26-28	LED STRIP LIGHT - 2835 - 12V				
	Power	Model	PCB	Lumens																					
	12W	120L	5mm/2oz	18-20																					
	12W	120L	8mm/2oz	18-20																					
	17W	168L	10mm/3oz	26-28																					
	21W	204L	10mm/3oz	26-28																					
	2835 STRIP - 12V	120L	8mm	wh / ww / nw	63																				
			8mm	B/R/P/G/Ice bl	82																				
			8mm	5000k	90																				
			5mm	wh / ww / nw	75																				
		180L	10mm	wh / ww / nw	125																				
			10mm	5000k	160																				
			5mm	wh / ww / nw	140																				
		240L	10mm	w/ww/nw	170																				
10mm			5000k	200																					
LED STRIP LIGHT - 2835 - 24V																									
2835 STRIP - 24V	120L	8mm	ww / nw	82																					
		8mm	5000k	95																					
	180L	10mm	wh / ww / nw	145																					
		10mm	5000k	180																					
		5mm	wh / ww / nw	150																					
	240L	10mm	wh / ww / nw	190																					
		10mm	5000k	235																					
	216L	10mm	wh / ww (3in1)	220																					
 <p>STRIP LIGHT</p> <p>LED-5050</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Model</th> <th>PCB</th> <th>Lumens</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>60L</td> <td>10mm/DBL</td> <td>12-14</td> </tr> </tbody> </table> <p>8K 4K 3K BL GR RS PK RGB</p> 	Power	Model	PCB	Lumens	12W	60L	10mm/DBL	12-14	LED STRIP LIGHT - 5050																
	Power	Model	PCB	Lumens																					
	12W	60L	10mm/DBL	12-14																					
	5050 STRIP	60L	8mm	wh / ww / blue	55																				
		60L	8mm	Nw/ red /gr /pk	65																				
		60L	8mm	RGB	95																				
	LED STRIP DRIVER - SLIM SERIES																								
	SLIM DRIVER	60w	5amp	360																					
		120w	10amp	530																					
		180w	15amp	855																					
240w		20amp	950																						
360w		30amp	1285																						

REF. IMAGE	ITEM	LEMP	SIZE	COLOR	DLP
	LED STRIP DRIVER - ULTRA SLIM SERIES				
	ULTRA SLIM DRIVER		24w	2amp	225
			36w	3amp	340
			60w	5amp	425
			100w	8amp	590
			120w	10amp	630
			150w	12.5amp	760
			200w	16.7amp	950
			300w	25amp	1170
			24V	5amp	700
			24V	12.5amp	1215
	LED CONTROLLER				
	130w / 260w	12v / 24v	DC 12 - 24V	1230	
	LED ROPE LIGHT - 3014 ((100mtr Roll))				
	3014 Rope Light	120L	220v	wh / ww / blue	48
		120L	220v	red / green	50
		120L	220v	pink / rgb	55
	LED ROPE LIGHT - 5730 ((50mtr Roll))				
	5730 Rope Light	120L	220v	wh / ww / blue	62
		120L	220v	red / green	65
		120L	220v	pink	68
	LED ROPE LIGHT - 2835 ((50mtr Roll))				
	2835 Rope Light	120L	220v	wh/ww/nw/blue	95
		120L	220v	red/gr/pk/amber	105
	NEON ROPE LIGHT - 2835 ((50mtr Roll))				
	NEON FLEX	120L	220v	wh/ww/nw/blue	140
		120L	220v	red/gr/pk/amber	160
	ROPE CORD WIRE				
	CORD	2amp	6mm	For 3014	40
		4amp	7mm	For 2835 & 5730	50
		8amp	8mm	for Neon Flex	70

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP
 <p>NL-SL1010</p>	SILICON PROFILE - 1010				
	Profile				85
 <p>Mounting clips</p>	Ending Cap (2pc Pair)				35
	Mounting Back Clip (1pc)				20
	Flexible Clip (Per Meter)				380
 <p>NL-SL1414</p>	SILICON PROFILE - 1414				
	Profile				150
	Ending Cap (2pc Pair)				40
	Mounting Back Clip (1pc)				25
Flexible Clip (Per Meter)				395	
 <p>NL-SL2014</p>	SILICON PROFILE - 2014				
	Profile				215
	Ending Cap (2pc Pair)				50
	Mounting Back Clip (1pc)				30
Flexible Clip (Per Meter)				450	
 <p>NL-SL1616f</p>	SILICON PROFILE - 1616F				
	Profile				165
	Ending Cap (2pc Pair)				50
Mounting Back Clip				35	
 <p>NL-SL3020f</p>	SILICON PROFILE - 3020F				
	Profile				335
	Ending Cap (2pc Pair)				80
Mounting Back Clip				40	








REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																																			
 <p>Model : NEXA</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> </tr> </thead> <tbody> <tr> <td>8W</td> <td>D120xH20</td> <td>100x100mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> </tr> <tr> <td>15W</td> <td>D170xH20</td> <td>155x155mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> </tr> <tr> <td>22W</td> <td>D225xH225</td> <td>205x205mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> </tr> <tr> <td>30W</td> <td>D300xH300</td> <td>280x280mm</td> <td>120°</td> <td>Square</td> <td>White</td> </tr> </tbody> </table> <p>3K 4K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour	8W	D120xH20	100x100mm	120°	Square/Round	White	15W	D170xH20	155x155mm	120°	Square/Round	White	22W	D225xH225	205x205mm	120°	Square/Round	White	30W	D300xH300	280x280mm	120°	Square	White	NEXA PANEL LIGHT									
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour																																		
	8W	D120xH20	100x100mm	120°	Square/Round	White																																		
	15W	D170xH20	155x155mm	120°	Square/Round	White																																		
	22W	D225xH225	205x205mm	120°	Square/Round	White																																		
30W	D300xH300	280x280mm	120°	Square	White																																			
3K / 4K / 6K	8w	100mm	wh	250																																				
	15w	155mm	wh	360																																				
	22w	205mm	wh	515																																				
	30w	280mm	wh	1035																																				
 <p>Model : NEXA 3 IN 1</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>8W</td> <td>D120xH20</td> <td>100x100mm</td> <td>120°</td> <td>Square/Round</td> </tr> <tr> <td>15W</td> <td>D170xH20</td> <td>155x155mm</td> <td>120°</td> <td>Square/Round</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	8W	D120xH20	100x100mm	120°	Square/Round	15W	D170xH20	155x155mm	120°	Square/Round	NEXA 3-in-1 PANEL LIGHT																								
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape																																			
	8W	D120xH20	100x100mm	120°	Square/Round																																			
	15W	D170xH20	155x155mm	120°	Square/Round																																			
	3 in 1	8w	100mm	wh	400																																			
15w		155mm	wh	525																																				
 <p>Model : JOY</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>8W</td> <td>D90x90</td> <td>75x75mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> <td>430</td> </tr> <tr> <td>15W</td> <td>D145x145</td> <td>125x125mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> <td>700</td> </tr> <tr> <td>22W</td> <td>D170x170</td> <td>155x155mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> <td>938</td> </tr> <tr> <td>30W</td> <td>D225x225</td> <td>205x205mm</td> <td>120°</td> <td>Square/Round</td> <td>White</td> <td>1725</td> </tr> </tbody> </table> <p>3K 4K 6K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	8W	D90x90	75x75mm	120°	Square/Round	White	430	15W	D145x145	125x125mm	120°	Square/Round	White	700	22W	D170x170	155x155mm	120°	Square/Round	White	938	30W	D225x225	205x205mm	120°	Square/Round	White	1725	JOY TRIMLESS PANEL LIGHT				
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																																	
	8W	D90x90	75x75mm	120°	Square/Round	White	430																																	
	15W	D145x145	125x125mm	120°	Square/Round	White	700																																	
	22W	D170x170	155x155mm	120°	Square/Round	White	938																																	
30W	D225x225	205x205mm	120°	Square/Round	White	1725																																		
3K / 4K / 6K	8w	75mm	wh	290																																				
	15w	125mm	wh	470																																				
	22w	155mm	wh	630																																				
	30w	205mm	wh	1200																																				
 <p>2 IN 1</p> <p>WH BL GR PK WW PGB</p>	2-IN-1 PANEL LIGHT																																							
	2-IN-1	3+3w	70mm	wh	260																																			
		6+3w	105mm	wh	370																																			
		12+4w	155mm	wh	520																																			
		IRIS PANEL LIGHT																																						
3K / 4K / 6K		8w	89mm	wh	455																																			
		15w	139mm	wh	650																																			
		22w	163mm	wh	870																																			
 <p>NEO</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Body Size</th> <th>Cut Size</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>115 x 115</td> <td>105 x 105</td> </tr> <tr> <td>12W</td> <td>145 x 145</td> <td>135 x 135</td> </tr> <tr> <td>18W</td> <td>165 x 165</td> <td>155 x 155</td> </tr> </tbody> </table> <p>6K 4K 3K</p>	Power	Body Size	Cut Size	6W	115 x 115	105 x 105	12W	145 x 145	135 x 135	18W	165 x 165	155 x 155	NEO PANEL LIGHT																											
	Power	Body Size	Cut Size																																					
	6W	115 x 115	105 x 105																																					
	12W	145 x 145	135 x 135																																					
	18W	165 x 165	155 x 155																																					
3K / 4K / 6K	6w	105mm	wh	240																																				
	12w	135mm	wh	300																																				
	18w	155mm	wh	415																																				






JAZZ DOWN LIGHT					
 3K 4K 5K 6K	3K / 4K / 5K / 6K	12w	75mm	Wh / Bk	500
		18w	95mm	Wh / Bk	675
		24w	125mm	Wh / Bk	950
		32w	155mm	Wh / Bk	1550



AQUA DOWN LIGHT					
 3K 4K 5K 6K	3K / 4K / 5K / 6K	12w	102mm	Wh / Bk	450
		18w	137mm	Wh / Bk	595
		24w	155mm	Wh / Bk	850

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																
<p>NEXUS</p>  <p>Model : NEXUS</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>D105xH105</td> <td>95x95mm</td> <td>120°</td> </tr> <tr> <td>12W</td> <td>D155xH155</td> <td>130x130mm</td> <td>120°</td> </tr> <tr> <td>18W</td> <td>D170xH170</td> <td>155x155mm</td> <td>120°</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	6W	D105xH105	95x95mm	120°	12W	D155xH155	130x130mm	120°	18W	D170xH170	155x155mm	120°	NEXUS PANEL LIGHT				
	Power	Dimension	Cut Size (mm)	Beam Angle																	
	6W	D105xH105	95x95mm	120°																	
	12W	D155xH155	130x130mm	120°																	
18W	D170xH170	155x155mm	120°																		
3K / 4K / 6K	6w	95mm	wh	310																	
	12w	130mm	wh	450																	
	18w	155mm	wh	580																	
																					
<p>NEXUS 2x2</p>  <p>Model : NEXUS 2x2</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>48W</td> <td>D595xH595</td> <td>590x590</td> <td>120°</td> <td>Square</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	48W	D595xH595	590x590	120°	Square	NEXUS 2FT X 2FT PANEL										
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape																
48W	D595xH595	590x590	120°	Square																	
wh / ww / nw	48w	590x590	white	1710																	
<p>NEXA SF</p>  <p>Model : NEXA SF</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>8W</td> <td>D120xH120</td> <td>120°</td> <td>Square/ Round</td> </tr> <tr> <td>15W</td> <td>D170xH170</td> <td>120°</td> <td>Square/ Round</td> </tr> <tr> <td>22W</td> <td>D225xH225</td> <td>120°</td> <td>Square/ Round</td> </tr> </tbody> </table>	Power	Dimension	Beam Angle	Body Shape	8W	D120xH120	120°	Square/ Round	15W	D170xH170	120°	Square/ Round	22W	D225xH225	120°	Square/ Round	NEXA SURFACE LIGHT				
	Power	Dimension	Beam Angle	Body Shape																	
	8W	D120xH120	120°	Square/ Round																	
	15W	D170xH170	120°	Square/ Round																	
22W	D225xH225	120°	Square/ Round																		
3K / 4K / 6K	8w	120 x 120	wh	320																	
	15w	170 x 170	wh	465																	
	22w	225 x 225	wh	625																	
 <p>Model : JOY SF</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>8W</td> <td>D90xH90</td> <td>N/A</td> <td>120°</td> </tr> <tr> <td>15W</td> <td>D145xH145</td> <td>N/A</td> <td>120°</td> </tr> <tr> <td>22W</td> <td>D170xH170</td> <td>N/A</td> <td>120°</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	8W	D90xH90	N/A	120°	15W	D145xH145	N/A	120°	22W	D170xH170	N/A	120°	JOY SURFACE LIGHT				
	Power	Dimension	Cut Size (mm)	Beam Angle																	
	8W	D90xH90	N/A	120°																	
	15W	D145xH145	N/A	120°																	
22W	D170xH170	N/A	120°																		
3K / 4K / 6K	8w	D90 x H90	wh	395																	
	15w	D145xH145	wh	595																	
	22w	D170xH170	wh	790																	
	IRIS SURFACE LIGHT																				
	3K / 4K / 6K	8w	D95xH32	wh / bk	520																
		15w	D153 x H35	wh / bk	815																
		22w	D178 x H35	wh / bk	1010																
 <p>2 in 1 (Surface)</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Body Size</th> <th>Cut Size</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>105 x 105 x 40</td> <td>N/A.</td> </tr> <tr> <td>12W</td> <td>145 x 145 x 40</td> <td>N/A.</td> </tr> <tr> <td>18W</td> <td>195 x 195 x 40</td> <td>N/A.</td> </tr> </tbody> </table> <p>6K • BL • GR • PK • 3K</p>	Power	Body Size	Cut Size	6W	105 x 105 x 40	N/A.	12W	145 x 145 x 40	N/A.	18W	195 x 195 x 40	N/A.	2 IN 1 SURFACE LIGHT								
	Power	Body Size	Cut Size																		
	6W	105 x 105 x 40	N/A.																		
	12W	145 x 145 x 40	N/A.																		
18W	195 x 195 x 40	N/A.																			
2-IN-1 surface	3+3w	105 X 105	wh	345																	
	6+3w	145 x 145	wh	500																	
	12+4w	195 x 195	wh	690																	







REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP	
						
		AIR 001 (COB SERIES)				
		AIR 001	7w	60mm	Wh / Bk	1080
			12w	75mm	Wh / Bk	1365
			18w	85mm	Wh / Bk	1725
		AIR 002 (ANTI GLAR DIFFUSE LIGHT)				
		AIR 002 (ANTI GLAR DIFFUSE LIGHT)	7w	60mm	Wh / Bk	1150
			12w	75mm	Wh / Bk	1525
			20w	85mm	Wh / Bk	1925
		AIR 003 (DOWN LIGHT)				
		AIR 003 (DOWN LIGHT)	12w	75mm	Wh / Bk	980
			18w	90mm	Wh / Bk	1250
		SMART REMOTE			1215	
		1.No network required、Wireless control 2.Voice control 3.Scene function				
		AIR SMART CONTROLLER FOR LED STRIP			990	







Scan Download
Neptune Air APP











REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																								
 <p>Model: GRACE</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension/Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D69xH65</td> <td>50mm</td> <td>40°</td> <td>Round</td> <td>WH, BK 725 COPPER(90) 850</td> </tr> <tr> <td>12W</td> <td>D85xH80</td> <td>75mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 925 COPPER(90) 1075</td> </tr> <tr> <td>18W</td> <td>D100xH100</td> <td>90mm</td> <td>60°</td> <td>Round</td> <td>WH, BK 1325 COPPER(90) 1750</td> </tr> </tbody> </table> <p>3K 4K 5K 6K</p>	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	7W	D69xH65	50mm	40°	Round	WH, BK 725 COPPER(90) 850	12W	D85xH80	75mm	38°	Round	WH, BK 925 COPPER(90) 1075	18W	D100xH100	90mm	60°	Round	WH, BK 1325 COPPER(90) 1750	GRACE COB SERIES				
	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																							
	7W	D69xH65	50mm	40°	Round	WH, BK 725 COPPER(90) 850																							
	12W	D85xH80	75mm	38°	Round	WH, BK 925 COPPER(90) 1075																							
	18W	D100xH100	90mm	60°	Round	WH, BK 1325 COPPER(90) 1750																							
	3K / 4K / 5K / 6K	7w	50mm	Wh / Bk	440																								
			copper	595																									
12w		75mm	Wh / Bk	525																									
			copper	810																									
	18w	90mm	Wh / Bk	825																									
			copper	1340																									
 <p>Model: GRACE DR</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension/Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D75xH55</td> <td>60mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 890</td> </tr> <tr> <td>12W</td> <td>D85xH65</td> <td>75mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 1135</td> </tr> <tr> <td>20W</td> <td>D95xH75</td> <td>85mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 1690</td> </tr> </tbody> </table> <p>REFLECTOR COLOR: </p> <p>3K 4K 5K 6K</p>	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	7W	D75xH55	60mm	38°	Round	WH, BK 890	12W	D85xH65	75mm	38°	Round	WH, BK 1135	20W	D95xH75	85mm	38°	Round	WH, BK 1690	GRACE DR SERIES				
	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																							
	7W	D75xH55	60mm	38°	Round	WH, BK 890																							
	12W	D85xH65	75mm	38°	Round	WH, BK 1135																							
20W	D95xH75	85mm	38°	Round	WH, BK 1690																								
3K / 4K / 5K / 6K	7w	60mm	Wh / Bk	480																									
	12w	75mm	Wh / Bk	600																									
	20w	85mm	Wh / Bk	950																									
 <p>Model: GRACE CR</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension/Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D75xH55</td> <td>60mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 890</td> </tr> <tr> <td>12W</td> <td>D85xH65</td> <td>75mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 1135</td> </tr> <tr> <td>20W</td> <td>D95xH75</td> <td>85mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 1690</td> </tr> </tbody> </table> <p>REFLECTOR COLOR: </p> <p>3K 4K 5K 6K</p>	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	7W	D75xH55	60mm	38°	Round	WH, BK 890	12W	D85xH65	75mm	38°	Round	WH, BK 1135	20W	D95xH75	85mm	38°	Round	WH, BK 1690	GRACE CR SERIES				
	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																							
	7W	D75xH55	60mm	38°	Round	WH, BK 890																							
	12W	D85xH65	75mm	38°	Round	WH, BK 1135																							
	20W	D95xH75	85mm	38°	Round	WH, BK 1690																							
3K / 4K / 5K / 6K	7w	60mm	Wh / Bk	440																									
	12w	75mm	Wh / Bk	550																									
	20W	85mm	Wh / Bk	875																									
	30w	110mm	Wh / Bk	1625																									
 <p>Tunable SERIES <i>Lights with Remote to pamper your comfort</i></p> <p>TW GRACE</p>	GRACE CR TUNEABLE SERIES																												
	3000K TO 6000K TUNEABLE	7w	60mm	Wh / Bk	975																								
		12w	75mm	Wh / Bk	1200																								
		20W	85mm	Wh / Bk	1550																								
	REMOTE (RF)			565																									
 <p>Model: GRACE TL</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension/Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D69xH65</td> <td>50mm</td> <td>40°</td> <td>Round</td> <td>WH, BK 725 COPPER(90) 850</td> </tr> <tr> <td>12W</td> <td>D85xH80</td> <td>75mm</td> <td>38°</td> <td>Round</td> <td>WH, BK 925 COPPER(90) 1075</td> </tr> </tbody> </table> <p>REFLECTOR COLOR: </p> <p>3K 4K 5K 6K</p>	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	7W	D69xH65	50mm	40°	Round	WH, BK 725 COPPER(90) 850	12W	D85xH80	75mm	38°	Round	WH, BK 925 COPPER(90) 1075	GRACE TL SERIES										
	Power	Dimension/Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																							
	7W	D69xH65	50mm	40°	Round	WH, BK 725 COPPER(90) 850																							
12W	D85xH80	75mm	38°	Round	WH, BK 925 COPPER(90) 1075																								
3K / 4K / 5K / 6K	7w	75mm	Wh / Bk	850																									
	12w	88mm	Wh / Bk	1015																									
	BEAT SERIES																												
	3K / 4K / 5K / 6K	8w	60mm	Wh / Bk	580																								
		15w	75mm	Wh / Bk	760																								
20w		88mm	Wh / Bk	1060																									













REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																																								
ORA COB SERIES																																													
 <p>Model : ORA</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>3W</td> <td>D45xH30</td> <td>36mm</td> <td>45°</td> <td>Round</td> </tr> <tr> <td>7W</td> <td>D67xH42</td> <td>55mm</td> <td>38°</td> <td>Round</td> </tr> <tr> <td>12W</td> <td>D82xH54</td> <td>72mm</td> <td>38°</td> <td>Round</td> </tr> <tr> <td>18W</td> <td>D100xH81</td> <td>88mm</td> <td>38°</td> <td>Round</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	3W	D45xH30	36mm	45°	Round	7W	D67xH42	55mm	38°	Round	12W	D82xH54	72mm	38°	Round	18W	D100xH81	88mm	38°	Round	3K / 4K / 5K / 6K	3w	36mm	Wh / Bk	425															
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape																																								
	3W	D45xH30	36mm	45°	Round																																								
	7W	D67xH42	55mm	38°	Round																																								
12W	D82xH54	72mm	38°	Round																																									
18W	D100xH81	88mm	38°	Round																																									
7w	55mm	Wh / Bk	650																																										
12w	72mm	Wh / Bk	900																																										
18w	88mm	Wh / Bk	1360																																										
TRITON COB SERIES																																													
 <p>Model : TRITON</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>3W</td> <td>D64xH49</td> <td>55mm</td> <td>60°</td> <td></td> </tr> <tr> <td>7W</td> <td>D85xH60</td> <td>70mm</td> <td>60°</td> <td></td> </tr> <tr> <td>12W</td> <td>D90xH60</td> <td>70mm</td> <td>60°</td> <td></td> </tr> <tr> <td>18W</td> <td>D108xH70</td> <td>92mm</td> <td>60°</td> <td></td> </tr> <tr> <td>24W</td> <td>D128xH80</td> <td>115mm</td> <td>60°</td> <td></td> </tr> <tr> <td>30W</td> <td>D160xH102</td> <td>135mm</td> <td>60°</td> <td></td> </tr> <tr> <td>50W</td> <td>D170xH120</td> <td>150mm</td> <td>60°</td> <td></td> </tr> </tbody> </table> <p>Left - Right Tilttable 3K 4K 5K 6K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	3W	D64xH49	55mm	60°		7W	D85xH60	70mm	60°		12W	D90xH60	70mm	60°		18W	D108xH70	92mm	60°		24W	D128xH80	115mm	60°		30W	D160xH102	135mm	60°		50W	D170xH120	150mm	60°		3K / 4K / 5K / 6K	3w	55mm	Wh / Bk	250
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape																																								
	3W	D64xH49	55mm	60°																																									
	7W	D85xH60	70mm	60°																																									
	12W	D90xH60	70mm	60°																																									
	18W	D108xH70	92mm	60°																																									
	24W	D128xH80	115mm	60°																																									
30W	D160xH102	135mm	60°																																										
50W	D170xH120	150mm	60°																																										
7w	70mm	Wh / Bk	420																																										
12w	70mm	Wh / Bk	510																																										
18w	92mm	Wh / Bk	750																																										
24w	115mm	Wh / Bk	990																																										
30w	135mm	Wh / Bk	1280																																										
50w	150mm	Wh / Bk	1935																																										
HALO COB SERIES																																													
 <p>Model : HALO</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D80xH70</td> <td>66mm</td> <td>24°</td> <td>Round</td> <td>White</td> <td>675</td> </tr> <tr> <td>12W</td> <td>D100xH80</td> <td>88mm</td> <td>60°</td> <td>Round</td> <td>White</td> <td>1212</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP	7W	D80xH70	66mm	24°	Round	White	675	12W	D100xH80	88mm	60°	Round	White	1212	3K / 4K / 6K	7w	66mm	Wh	625																			
	Power	Dimension	Cut Size (mm)	Beam Angle	Body Shape	Body Colour	MRP																																						
7W	D80xH70	66mm	24°	Round	White	675																																							
12W	D100xH80	88mm	60°	Round	White	1212																																							
12w	88mm	Wh	900																																										
JUPITER COB SERIES																																													
	3K / 4K / 6K	30w	66mm	Wh	2100																																								
RAY SERIES																																													
	3K / 4K / 6K	3R1	35mm	Wh / Bk	475																																								
		8R3	55mm	Wh / Bk	915																																								
		15R7	75mm	Wh / Bk	1465																																								
RAY SERIES																																													
	3K / 4K / 6K	8RT3	95X35mm	Wh / Bk	990																																								
		12RT5	155X35mm	Wh / Bk	1465																																								
		10SQ4	65x65mm	Wh / Bk	1200																																								
		18SQ9	95x95mm	Wh / Bk	1915																																								

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																				
 <p>WALL WASHER</p> <p>3K 4K 5K 6K</p>	ARC COB SERIES																								
	3K / 4K / 5K / 6K	12w	75mm	Wh / Bk	1250																				
 <p>Model : PRISM</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>D87 x 87 x H65</td> <td>73x73mm</td> <td>45°</td> </tr> <tr> <td>2x12W</td> <td>D156 x 87 x H65</td> <td>140x70mm</td> <td>45°</td> </tr> <tr> <td>3x12W</td> <td>D225 x 87 x H65</td> <td>215x75mm</td> <td>45°</td> </tr> </tbody> </table> <p>3K 4K 6K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	12W	D87 x 87 x H65	73x73mm	45°	2x12W	D156 x 87 x H65	140x70mm	45°	3x12W	D225 x 87 x H65	215x75mm	45°	PRISM SERIES								
	Power	Dimension	Cut Size (mm)	Beam Angle																					
	12W	D87 x 87 x H65	73x73mm	45°																					
	2x12W	D156 x 87 x H65	140x70mm	45°																					
3x12W	D225 x 87 x H65	215x75mm	45°																						
3K / 4K / 6K	12w	73x73mm	Wh / Bk	900																					
	2x12w	140x70mm	Wh / Bk	1600																					
	3x12w	215x75mm	Wh / Bk	2400																					
<p>PRISM (s)</p>  <p>Model : PRISM(s)</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>6W</td> <td>D65 x 65 x H45</td> <td>54x54mm</td> <td>45°</td> </tr> <tr> <td>2x6W</td> <td>D115 x 65 x H45</td> <td>104x54mm</td> <td>45°</td> </tr> <tr> <td>3x6W</td> <td>D165 x 65 x H45</td> <td>148x54mm</td> <td>45°</td> </tr> </tbody> </table> <p>3K 4K 6K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	6W	D65 x 65 x H45	54x54mm	45°	2x6W	D115 x 65 x H45	104x54mm	45°	3x6W	D165 x 65 x H45	148x54mm	45°	PRISM (S) SERIES								
	Power	Dimension	Cut Size (mm)	Beam Angle																					
	6W	D65 x 65 x H45	54x54mm	45°																					
	2x6W	D115 x 65 x H45	104x54mm	45°																					
3x6W	D165 x 65 x H45	148x54mm	45°																						
3K / 4K / 6K	6w	54X54mm	Wh / Bk	570																					
	2 x 6w	104x54mm	Wh / Bk	910																					
	3 x 6w	148x54mm	Wh / Bk	1300																					
<p>PRISM(XS)</p>  <p>Model : PRISM(XS)</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>3W</td> <td>D45 x 45 x H42</td> <td>35x35mm</td> <td>45°</td> </tr> <tr> <td>2x3W</td> <td>D75 x 45 x H42</td> <td>66x35mm</td> <td>45°</td> </tr> <tr> <td>3x3W</td> <td>D105 x 45 x H42</td> <td>95x35mm</td> <td>45°</td> </tr> <tr> <td>5x3W</td> <td>D147 x 45 x H42</td> <td>138x35mm</td> <td>45°</td> </tr> </tbody> </table> <p>3K 4K 6K</p>	Power	Dimension	Cut Size (mm)	Beam Angle	3W	D45 x 45 x H42	35x35mm	45°	2x3W	D75 x 45 x H42	66x35mm	45°	3x3W	D105 x 45 x H42	95x35mm	45°	5x3W	D147 x 45 x H42	138x35mm	45°	PRISM (XS) SERIES				
	Power	Dimension	Cut Size (mm)	Beam Angle																					
	3W	D45 x 45 x H42	35x35mm	45°																					
	2x3W	D75 x 45 x H42	66x35mm	45°																					
	3x3W	D105 x 45 x H42	95x35mm	45°																					
5x3W	D147 x 45 x H42	138x35mm	45°																						
3K / 4K / 6K	3w	35x35mm	Wh / Bk	370																					
	2x3w	66x35mm	Wh / Bk	585																					
	3x3w	95x35mm	Wh / Bk	725																					
	5x3w	138x35mm	Wh / Bk	825																					
 <p>Model : DUO</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>2x9W</td> <td>D110xH210</td> <td>90x190mm</td> <td>38°</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	2x9W	D110xH210	90x190mm	38°	DUO COUPLE SERIES																
	Power	Dimension	Cut Size (mm)	Beam Angle																					
2x9W	D110xH210	90x190mm	38°																						
3K / 4K / 5K / 6K	2 X 9w	90x190mm	Wh / Bk	1575																					
<p>ROCKET</p>  <p>Model : ROCKET</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>D90xH02</td> <td>82mm</td> <td>38°</td> </tr> <tr> <td>2x12W</td> <td>D175x90xH02</td> <td>166x82mm</td> <td>38°</td> </tr> </tbody> </table>	Power	Dimension	Cut Size (mm)	Beam Angle	12W	D90xH02	82mm	38°	2x12W	D175x90xH02	166x82mm	38°	ROCKET SERIES												
	Power	Dimension	Cut Size (mm)	Beam Angle																					
	12W	D90xH02	82mm	38°																					
2x12W	D175x90xH02	166x82mm	38°																						
3K / 4K / 6K	12w	82mm	Wh / Bk	1180																					
	2x12w	166x82mm	Wh / Bk	2360																					
 <p>ELITE</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Body Size</th> <th>Cut Size</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>98 x 92</td> <td>90 x 92</td> </tr> <tr> <td>2 x 12W</td> <td>98 x 178</td> <td>90 x 160 x 92</td> </tr> </tbody> </table> <p>6K 4K 3K</p>	Power	Body Size	Cut Size	12W	98 x 92	90 x 92	2 x 12W	98 x 178	90 x 160 x 92	ELITE SERIES															
	Power	Body Size	Cut Size																						
	12W	98 x 92	90 x 92																						
2 x 12W	98 x 178	90 x 160 x 92																							
3K / 4K / 6K	12w	90x90mm	Wh / Bk	1450																					
	2x12w	168x90mm	Wh / Bk	2800																					







REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP															
	GINI SPOT SERIES 3W																			
	3K / 4K / 6K	3w	32mm	Wh / Bk	205															
		3w	32mm	Copper	225															
 <p>GINI</p> <p>Model: GINI</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension (mm)</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>5W</td> <td>D50xH42</td> <td>45mm</td> <td>24°</td> <td>Round</td> </tr> <tr> <td>5W</td> <td>D50xH42</td> <td>45mm</td> <td>24°</td> <td>Round</td> </tr> </tbody> </table>	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape	5W	D50xH42	45mm	24°	Round	5W	D50xH42	45mm	24°	Round	GINI SPOT SERIES 5W				
	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape															
	5W	D50xH42	45mm	24°	Round															
5W	D50xH42	45mm	24°	Round																
3K / 4K / 6K	5w	40mm	Wh / Bk	350																
	5w	40mm	Rose Gold	385																
 <p>MINNI</p> <p>Model: MINNI</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension (mm)</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Color</th> <th>MIP</th> </tr> </thead> <tbody> <tr> <td>1W</td> <td>D30xH28</td> <td>25mm</td> <td>30°</td> <td>Round</td> <td>White</td> <td>80</td> </tr> </tbody> </table>	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape	Body Color	MIP	1W	D30xH28	25mm	30°	Round	White	80	MINNI SPOT SERIES					
	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape	Body Color	MIP													
1W	D30xH28	25mm	30°	Round	White	80														
wh/ww/red/ gr/bl/pk	1w	25mm	white	85																
 <p>TINY</p> <p>Model: TINY</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension (mm)</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>2W</td> <td>D35xH30</td> <td>30mm</td> <td>40°</td> <td>Round/Square</td> </tr> </tbody> </table>	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape	2W	D35xH30	30mm	40°	Round/Square	TINY SPOT SERIES									
	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	Body Shape															
2W	D35xH30	30mm	40°	Round/Square																
wh/ww/red/ gr/bl/pk	2w	30mm	white	112																
 <p>ZEST</p> <p>Model: ZEST</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension (mm)</th> <th>Cut Size (mm)</th> <th>Beam Angle</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D42xH55</td> <td>35mm</td> <td>30°</td> </tr> </tbody> </table>	Power	Dimension (mm)	Cut Size (mm)	Beam Angle	7W	D42xH55	35mm	30°	ZEST SPOT SERIES											
	Power	Dimension (mm)	Cut Size (mm)	Beam Angle																
7W	D42xH55	35mm	30°																	
wh/ww/nw	5w	30mm	wh / bk	515																
 <p>SPY</p> <p>Neptune[®] Li-IHTS</p>	SPY SERIES																			
	3K / 4K / 5K / 6K	7w	55mm	Wh / Bk	900															
		12w	75mm	Wh / Bk	1275															
		20w	95mm	Wh / Bk	2150															
		2x7w - Rt	120x55mm	Wh / Bk	1925															
		2x12w - Rt	165x75mm	Wh / Bk	2800															
		2x20w - Rt	210x92mm	Wh / Bk	4645															
 <p>ZOOM</p>	ZOOM																			
	3K / 4K / 6K	18w	98mm	Wh / Bk	1185															
30w		148mm	Wh / Bk	2000																

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																									
 <p>CYLINDER (s)</p>	CYLINDER (SQ & RO)																													
	3K / 4K / 5K / 6K	7w	65x65	Wh / Bk	575																									
		12w	105x105	Wh / Bk	900																									
		20w	155x155	Wh / Bk	1200																									
	CERA CYLINDER SURFACE																													
	3K / 4K / 6K	9w	D90 X H75	Wh / Bk	725																									
		9w	D90 X H75	Brass	975																									
		16w	D120 X H75	Wh / Bk	1015																									
		16w	D120 X H75	Brass	1310																									
		24w	D140 X H75	Wh / Bk	1300																									
		24w	D140 x H75	Brass	1685																									
 <p>Power: 12W, 20W</p> <p>ROTATION: 90°, 360°</p> <p>3K 4K 6K</p>	AXIS CYLINDER SURFACE																													
	3K / 4K / 6K	12w	D55 X H165	Wh / Bk	1285																									
		20w	D70 x H250	Wh / Bk	1945																									
	DRUM CYLINDER - SQUARE																													
	3K / 4K / 6K	7w	D55x55xH57	Wh / Bk	570																									
		2 x 7w	D110x55x57	Wh / Bk	1140																									
		12w	D70x70xH70	Wh / Bk	875																									
		2 x 12w	D140x70x70	Wh / Bk	1750																									
	DRUM CYLINDER - ROUND																													
	3K / 4K / 6K	3w	D46 x H55	Wh / Bk	490																									
		7w	D55 x H60	Wh / Bk	570																									
		12w	D68 x H68	Wh / Bk	875																									
 <p>Model: MARS</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D55xH100</td> <td>40°</td> <td>Round</td> <td>Wh, Bk</td> </tr> <tr> <td>12W</td> <td>D75xH110</td> <td>40°</td> <td>Round</td> <td>Wh, Bk</td> </tr> <tr> <td>20W</td> <td>D95xH130</td> <td>40°</td> <td>Round</td> <td>Wh, Bk</td> </tr> <tr> <td>30W</td> <td>D120xH135</td> <td>40°</td> <td>Round</td> <td>Wh, Bk</td> </tr> </tbody> </table>	Power	Dimension	Beam Angle	Body Shape	Body Colour	7W	D55xH100	40°	Round	Wh, Bk	12W	D75xH110	40°	Round	Wh, Bk	20W	D95xH130	40°	Round	Wh, Bk	30W	D120xH135	40°	Round	Wh, Bk	MARS CYLINDER				
	Power	Dimension	Beam Angle	Body Shape	Body Colour																									
	7W	D55xH100	40°	Round	Wh, Bk																									
12W	D75xH110	40°	Round	Wh, Bk																										
20W	D95xH130	40°	Round	Wh, Bk																										
30W	D120xH135	40°	Round	Wh, Bk																										
3K / 4K / 6K	7w	D55xH100	Wh / Bk	565																										
	12w	D75xH110	Wh / Bk	895																										

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																								
	BEAT SURFACE																												
	3K / 4K / 6K	8w	D58xH57	Wh / Gun Bk / Brass	760																								
		15w	D72xH69		1015																								
		20w	D86xH77		1430																								
 <p>Model : GRACE SF</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Beam Angle</th> <th>Body Shape</th> <th>Body Colour</th> <th>MRP</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D50xH85</td> <td>38°</td> <td>Round</td> <td>WH, BK</td> <td>1065</td> </tr> <tr> <td>12W</td> <td>D75xH95</td> <td>38°</td> <td>Round</td> <td>WH, BK</td> <td>1500</td> </tr> <tr> <td>20W</td> <td>D86xH90</td> <td>38°</td> <td>Round</td> <td>WH, BK</td> <td>2000</td> </tr> </tbody> </table> <p>REFLECTOR COLOR: </p>	Power	Dimension	Beam Angle	Body Shape	Body Colour	MRP	7W	D50xH85	38°	Round	WH, BK	1065	12W	D75xH95	38°	Round	WH, BK	1500	20W	D86xH90	38°	Round	WH, BK	2000	GRACE CR CYLINDER				
	Power	Dimension	Beam Angle	Body Shape	Body Colour	MRP																							
	7W	D50xH85	38°	Round	WH, BK	1065																							
	12W	D75xH95	38°	Round	WH, BK	1500																							
	20W	D86xH90	38°	Round	WH, BK	2000																							
3K / 4K / 6K	7w	D60 x H85	Wh / Bk	650																									
	12w	D75 x H95	Wh / Bk	900																									
	20w	D86 x H110	Wh / Bk	1150																									
	30w	D107xH165	Wh / Bk	1850																									
 <p>Model : AXIS 360</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Beam Angle</th> <th>Body Shape</th> </tr> </thead> <tbody> <tr> <td>12W</td> <td>D85xH90</td> <td>45°</td> <td>Round</td> </tr> </tbody> </table>	Power	Dimension	Beam Angle	Body Shape	12W	D85xH90	45°	Round	AXIS 360 SURFACE																				
	Power	Dimension	Beam Angle	Body Shape																									
12W	D85xH90	45°	Round																										
3K/4K/5K/6K	12w	D88 xH95	Wh / Bk	1495																									
 <p>Model : BULLET</p> <table border="1"> <thead> <tr> <th>Power</th> <th>Dimension</th> <th>Beam Angle</th> <th>Body Colour</th> </tr> </thead> <tbody> <tr> <td>7W</td> <td>D50xH75</td> <td>38°</td> <td>WH, BK</td> </tr> <tr> <td>7W</td> <td>D50xH75</td> <td>38°</td> <td>COPPER(RG)</td> </tr> <tr> <td>12W</td> <td>D50xH90</td> <td>38°</td> <td>WH, BK</td> </tr> <tr> <td>12W</td> <td>D50xH90</td> <td>38°</td> <td>COPPER(RG)</td> </tr> </tbody> </table>	Power	Dimension	Beam Angle	Body Colour	7W	D50xH75	38°	WH, BK	7W	D50xH75	38°	COPPER(RG)	12W	D50xH90	38°	WH, BK	12W	D50xH90	38°	COPPER(RG)	BULLET SURFACE SPOT SERIES								
	Power	Dimension	Beam Angle	Body Colour																									
	7W	D50xH75	38°	WH, BK																									
	7W	D50xH75	38°	COPPER(RG)																									
	12W	D50xH90	38°	WH, BK																									
12W	D50xH90	38°	COPPER(RG)																										
3K / 4K / 6K	7w	D50 x H75	Wh / Bk	800																									
	7w	D50 x H75	copper	950																									
	12w	D50 x H90	Wh / Bk	940																									
	12w	D50 x H90	copper	1125																									
 <p>CORE</p> <p>ROTATION </p>	CORE SURFACE SPOT SERIES																												
	3K / 4K	7w	D55 x H63	Gun Bk, Shinning	1150																								
		12w	D65 x H63	Gold, Matt Copper	1375																								
	CANNON TRACK & SURFACE SERIES																												
	3K / 4K / 5K / 6K	12w	D64 x H115	Wh / Bk	765																								
		20w	D80 x H135	Wh / Bk	980																								
		30w	D90 x H135	Wh / Bk	1190																								
	MAGNUM TRACK SERIES																												
	3K / 4K / 6K	20w	115x80x110	Wh / Bk	1200																								
		30w	170x100x140	Wh / Bk	1565																								

REF IMAGE	COLOR	WATTS	CUT OUT	BODY	DLP																
 <p>Model : TRACK</p> <table border="1"> <thead> <tr> <th>Model</th> <th>Weight</th> <th>Body Colour</th> <th>Length</th> <th>DLP</th> </tr> </thead> <tbody> <tr> <td>E-Class</td> <td>220GM</td> <td>WH, BK</td> <td>1m 2m</td> <td>135 270</td> </tr> <tr> <td>S-Class</td> <td>310GM</td> <td>WH, BK</td> <td>1m 2m</td> <td>210 420</td> </tr> </tbody> </table>	Model	Weight	Body Colour	Length	DLP	E-Class	220GM	WH, BK	1m 2m	135 270	S-Class	310GM	WH, BK	1m 2m	210 420	TRACK PATTI					
	Model	Weight	Body Colour	Length	DLP																
	E-Class	220GM	WH, BK	1m 2m	135 270																
	S-Class	310GM	WH, BK	1m 2m	210 420																
	E - Class	220gm (for 1mtr)	1mtr	wh / bk	210																
2mtr			wh / bk	415																	
S - Class	310gm (for 1mtr)	1mtr	wh / bk	320																	
		2mtr	Wh / Bk	640																	
	TRACK CONNECTOR																				
	JOINTER	L & I SHAPE	wh / bk	150																	
	STAR COB SERIES																				
	3K / 4K / 6K	3w	55mm	wh/ww/nw	145																
		3w	55mm	Rd/Gr/Bl/Pk	165																
		6w	75mm	Rd/Gr/Bl/Pk	230																
FILAMENT BULB SERIES																					
	CL - 35A	4w	Clear	E/14 / E27 (2200k / 2700k)	105																
	CL - 35T	4w	Clear		105																
	CL - 45G	4w	Clear		105																
	CL - 45G	4w	Reflector	E27 (2700k)	210																
	CL - 64M	4w	Clear	E27(22/27k)	140																
		8w	Clear	E27 (2700k)	335																
	CL - 64M	4w	Amber			185															
	CL - 80G	4w	Clear	7 (2200k / 270)	150																
		8w	Clear	E27 (2700k)	325																
		4w	Reflector		270																
 <table border="1"> <thead> <tr> <th colspan="4">Model : CL-95G</th> </tr> <tr> <th>Power</th> <th>Glass Type</th> <th>Holder</th> <th>CCT</th> </tr> </thead> <tbody> <tr> <td>4W</td> <td>CLEAR</td> <td>E27</td> <td>2700K</td> </tr> <tr> <td>8W</td> <td>CLEAR</td> <td>E27</td> <td>2700K</td> </tr> </tbody> </table>	Model : CL-95G				Power	Glass Type	Holder	CCT	4W	CLEAR	E27	2700K	8W	CLEAR	E27	2700K	CL - 95G	4w	Clear	E27 (2700k)	235
	Model : CL-95G																				
Power	Glass Type	Holder	CCT																		
4W	CLEAR	E27	2700K																		
8W	CLEAR	E27	2700K																		
8w	Clear	520																			
 <table border="1"> <thead> <tr> <th colspan="3">CL-125G</th> </tr> <tr> <th>Power</th> <th>Glass Type</th> <th>Base</th> </tr> </thead> <tbody> <tr> <td>4W</td> <td>CLEAR</td> <td>E27</td> </tr> <tr> <td>8W</td> <td>CLEAR</td> <td>E27</td> </tr> </tbody> </table>	CL-125G			Power	Glass Type	Base	4W	CLEAR	E27	8W	CLEAR	E27	CL - 125G	4w	Clear	E27 (2700k)	485				
	CL-125G																				
Power	Glass Type	Base																			
4W	CLEAR	E27																			
8W	CLEAR	E27																			
8w	Clear	975																			

REF IMAGE	ITEM	LEMP	SIZE	COLOR	DLP
	SWIVAL MIRROR LIGHT				
	SWIVAL-11 3 in 1	9w	330x42x55	wh / blk	750
		12w	417x42x55	wh / blk	875
		18w	553x42x55	wh / blk	1020
	SWIVAL-22 3 in 1	9w	336x38x93	wh	810
		12w	436x38x93	wh	985
		18w	546x38x93	wh	1170
	SWIVAL-44 3 in 1	9w	305x83x46	silver	845
		12w	455x83x46	silver	1080
		18w	605x83x46	silver	1295
	SWIVAL -55	6w	300x27x77	silver	770
		12w	600x27x77	silver	1115
	SWIVAL-77 3 in 1	9w	310x53x54	silver	720
		12w	410x53x54	silver	875
		18w	520x53x54	silver	1050
	SWIVAL-88 3 in 1	9w	316x76x35	silver	835
		12w	450x76x35	silver	1025
		18w	552x76x35	silver	1260

REF IMAGE	ITEM	LEMP	SIZE	COLOR	DLP
					
 <p>Model : NL-BL91 Power: 3W Beam Angle: 60°</p>	NL - BL91	3w	30x300x69	Wh / Bk	790
 <p>Model : NL-BL92 Power: 3W Beam Angle: 60°</p>	NL - BL92	3w	60x300x67	Wh / Bk	790
 <p>Model : NL-BL95 Power: 3W+5W+1W Body Colour: BK/WH Beam Angle: 60°</p>	NL - BL95	3W+5W+1w	3way	Wh / Bk	2615
 <p>Model : NL-FL-551 Power: 3W Body Colour: WH-BK</p>	NL - FL - 551	3w	42 x 26	BK - WH	275
 <p>Model : NL-FL-552 Power: 3W Body Colour: WH-BK</p>	NL - FL - 552	3w	42 x 26	BK - WH	275
 <p>Model : NL-FL-553 Power: 3W Body Colour: WH-BK</p>	NL - FL - 553	3w	42 x 26	BK - WH	275
 <p>Model : NL-FL-554 Power: 3W Body Colour: WH-BK</p>	NL - FL - 554	3w	42 x 26	BK - WH	275
 <p>Model : Module Box Dimension: 60x39mm Body Colour: BK</p>	Modular Box (for FL551 to FL554)		60 x 39mm	Bk	40

REF IMAGE	ITEM	LEMP	SIZE	COLOR	DLP
 3K 4K 6K	HANGING LIGHT				
	NL - LL40	40w	1180x52xH40	black	3300
 3K 4K 6K	NL - LL50	24w	600x50xH75	wh / bk	2050
		50w	1200x50xH75		2500
		100w	2400x50xH75		4950
 4K 6K	NL - LL35	36w	1200x35x66	bk	2130
 4K 5K	NL - LL45	40w	1200x75x35	wh / bk	3100
 NL-LL57	NL - LL57	45w	1183x75x56	wh / bk	2200
 NL-LL68	NL - LL68	42w	1183x56x33	wh / bk	2600
 NL-LL84	NL - LL84	48w	1195x75x50	wh / bk	2700



Illuminate your life

WWW.NEPTUNELIGHTSINDIA.COM