Panasonic

LED

ADORN YOUR LIFE WITH
RIGHT LIGHT

LED LIGHTING

June 2024

Japanese quality promise. Made In India.

3 SPOT LIGHT

Spot Light	4
Surface Spot Light	5
Track Spot Light	6

7 BULBS

Candle Bulb	8
RGB Auto colour Bulb	9
Colour Bulb	10
Smart Bulb	11
Radar Bulb	12
Emergency Bulb	13
Dura Saver LED Bulb	14
Dura MaX LED Bulb	15
Dura Hyper LED Bulb	16

18 DECORATIVE

Strip Light 25W/90W	19
Strip Light 25W/36W/60W	20
Strip Light 50W	21
Rope Light - 45 Mtr	22
Mini Rope Light - 20 Mtr	23
Up Down Light	24

25 PANEL LIGHT

Step Panel	26
Base Light	27
Rimless Surface Panel Light	28

29 DOWNLIGHT

Concealed Downlight	30
Slim Concealed Downlight	31
Tri Colour Concealed Dwonlight	32
Deep Junction 3W	33
Deep Junction 8W-15W	34
Swivel Downlight	35
Aluminium Swivel COB	36
Deep Recessed COB	37
Mini Surface 3W	38
Mini Surface 5W	39
Dual Colour Junction Box	40
Modular Surface 7W	41
Modular Surface 7W-15W	42
Downlight	43
PDL Hybrid AnoraSlim	44
Tri CCT Downlight	45

46 BATTEN

Batten 36W	47
2 ft Batten 20W	48
Night Glow Batten	49
Radar Batten	50
THEALED Batten 5W-10W	51
THEALED Batten 20W	52
THEA ACE Batten	53
Tri CCT Batten	54
Aluminium Batten	55

56 OUTDOOR

Street Light	57
Sensor Street Light	58
Bulk Head	59
Flood Light	60
High Wattage Flood Light	61

KEY FEATURES

SPOT LIGHT

SPOT LIGHT

2W

Panasonic

RoHS compliant



Efficacy
>60 lm/W

CCT
3000K, 6000K, Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Spotlight with Low Depth housing	Suitable for small spaces and compact design
Wide Voltage Range 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	No impact on performance even with bad power conditions / surges
Prismatic Diffuser	Glare less light with spot application
Life up to >15,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
2W	Ø35	4.2x1.85

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

SURFACE
SPOT LIGHT
10W, 20W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100 Lm/W	More light with less power consumption
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
IP66 & IK07 Protection	Robust design suitable for outdoor application (Rain and dust protection)
Life up to >30,000 Burning Hrs.	Long life
Better Thermal Management	Long life
High Voltage Application up to 440V	Can withstand 440V for 30 mins.

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
10W	NA	9.7x20.8
20W	NA	9.7x23

APPLICATIONS

- Home Decoration
- Shopping Mall
- Hall
- Lobbies

TRACK
SPOT LIGHT
10W, 15W, 20W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >80 Lm/W	Energy saving
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	No impact on performance even with bad power conditions / surges
Multi Adjustable Design	Vertically : 90º, Horizontally (Side Ways) : 330º
Life up to >25,000 Burning Hrs.	Better reliability
Aerodynamic Design for Better Thermal Management	Better vonsistency in lux levels and reliability at extreme temperature condition

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
10W	NA	9.7x18
15W	NA	9.7x10.8
20W	NA	9.7x23

APPLICATIONS

- Shopping Malls
- Museums
- Hotels
- Car Showrooms
- Brand Business Halls

BULBS

CANDLE
BULB
4W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy	High light output with low power consumption gives brighter light in dark areas
UV Resistant Diffuser	Protect diffuser from getting yellowing in long run
Selection of Electronic Components Based of Temp. Rating	Robust component due to which less failure since product is tested at 45^0 ambient temperature
PBT + AL Housing	Better heat dissipation in the product in order to achieve the desired lumen maintenance and life
Beam Angle	Wide beam angle (120^0) - light reaches to every corner of room

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
4W	NA	3.8x10.7

APPLICATIONS

- Living Rooms
- Chandeliers
- Showrooms etc.

RGB AUTO
COLOUR BULB

0.5 W

Panasonic

RoHS compliant

Efficacy
Night Lamp

COLOUR
Red
Green
Blue

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
RGB Colour	Just plug and play the auto colour changing bulb, once switched ON, the product with change colour automatically
UV Resistant Diffuser	Protect diffuser from getting yellowing in long run
Selection of Electronic Components Based of Temp. Rating	Robust component due to which less failure since product is tested at 45^0 ambient temperature
Function	Auto colour changing 0.5W bulb ideal for using in puja ghar, decoration and on festivals
Beam Angle	Wide beam angle (120^0) - light reaches to every corner of room

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
4W	NA	4.5x7

APPLICATIONS

- Puja Ghar
- Bed Rooms
- Restaurant, etc.

COLOUR BULB

5W

Panasonic

RoHS compliant

COLOUR

Red, Green,
Blue, Yellow, Pink

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Better Efiicacy	More light with less power consumption
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
High Voltage protection: 440V	Can withstand 440V for 120 mins.
Life up to >25,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
4W	NA	4.5x7

APPLICATIONS

Suitable for decorative lighting applications in indoor spaces

SMART BULB

9.5W, 12.5W

Panasonic

RoHS compliant

MUSIC SYNC

Bluetooth

Wi-Fi

Efficacy
>80
lm/W

CCT
3000K
6500K
& RGB

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Available in Different Color Combinations	RGBCW
Operates on Wi-Fi & Bluetooth	In case of Wi-Fi failure bulb can operate in bluetooth mode
Music Sync, Smart Guard & Biorythm	Changes color in sync with music, creates illusion while user is away from home, circadian rhythm can be created
Surge Protection: 3.5kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 380V	Can withstand 380V for 120 mins.
Wide Voltage Range: 100-300V	Operate without malfunctioning or decay/reduction in light output

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
9.5W	NA	6x11.8
12.5W	NA	6.5x12.6

APPLICATIONS

- Living Rooms
- Pubs
- Restaurant etc.

RADAR
BULB
9W

Panasonic

RoHS compliant

Efficacy >90 lm/W

CCT 6500K

Sensor Range 3 mtr. Radius

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Detection Range	3 mtr detection range for detecting even small movement
UV Resistant Diffuser	Protect diffuser from getting yellowing in long run
Selection of Electronic Components Based of Temp. Rating	Robust component due to which less failure since product is tested at 45^0 ambient temperature.
Radar Sensor	Better detection area than conventional PIR lamp, since exposed part of PIR is lesser than radar sensor
ON-OFF Timing	After sensing presence bulb switch ON and remains ON for 20 seconds and when no movement it remains OFF

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
9W	NA	6x11.6

APPLICATIONS

- General Shops
- Small Offices
- Homes
- Reception Areas
- Restaurants
- Hospital Lobbies & Passages

EMERGENCY BULB

9W, 12W

Panasonic

RoHS compliant

BMS circuit

2 Level Protection
for Long Battery Life

Battery Back-up
8-10 Hours
Charging Time

Inbuilt PTC

Protects Battery
From Over Heating

Efficacy
>100
lm/W
(on main)

CCT
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy	High light output 90⁰ lumens on mains
UV Resistant Diffuser	Protect diffuser from getting yellowing in long run
Selection of Electronic Components Based of Temp. Rating	Robust component due to which less failure since product is tested at 45⁰ ambient temperature
Backup	3 hrs. delivers light with higher efficacy on backup

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
9W / 12W	NA	7.5x13,9

APPLICATIONS

- Study Table
- Living Rooms
- Shops etc.

DURA SAVER
LED BULB

3W to 12W – B22 & E27 Cap

Panasonic

RoHS compliant

Efficacy
>105 lm/W (6500K)

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy: >105Lm/W	More light with less power consumption
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 120 mins
Life up to >25,000 Burning Hrs.	Long life
Full Beam Diffuser	Wide light distribution

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
3W	NA	5.5x10.1
5W	NA	5.5x10.1
7W	NA	5.5x10
9W	NA	6x11.3
12W	NA	6x11.3

APPLICATIONS

- Living Rooms
- Study Rooms
- Kitchen
- Lobby and Other Indoor Areas

DURA MAX
LED BULB

15W, 18W, 23W | B22

Panasonic

RoHS compliant

Efficacy
>105 lm/W (6500K)

CCT
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy: >105Lm/W	More light with less power consumption.
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 120 mins.
Life up to >25,000 Burning Hrs.	Long life
Full Beam Diffuser	Wide light distribution

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
15W	NA	6.5x12.5
18W	NA	7x13.65
23W	NA	9.5x17.3

APPLICATIONS

- Residence
- Living Room & Other Indoor Spaces

DURA HYPER
LED BULB

30W, 40W, 50W | B22 & E27

Panasonic

RoHS compliant

Efficacy
>100 lm/W (6500K)

CCT
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy	High light output with low power consumption gives brighter light in dark areas
UV Resistant Diffuser	Protect diffuser from getting yellowing in long run
Selection of Electronic Components Based of Temp. Rating	Robust component due to which less failure since product is tested at 45^0 ambient temperature
PA+AL Housing	Better heat dissipation in the product in order to achieve the desired lumen maintenance and life
Beam Angle	Wide beam angle (150^0) - light reaches to behind the lamp as well which is not possible in case of low beam angle product

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
30W	NA	10x15
40W	NA	12x16.5
50W	NA	14x19

APPLICATIONS

- Residence
- Living Room & Other Indoor Spaces

FIXTURES





Decorative

STRIP LIGHT

25W - 60LED | METER IP20 & IP65

Panasonic

RoHS compliant

Efficacy
>80 lm/W

CCT
3000K, 4000K, 6500K, Red, Green, Blue

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Input Voltage: 12V DC	Easy available driver
Ingress Protection: IP20 & IP65	Suitable for Indoor as well as outdoor application
Life up to >50,000 Burning Hrs.	Long life
Easy Installation	Suitable for cove lighting
Can be cut at Different Length	Customised lighting as per requirement

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
25W	NA	500x0.8x0.2

APPLICATIONS

- Home Decoration
- Cove Lighting
- Display
- Shops

STRIP LIGHT

Panasonic

25W - 120LED/Mtr & 240 LED/Mtr | IP 20
36W - 120LED/Mtr | IP 20
60W - 240LED/Mtr | IP 20

RoHS compliant

Efficacy
>80 lm/W

CCT
3000K, 4000K, 6500K,
Red, Green, Blue, Amber, Pink

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Input Voltage: 12V DC	Easy available driver
Ingress Protection: IP20 & IP65	Suitable for Indoor as well as outdoor application
Life up to >50,000 Burning Hrs.	Long life
Easy Installation	Suitable for cove lighting
Can be cut at Different Length	Customised lighting as per requirement

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
25W	NA	500x0.8x0.2
36W	NA	500x0.8x0.2
60W	NA	500x0.8x0.2

APPLICATIONS

- Home Decoration
- Cove Lighting
- Display
- Shops

RGB STRIP LIGHT

50W

Panasonic

RoHS compliant

Efficacy
Na

CCT
Red, Green, Blue, Changeable colour with Remote

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Changeable Colour with Remote	16 colour modes available
Dimmable	Dimming of light is possible
Can be cut at Different Length	Customised lighting as per requirement
With RGB Controller and Remote	Creates ambience
Life up to >50,000 Burning Hrs.	Long life
Easy Installation	Suitable for cove lighting

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
50W	NA	500x1x0.2

APPLICATIONS

- Home Decoration
- Cove Lighting
- Display
- Shops

ROPE LIGHT
45 METER

6W - 60 LED/Mtr & 120 LED/Mtr

Panasonic

RoHS compliant

Efficacy
>60 lm/W

CCT
3000K, 4000K, 6500K, Red, Green, Blue, Amber, PInk

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Input Voltage: 230V AC	Direct plug into AC supply with 2 pin plug
Can be cut at Different Length after each 1 Meter	Customized lighting as per requirement
IP65 Rope Light	Can withstand from rain and dust
Rectifier & LED Life up to >30,000 Burning Hrs.	Long life
Surge Protection upto 2.5kV	Better performance even with bad power conditions surges
Easy Installation in Small Spaces	Suitable for cove lighting

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
6W / Mtr	NA	4500x1x0.4

APPLICATIONS

- Home Decoration
- Cove Lighting
- Porches
- Garden

MINI ROPE LIGHT
20 METER

8W - 120 LED/Mtr

Panasonic

RoHS compliant

Efficacy
>60 lm/W

CCT
3000K, 4000K, 6500K, Red, Green, Blue, Amber, PInk

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Input Voltage: 230V AC	Direct plug into AC supply with 2 pin plug
Can be cut at different length After each 1 Meter	Customized lighting as per requirement
IP65 Rope Light	Can withstand from rain and dust
Rectifier & LED Life up to >30,000 Burning Hrs.	Long life
Surge Protection upto 2.5kV	Better performance even with bad power conditions surges
Easy Installation in Small Spaces	Suitable for cove lighting

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
8W / Mtr	NA	2000x1x0.04

APPLICATIONS

- Home Decoration
- Cove Lighting
- Porches
- Garden

UP DOWN LIGHT

6W, 12W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >80 Lm/W	Energy saving
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	Better performance even with bad power conditions / surges
AL Housing	Better heat dissipation and life
Life up to >25,000 Burning Hrs.	Better reliability
Aerodynamic Design for Better Thermal Management	Better vonsistency in lux levels and reliability at extreme temperature condition

One Way

Two Way - Up & Down

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
6W	NA	8x8x6.3
12W	NA	14.5x8x6.3

APPLICATIONS

- Residential
- Small Office
- Retail Shop
- Service Area
- Hospitality



Panel Light

STEP
PANEL

3W, 5W, 10W, 15W, 20W, 24W

Panasonic

RoHS compliant

Circular

Square

Efficacy
>70
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Sleek Aluminum Housing with Step Design	Fit for low depth ceiling with good aesthetic
Wide Voltage Range: 100-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Isolated Driver	Prevent component failure with additional safety during high voltages
Edge Lit Type Led Arrangement	Uniform and glare free light out put

Wattages	Cutout Dimensions (cm) Round / Square	Product Dimensions (cm) Round / Square
3W	Ø7.5 / 7.5x7.5	8.5x2.5 / 8.5x8.5x2.5
5W	Ø10.8 / 10.8x10.8	12x2.5 / 12x12x2.5
10W	Ø13.2 / 13.2x13.2	14.5x2.5 / 14.5x14.5x2.5
15W	Ø15.6 / 15.6x15.6	17x2.5 / 17x17x2.5
20W	Ø17.7 / 17.7x17.7	19x2.5 / 19x19x2.5
24W	Ø20.4 / 20.4x20.4	22x2.5 / 22x22x2.5

APPLICATIONS

- Residential
- Small Offices
- Service Areas
- Retail Shops

BASE
LIGHT
36W, 40W

Panasonic

RoHS compliant

Efficacy
>90
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Low Depth Base Light	Easy to fit on low depth ceiling
Wide Voltage Range: 100-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Long life
Isolated Driver	No impact on component during power fluctuation

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
36W	56.5x56.5	59.5x59.5x3
40W	58.5x58.5	59.5x59.5x3

APPLICATIONS

- Office
- Schools
- Hospitals
- Conference Hall
- Banks
- BPO
- Suitable for frame ceilings (Armstrong/Gypsum)

RIMLESS SURFACE
PANEL LIGHT

6W, 12W, 18W, 24W

Panasonic

RoHS compliant



Efficacy
>100
lm/W

CCT
3000K
4000K
6500K

Also avaialble in TRI CCT

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV	Better performance even with bad power conditions / surges
Lumen: 100Lm/W	More light with less power consumption
Life up to >25,000 Burning Hrs.	Long life
Rimless Diffuser	More light spread and output

Wattages	Cutout Dimensions (cm) Round / Square	Product Dimensions (cm) Round / Square
6W	NA	10x3.1 / 10x10x3.1
12W	NA	12.5x3.1 / 12.5x12.5x3.1
18W	NA	15x3.1 / 15x15x3.1
24W	NA	20x3.1 / 20x20x3.1

APPLICATIONS

- Residential
- Bedroom
- Halls
- Shops







Downlight

CONCEAL DOWNLIGHT

5W, 7W, 9W

Panasonic

RoHS compliant

Efficacy
>80 lm/W

CCT
3000K, 4000K, 6500K
Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	Better performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Long life
Available in 3 Light Colours	Used for decorative lights

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
5W	Ø7.5	11x5.5
7W	Ø8.5	10.5x6
9W	Ø8.5	10.5x6

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

SLIM CONCEAL DOWNLIGHT

5W, 7W, 9W

Panasonic

RoHS compliant

Efficacy
>80 lm/W

CCT
3000K, 4000K, 6500K
Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 180-270V	Wide application, covering all the T2, T3 cites
PC Diffuser	Prevent glare/direct light on eyes
Surge Protection: 2.5kV	Better performance even with bad power conditions / surges
CRI >80	Provide actual sunlight feeling
Life up to >25,000 Burning Hrs.	Long life
Photo-biologically Safe light	Eye comfort

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
5W	Ø7.5	10.9x2.5
7W	Ø7.5	10.9x2.5
9W	Ø7.5	10.9x2.5

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

TRI COLOUR CONCEALED DOWNLIGHT

5W

Panasonic

RoHS compliant

CCT*
Red + Blue
Red + 6500

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Tri Colour Concealed Downlight	Multiple colour in single product through switching
Surge Protection: 2kV	Better performance even with bad power conditions / surges
Wide Voltage Range: 100-300V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life
Fit for Junction Box	Multipurpose – Ceiling + Junction Box

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
5W	Ø7.5	11x5.5

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

DEEP JUNCTION

3W

Panasonic

RoHS compliant



Efficacy
>80 lm/W

CCT
3000K, 6500K
Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	Better performance even with bad power conditions / surges
Low Depth Deep Junction (80x32mm)	Compact design to install in small spaces
Life up to >25,000 Burning Hrs.	Long life
Fit for Junction Box	Multipurpose – Ceiling + Junction Box

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
3W	Ø4.6	8x3.3

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

DEEP
JUNCTION

8W, 12W, 15W

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K, 6500K
Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	Better performance even with bad power conditions / surges
Lumen: 100lm/W	More light with less power consumption
Life up to >25,000 Burning Hrs.	Long life
Full Glow Diffuser	More light spread and output

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
8W	Ø5	8.4x6.6
12W	Ø5	14x6.8
15W	Ø5	14x6.8

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

SWIVEL
DOWNLIGHT

3W, 6W, 9W, 12W

Panasonic

RoHS compliant

Efficacy
>70 lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Prismatic Diffuser	Prevent glare/direct light on eyes
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Long life product
Swivel Type Design	Tiltable angle for light output

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
3W	Ø5.7	7.4x4.5
6W	Ø7	9.5x4.2
9W	Ø9	11.6x5.1
12W	Ø11.5	14x5.2

APPLICATIONS

- Ceiling
- Living Room
- Shops

ALUMINIUM SWIVEL
COB DOWNLIGHT

3W, 7W, 12W, 15W, 18W, 24W

Panasonic

RoHS compliant

Efficacy
>90
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Tiltable Diffuser	Adjust light output direction as per requirement
COB LED with High Performance Reflector	Focused beam angle for spot light usage
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Long life product
Elegant Aluminium Housing	Better aesthetic & heat management for longer life
Isolated Driver	No impact of power fluctuation

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
3W	Ø5.5	6.3x4.3
7W	Ø7	8.7x5.6
12W/15W	Ø8.5	10x7.1
18W	Ø9.5	11.5x7.2
24W	Ø12.5	13.`5x8.5

APPLICATIONS

- Home
- Restaurant,
- Shops
- Super Market

DEEP RECESSED
COB DOWNLIGHT

7W, 12W, 18W | White Housing

Panasonic

RoHS compliant

Efficacy
>80
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: 80 lm/W (6500K)	Energy saving
Installed using Clips	Easy installation
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	Better performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Better reliability
Aluminium Housing	Better aesthetic & heat management for longer life
Isolated Driver	Better heat dissipation

Rose Gold

White

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
7W	Ø5.6	6.5x5.4
12W	Ø7	8x7.5
18W	Ø8.5	9.3x9.5

APPLICATIONS

- Home
- Restaurant
- Shops
- Super Market

MINI SURFACE DOWNLIGHT

3W

Panasonic

RoHS compliant





Efficacy
>55 lm/W

CCT
3000K, 6500K
Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Mini Surface with Compact Dia.	Suitable for small spaces and compact design
Wide Voltage Range 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	No impact on performance even with bad power conditions / surges
Life up to >15,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
3W	NA	6x1.65

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

MINI SURFACE DOWNLIGHT

5W

Panasonic

RoHS compliant

Efficacy
>90
lm/W

CCT
3000K, 6500K
Red, Green, Blue

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Rimless Diffuser with Surface Fitting	Full glow diffuser for better light spread and compatible for surface fit
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	No impact on performance even with bad power conditions / surges
Life up to >15,000 Burning Hrs.	Long life product
Low Depth Surface: DL-16mm Depth	Slim design for better aesthetic

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
5W	NA	6.1x1.6

APPLICATIONS

- Cabinets
- Bedroom
- Halls
- Shops

DUAL COLOUR
JUNCTION BOX

7W, 12W

Panasonic

RoHS compliant

Efficacy
>80
lm/W

CCT
6500K + 3000K
6500K + Blue

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Dual Mode Lighting-Inner and Outer Ring	Customer can change light colour as per requirement
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: 2kV	No impact on performance even with bad power conditions / surges
Life up to >25,000 Burning Hrs.	Long life product
Fit for Junction Box	Can be used as fitting in junction box

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
7W	Ø5	8.4x4.6
12W	Ø7.6	13.3x7

APPLICATIONS

- Bedroom
- Drawing Room
- Halls
- Shops

MODULAR
SURFACE
7W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K, 6500K
Red, Green, Blue

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 100-300V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Lumen Efficacy: >100Lm/W	Better light output with less power consumption
Life up to >25,000 Burning Hrs.	Long life product
Twist and Fit Type Assembly	Easy fitment to holder
Rimless Diffuser	Full glow diffuser for better light spread

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
7W	NA	8.4x5.2

Twist & Fit

APPLICATIONS

- Bedroom
- Halls
- Shops

MODULAR SURFACE

7W, 9W, 15W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
6500K + 3000K
Red, Green, Blue

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Wide Voltage Range: 100-300V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Lumen Efficacy: >100Lm/W	Better light output with less power consumption
Life up to >25,000 Burning Hrs.	Long life product
Twist and Fit Type Assembly	Easy fitment to holder
Rimless Diffuser	Full glow diffuser for better light spread

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
7W	NA	8.5x4.8
9W	NA	11x4.8
15W	NA	13.5x4.8

APPLICATIONS

- Bedroom
- Halls
- Shops

DOWNLIGHT

5W, 10W, 15W, 20W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W*	More light with less power consumption
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life product

* For 6500k cct only and higher wattages
* 100lm/W efficacy is achieved in 15W & 20W only

Wattages	Cutout Dimensions (cm) Round / Square	Product Dimensions (cm) Round / Square
5W	Ø10 / 10x10	11.6x3.6 / 11.6x11.6x3.6
10W	Ø10 / 10x10	11.6x3.6 / 11.6x11.6x3.6
15W	Ø15 / 15x15	16.6x3.6 / 16.6x16.6x3.6
20W	Ø20.5 / 20.5x20.5	22x3.6 / 22x22x3.6

APPLICATIONS

- Residential
- Small Offices
- Service Areas
- Retail Shops

PDL HYBRID ANORASLIM

5W, 10W, 15W, 20W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
4000K
6500K



KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >90Lm/W (15W)	More light with less power consumption
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
High Voltage Protection 440V	Can withstand 440V for 30 Mins.
Wide Voltage Range: 180-270V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life product
Better Lumen Maintenance	Better consistency in lux/lighting levels through out life
Photo-biologically Safe Light	Eye comfort

Wattages	Cutout Dimensions (cm) Round / Square	Product Dimensions (cm) Round / Square
5W	Ø10 / 10x10	11.6x2.7 / 11.6x11.6x2.7
10W	Ø10 / 10x10	11.6x2.7 / 11.6x11.6x2.7
15W	Ø15 / 15x15	16.5x2.8 / 16.5x16.5x2.8
20W	Ø20.5 / 20.5x20.5	22x2.8 / 22x22x2.8

APPLICATIONS

- Residential
- Small Offices
- Service Areas
- Retail Shops

TRI CCT
DOWNLIGHT

5W, 10W, 15W, 20W

Panasonic

RoHS compliant

3 Switching Mode

3 Colours in 1 Light

Efficacy
>100
lm/W

CCT
3000K
4000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Tri CCT PC Downlight	3 colour in single product through switching
Surge Protection: 2kV	Better performance even with bad power conditions / surges
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm) Round / Square	Product Dimensions (cm) Round / Square
5W	Ø10 / 10x10	11.6x3.6 / 11.6x11.6x3.6
10W	Ø10 / 10x10	11.6x3.6 / 11.6x11.6x3.6
15W	Ø15 / 15x15	16.6x3.6 / 16.6x16.6x3.6
20W	Ø20.5 / 20.5x20.5	22x3.6 / 22x22x3.6

APPLICATIONS

- Residential
- Small Offices
- Service Areas
- Retail Shops

BATTEN

BATTEN

Panasonic

36W

RoHS compliant

Efficacy
>100
lm/W

CCT
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W	More light with less power consumption
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life product
36W Batten in Durable Plastic Housing	Affordable batten with enhanced performance

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
36W	NA	113x3.4x3.8

APPLICATIONS

- House
- Shops

2FT
BATTEN
20W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W	More light with less power consumption
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life product

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	59.5x2.45x3.85

APPLICATIONS

- House
- Shops

NIGHT GLOW BATTEN

20W+2W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
6500K
(Night Mode)

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W	More light with less power consumption
Surge Protection: >2.5kV	No impact on performance even with bad power conditions / surges
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life product
Works As Night Lamp	Double application (Batten + Night Lamp)

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	119.1x3.21x3.66

APPLICATIONS

- Houses
- Bedroom
- Lobby
- Living Room

RADAR
BATTEN
20W

Panasonic

RoHS compliant

ENERGY SAVING up to 39%*

Compare with Regular 20W Batten

Efficacy >100 lm/W

CCT 6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Energy Saving Product	Product dim to 35% when no motion detected
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Surge Protection: >2.5kV	No impact on performance even with bad power conditions / surges
Lumen Output: 2000Lm	More light with less power consumption
Life up to >25,000 Burning Hrs.	Long life product

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	121x3.6x2.5

APPLICATIONS

- Parking
- Corridors
- Warehouse

THEALED BATTEN

5W, 10W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W	More light with less power consumption
Surge Protection: >4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >30,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
5W	NA	26.6x2.45x3.43
10W	NA	53.6x2.45x3.43

APPLICATIONS

- Residential
- Small Offices
- Service Area

THEALED BATTEN

20W

Panasonic

RoHS compliant



Efficacy
>100 lm/W

CCT
3000K, 6500K, Red, Green, Blue, Pink

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy: >100Lm/W (for 4000K CCT only)	More light with less power consumption
Surge Protection: >4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >30,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	110x2.45x3.35

APPLICATIONS

- Residential
- Small Offices
- Service Area

THEA ACE
BATTEN
20W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Product Design & Performance	
Lumen Efficacy: >100Lm/W (for 4000K CCT only)	More light with less power consumption
Surge Protection: >4kV	No impact on performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >30,000 Burning Hrs.	Long life

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	110x2.45x3.35

APPLICATIONS

- Residential
- Small Offices
- Service Area

TRI CCT BATTEN

22W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
CW+NW+WW

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Tri CCT Batten	Multiple color in single product through switching
Surge Protection: >4kV	Better performance even with bad power conditions / surges
Wide Voltage Range: 140-275V	Wide application range T3,T4 Cities
Life up to >25,000 Burning Hrs.	Long life
Fit for Decorative Lighting	Multipurpose

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	113x2.3x3.6

APPLICATIONS

- Residential
- Small Offices
- Service Area

ALUMINIUM BATTEN

40W

Panasonic

RoHS compliant

Efficacy
>100 lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100Lm/W	More light with less power consumption
Surge Protection: >4kV	Better performance even with bad power conditions / surges
High Voltage Protection: 440V	Can withstand 440V for 30 mins.
Wide Voltage Range: 140-275V	Wide application, covering all the T2, T3 cites
Life up to >25,000 Burning Hrs.	Long life
40W Batten in Durable Aluminium Housing	High performance due to better heat dissipation

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
40W	NA	121x3x3.8

APPLICATIONS

- Residential
- Small Offices
- Service Area

OUTDOOR

STREET LIGHT
DOLPHIN SHAPE
15W, 25W, 45W, 60W, 75W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: > 100 Lm/W	More light with less power consumption
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV for 15W, 25W & 45W, with 10kV External SPD for 60W and 75W	Better performance even with bad power conditions / surges
IP66 Protections	Can withstand rain and dust protection
Life up to >25,000 Burning Hrs.	Long life
Aerodynamic Al Housing Design for Better Thermal Management	Better consistency. Lux levels and reliability at extreme temp condition.

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
15W/25W	NA	28.4x11.5x5.5
45W	NA	35.3x13.7x5.5
60W/75W	NA	47.8x 17.8x6.4

APPLICATIONS

- Street light
- Pathway
- Garden
- Playground
- Buildings & Compound lighting

SENSOR STREET LIGHT
DOLPHIN SHAPE
45W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: > 100 Lm/W	Energy saving
Contemporary Dolphin Shape	Better aesthetics
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV	Better performance even with bad power conditions / surges
IP66 Protections	Can withstand rain and dust protection
Life up to >25,000 Burning Hrs.	Better reliability
Separate Driver Compartment	Hassel free servicing
IK 07 Protections	Can be used in industrial areas and high traffic

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
45W	NA	35.8x13.8x5.3

APPLICATIONS

- Street light
- Pathway
- Garden
- Playground
- Buildings & Compound lighting

BULK
HEAD
10W, 12W, 20W

Panasonic

RoHS compliant

Efficacy
>90
lm/W

CCT
3000K
6500K

12W

10W/20W

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: > 90 Lm/W	More light with less power consumption
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 2.5kV	No impact on performance even with bad power conditions / surges
IP65 Product	Can withstand rain and dust protection
Life up to >30,000 Burning Hrs.	Long life
Slim Design with Surface Fitting	Low depth bulk head for better aesthetic

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
10W	NA	17.1x7.2x4.6
12W	NA	23.3x10.7x5
20W	NA	21.1x10.3x5.8

APPLICATIONS

- Lawns
- Gardens
- Pathways
- Courtyard
- Factories

FLOOD LIGHT

20W, 30W, 50W, 100W

Panasonic

RoHS compliant

Efficacy >100 lm/W

CCT 6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100 Lm/W	More light with less power consumption
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
IP65 & IK07 Protection	Robust design suitable for outdoor application (Rain and dust protection)
Life up to >30,000 Burning Hrs.	Long life
Better Thermal Management	Long life
High Voltage Application up to 440V	Can withstand 440V for 30 mins.

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
20W	NA	14.5x11.5x4.2
30W/50W	NA	22.5x15.9x4.1
100W	NA	33.2x28.9x5.3

APPLICATIONS

- Outdoor
- Shops
- Party Hall

HIGH WATTAGE
FLOOD LIGHT
150W, 200W

Panasonic

RoHS compliant

Efficacy
>100
lm/W

CCT
3000K
6500K

KEY FEATURES	CUSTOMER BENEFITS
Performance	
Lumen Efficacy: >100 Lm/W	More light with less power consumption
Wide Voltage Range: 140-270V	Wide application, covering all the T2, T3 cites
Surge Protection: 4kV	No impact on performance even with bad power conditions / surges
IP65 & IK07 Protection	Robust design suitable for outdoor application (Rain and dust protection)
Life up to >30,000 Burning Hrs.	Long life
Better Thermal Management	Long life
High Voltage Application up to 440V	Can withstand 440V for 30 mins.

Wattages	Cutout Dimensions (cm)	Product Dimensions (cm)
150W	NA	38.2x31.2x9.2
200W	NA	46.5x35.5x9.2

APPLICATIONS

- Outdoor
- Shops
- Party Hall

Jab khil uthega ghar sahi roshni se

Toh dikhega sab ek nayi roshni mein

Panasonic Life Solutions India Pvt. Ltd.

3rd Floor, B Wing, I-Think Techno Campus,
Pokharan Road No. 2, Thane (W), Thane - 400 607, Maharashtra.
Customer Care no. : 022-41304130
Email: wecare@in.panasonic.com
www.lsin.panasonic.com

Panasonic

All Rights Reserved © 2015 COPYRIGHT Panasonic Life Solutions India Pvt. Ltd.
Specifications are subject to change without notice
Printed in India

The duplication and transfer of images from this catalogue without permission is strictly prohibited.