BROCHURE

2024-25








Highest ratings and reviews on online platforms










REVOLUTIONARY BLDC TECHNOLOGY


THE POWER BEHIND ATOMBERG FANS

BLDC stands for Brushless Direct Current. The motor runs because of an interaction between a single winding and strong permanent magnets. The commutation is deployed by smart electronics. Thanks to the BLDC inverter technology and our proprietary sensorless algorithm, Atomberg fans consume just 28W at speed 5.

ADVANTAGES

• Elimination of friction and associated power losses • Proprietary algorithm with smart electronics drive that runs the motor efficiently • Less noise and no motor heating






Body

Rotor

Power consumption at each speed

The power consumption of the Atomberg Renesa+ fan varies with the speed at which it is set.

It consumes less power than an LED bulb at speed 1.





These specifications are for the Atomberg Renesa+ 1200 mm fan. The performance at each speed may vary for different models.

THE PERFECT BLEND OF STYLE & SAVINGS

A comparison: Atomberg fans vs ordinary fans









*Assumptions:

usage of 16 hours/day, for 300 days a year with electricity rate of ₹ 7/unit

Atomberg fan

UNMATCHED FEATURES & SAVINGS



ENERGY EFFICIENT BLDC MOTOR FOR ENERGY SAVING



65% ELECTRICITY SAVING



SMART REMOTE WITH BOOST, SLEEP AND TIMER MODES



Ordinary fan

SILENT OPERATION WITH HIGH AIR DELIVERY



RUNS UP TO 3X LONGER ON INVERTER



100% PURE COPPER WINDING MOTOR FOR A LONGER LIFE



PAN INDIA SERVICE NETWORK



POWERFUL BOOST MODE



CONSISTENT SPEED EVEN AT LOW VOLTAGE WITH LOW MOTOR HEATING

ARIS STARLIGHT





2+1^{*} year on-site warranty



Noiseless fan



Integrated ABS blade design



65% Electricity saving



Easy to clean



Light intensity control



Remote with boost, sleep & timer mode



Under-lights







Dark Teakwood



Marble White





Finish	Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
Marble White	1200	39 [^]	165-285	280	245	0.95	12060
Dark Teakwood	1200	39 [^]	165-285	280	245	0.95	15530

^{* 1} year extended warranty on registration ^ With maximum light intensity wattage increases by +6 W





ARIS

2+1^{*} year on-site warranty



Noiseless fan



Integrated ABS blade design



65% Electricity saving



Easy to clean



LED indication



Remote with boost, sleep & timer mode





Dark Teakwood

Marble White









Finish	Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
Marble White	1200	39	165-285	280	245	0.95	11540
Dark Teakwood	1200	39	165-285	280	245	0.95	15000

^{* 1} year extended warranty on registration

STUDIO SMART +





2+1* year on-site warranty



65% Electricity saving



Easy to clean



LED indication for speed



Contemporary look with wider blades



Remote with boost, sleep & timer mode





Marble White





Earth Brown





Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
1200	28^	165-285	360	224	0.95	8910

^{*1} year extended warranty on registration ^The power value is calculated at speed five, while the others have been computed at boost speed.





ERICA SMART

2+1^{*} year on-site warranty



65% Electricity saving



Easy to clean*



LED indication



Contemporary look with wider blades



Remote with boost, sleep & timer mode





Umber Brown*

Snow White









Finish	Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
Snow White	1200	28 [^]	165-285	360	225	0.95	7790
Umber Brown	1200	28 [^]	165-285	360	225	0.95	8290

^{*} Umber Brown is easy to clean

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.

RENESA SMART +





2+1^{*} year on-site warranty



65% Electricity saving



Easy to clean



LED indication for speed



Contemporary design with a sleek body



Remote with boost, sleep & timer mode







Golden Oakwood

Wooden Finish



Pearl White

Metallic Finish



Earth Brown

Metallic Finish



Finish	Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
Metallic Wooden	1200 1200	28 [^]	165-285 165-285	360 360	235 235	0.95 0.95	9040 9460
Wooden	1200	20	100 200	000	200	0.50	2100

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.





RENESA SMART

2+1^{*} year on-site warranty



65% Electricity saving



LED indication for speed



Contemporary design with a sleek body



Remote with boost, sleep & timer mode





White and Black



Misty Teal



Brown and Black



Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)	
1200	28^	165-285	360	235	0.95	7350	

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.

RENESA +





Wooden Finish



2+1^{*} year on-site warranty



65% Electricity saving



Easy to clean



LED indication for speed



Contemporary design with a sleek body



Remote with boost, sleep & timer mode



Dark Walnut⁺

Golden Oakwood

Sweep	Power	Input	RPM	Air Delivery	Power	MRP (₹)
(mm)	(W)	Voltage (V)		CMM (m³/min)	Factor	Wooden
600	28^	165-285	840	110	0.95	7440
900	28^	165-285	530	180	0.95	7860
1200	28^	165-285	360	235	0.95	7860
1400	28^	165-285	290	270	0.95	8600

^{*}Dark Walnut colour available only in 1200 mm variant.

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.





RENESA +

Metallic Finish

2+1* year on-site warranty



65% Electricity saving



Easy to clean



LED indication for speed



Contemporary design with a sleek body



Remote with boost, sleep & timer mode





Metallic Gold



Sand Grey

				•		
Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹) Metallic
600	28^	165-285	840	110	0.95	6500
900	28^	165-285	530	180	0.95	6810
1200	28^	165-285	360	235	0.95	6810
1400	28^	165-285	290	270	0.95	7860

Aegean Blue⁺

Umber Brown⁺

Pearl White

Earth Brown

^{*}Umber Brown and Aegean Blue colour available only in 1200 mm variant.

^{*}Sand Grey and Metallic Gold available in 900mm and 1200mm variant.

^{* 1} year extended warranty on registration

[^]The power value is calculated at speed five, while the others have been computed at boost speed.

RENESA





2+1^{*} year on-site warranty



65% Electricity saving



LED indication for speed



Contemporary design with a sleek body



Remote with boost, sleep & timer mode



















Brown & Black	White & Black	Ivory & Black#	Gloss White	Matte Brown	Gloss Ivory#	Midnight Black
Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
600	28^	165-285	840	110	0.95	5340
900	28^	165-285	530	180	0.95	5660
1200	28^	165-285	360	235	0.95	5660
1400	28^	165-285	290	270	0.95	6180

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.

^{#&#}x27;Gloss Ivory' and 'Ivory & Black' colours available only in 1200 mm variant





RENESA PRIME REMOTE

2+1^{*} year on-site warranty



65% Electricity saving



Contemporary design with a sleek body



LED indication for speed



Remote with boost, sleep & timer mode





			GIOSS BIACK	Gloss Brown	Gloss White	Seasand Ivory
Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
1200	28^	165-285	350	225	0.95	5660

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.

RENESA PRIME









65% Electricity saving



Compatible with regulators



Contemporary design with a sleek body





			GIOSS DIACK	GIOSS DIOWII	Gioss Wille	Seasand ivory
Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
1200	35	220-240	350	225	0.90	5660

^{* 1} year extended warranty on registration







2+1^{*} year on-site warranty



65% Electricity saving



LED indication for speed



Contemporary look with wider blades



Easy to clean



Remote with boost, sleep & timer mode







Marble White





Earth Brown

Sand Grey Aegean Blue

Marble White with Teakwood

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
1200	28^	165-285	360	224	0.95	8180

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.









65% Electricity saving



Exquisite mandala art#



Easy to clean*



Contemporary look with wider blades



LED indication



Remote with boost, sleep & timer mode





Umber Brown*

Midnight Black[#]



Lotus Pink#



Snow White

Finish	Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
Snow White	1200	28^	165-285	360	225	0.95	7290
Lotus Pink	1200	28^	165-285	360	225	0.95	7290
Umber Brown	1200	28^	165-285	360	225	0.95	7790
Aegean Blue	1200	28^	165-285	360	225	0.95	7790

^{*} Umber Brown and Aegean Blue is easy to clean.

[#] Snow White, Lotus Pink and Midnight Black has mandala design.

^{*1} year extended warranty on registration ^The power value is calculated at speed five, while the others have been computed at boost speed.





2+1^{*} year on-site warranty



65% Electricity saving



Runs 3x longer on inverter



Consistent speed even at low voltage



Remote with boost, sleep & timer mode





Gloss White

Gloss Ivory

Gloss Black

Gloss Brown

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
900	28 [^]	165-285	470	165	0.95	4820
1200	28 [^]	165-285	365	230	0.95	4820

^{*1} year extended warranty on registration
^The power value is calculated at speed five, while the others have been computed at boost speed.

EFFICIO 2





2+1^{*} year on-site warranty



65% Electricity saving



Runs 3x longer on inverter



LED indication for speed



Remote with boost, sleep & timer mode





Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
1200	28^	165-285	360	230	0.95	

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.







2+1* year on-site warranty



65% Electricity saving



Runs 3x longer on inverter



Remote with boost, sleep & timer mode





^{*&#}x27;Matte Black' is available in 1200 mm & 900 mm variant

^{* 1} year extended warranty on registration ^ The power value is calculated at speed five, while the others have been computed at boost speed.

STUDIO +

EXHAUST FAN



1+1^{*} year on-site warranty



Silent operation in spite of high air suction



Easy-to-clean, easy to install and uninstall



Back flaps prevent insects from entering the house



Can be installed on thin wooden & glass panel











Gloss Black

Brushed Steel Gloss \

Gloss White Gloss Brown

Sweep (mm)	Power (W)	СМН	Input Voltage (V)	RPM	MRP (₹) Steel ABS	
150	7.5	250	220-240	2250	3960 3640)

^{* 1} year extended warranty on registration



EXHAUST FAN

STUDIO

1+1^{*} year on-site warranty



Silent operation in spite of high air suction



Easy-to-clean, easy to install and uninstall



Back flaps prevent insects from entering the house



Can be installed on thin wooden & glass panel













Brushed Steel

Gloss White

Gloss Brown

Gloss Black

Sweep (mm)	Power (W)	СМН	Input Voltage (V)	RPM	MRP (₹) Steel ABS	
150	6.5	245	220-240	2000	3310 3180	

^{* 1} year extended warranty on registration

EFFICIO +

EXHAUST FAN



1+1^{*} year on-site warranty



Silent operation in spite of high air suction



Flaps to prevent insects



Front motorised flaps











White

Brown

Black

Sweep (mm)	Power (W)	СМН	Input Voltage (V)	RPM	MRP (₹)	
150	5	245	220-240	1400	3350	

^{* 1} year extended warranty on registration



EXHAUST FAN

1+1^{*} year on-site warranty



Silent operation in spite of high air suction



Easy-to-clean front grill, easy to install and uninstall



Back flaps prevent insects from entering the house









Brown Black

Sweep (mm)	Power (W)	СМН	Input Voltage (V)	RPM	MRP (₹)
150	11	356	220-240	2000	3350
200	16	800	220-240	1600	3460
250	20	1150	220-240	1300	3760

^{* 1} year extended warranty on registration

RENESA

SWING PEDESTAL FAN



1+1^{*} year on-site warranty



Vertical tilt - 30°



SWING - 90°



Easy to clean, easy to install and uninstall



Separate motor for oscillation function



Remote with boost, sleep & timer mode



Energy Efficient BLDC Motor





Snow White Swing Pedestal



Midnight Black Swing Pedestal

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
400	35	165-285	1500	76	0.95	6450

^{* 1} year extended warranty on registration



1+1^{*} year on-site warranty



Vertical tilt - 30°



Swing - 90°



Separate motor for oscillation function



Easy to clean, easy to install and uninstall



Remote with boost, sleep & timer mode



Energy Efficient BLDC Motor

WALL FAN







RENES

Snow White

Midnight Black

Sweep (mm)	Power (W)	Input Voltage (V)	RPM	Air Delivery CMM (m³/min)	Power Factor	MRP (₹)
400	35	165-285	1500	76	0.95	5660

^{* 1} year extended warranty on registration

OUR MANTELPIECE



Awarded **"Best Energy Conservation Appliance of the Year 2022**" by Honourable President of India, Smt. Droupadi Murmu



الدرداء

Part of the "Champions of Change" event along with the Honourable Prime Minister of India, Shri. Narendra Modi



AWARDS



National Entrepreneurship Award from the Government of India - 2017



Climate Solver Award from WWF - 2016



Global CleanTech Innovation
Program Winner
from The United Nations - 2016



Best on
Campus Startup Award
from The Economic Times - 2019



Good Design Award 2022 for ERICA & ERICA SMART



LOOP Design Awards 2023 for ARIS & ARIS STARLIGHT

OUR CLIENTS









PARK HYATT®















PAN INDIA SERVICE NETWORK





ATOMBERG TECHNOLOGIES PVT LTD

Corporate office: Office No. 1205, 12th Floor, Rupa Solitaire, Millennium Business Park, Thane-Belapur Road, Mahape, Navi Mumbai- 400710.

Manufacturing unit: Gate No. 51-59, Industrial Area, Chakan, Bhamboli, Khed, Pune- 410507.

Customer Care: