

The logo for LEDwell, featuring the letters 'LED' in a white, sans-serif font, followed by 'well' in a light blue, lowercase sans-serif font. A registered trademark symbol (®) is positioned at the top right of the 'l' in 'well'.

LEDwell®

In light's play,
everything transforms

Lighting is our passion

For many years, LEDwell has worked with light to create top quality lighting systems that are economical in terms of energy consumption & aesthetically designed which blend harmoniously with interiors. Whether it is a corporate office, a chic café or a warm home, LEDwell has solutions for all.

We design lights as a combination of innovation in engineering and aesthetic appeal. The delightful effect created by its luminaries can be traced back to a passion for the best design solutions.

This holistic approach ensures excellent value for consumers and enhances the beauty of their professional & personal surroundings.

As the world is advancing it is essential to build the societies with a definite goal in energy saving & environment protection in order to create a clean & clear path for the future generations.

LEDwell helps protect the environment with constant development, disruptive ideas & research in advanced technology.

LEDwell contributes through its efficient & innovative products for better energy saving & cost.

The flashing & bright LED symbolizes colourful life in this constantly changing universe, LED light is full of vitality with youthful brightness. Proper selection of light makes our life more colourful & brings more joy to spaces.

Come let's look at The Brighter Side Of Life !!!



CONTENTS

Spot Lights	01-03
Laser / Wall Washer	04-05
COB General Lights	05-07
SMD General lights	08-12
Surface Lights	13-20
Track Spot	21-23
Track Channels	24
Zoom Lights	25
LED Strip Lights & Sensor	26-30
SMPS Drivers & Controllers	31-34
Neon LED Rope Lights	35
Hanging Lights	36-39
Premium Mirror Lights & LED Batten	40-45
Aluminium Profiles	46-54
Outdoor	55-79
Burial, Foot Light, Wall Light, Ceiling, Bulkhead, Wall Washer, Ceiling Surface, Bollard, Gate, Spike, Street Light.	



Spot Light

A smart way to address lighting needs since their beams can be easily directed onto the space or object you wish to illuminate.

LW-SL-199

Powered by EDISON



Body Colour
Stainless STEEL Finish

1W

Dimension SQ
Ø L 30°W 30°H 20 mm
Cutout

Ø 25 mm
LED Current
(MA) 300 ±

Dimension RD
Ø 32°H 20 mm
Cutout

Ø 25 mm
LED Current
(MA) 300 ±

Input Voltage
170-265 VAC - 50/60 HZ
Lumen Flux
90 - 100 LM
DLP
₹ 525.00 ↓

PLUTO

Beam Angle
24°

IP Rating
20
C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
White (6k)

LW-SL-200

Powered by OSRAM



Body Colour
Powder Coated WHITE
Stainless STEEL Finish

1W

Dimension
Ø 35° H 34 mm
Cutout
Ø 30 mm
LED Current
(MA) 300 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
80 - 90 LM
DLP
₹ 650.00 ↓

SLY

Beam Angle
24°


IP Rating
20
C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
White (6k)

LW-SL-198

Powered by BRIDGELUX



Body Colour
Powder Coated WHITE
BLACK, ROSE GOLD Finish

3W

Dimension
Ø 30° H 18 mm
Cutout
Ø 25 mm
LED Current
(MA) 300 ±

Input Voltage
90-265 VAC - 50/60 HZ
Lumen Flux
240-270 LM
DLP
₹ 299.00

NEMUS

Beam Angle
90°

IP Rating
20
C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-SL-203-RD

Powered by BRIDGELUX



Body Colour
Powder Coated WHITE
Stainless STEEL Finish

3W

Dimension
Ø 45° H 30 mm
Cutout
Ø 40 mm
LED Current
(MA) 300 ±

Input Voltage
90-265 VAC - 50/60 HZ
Lumen Flux
225 - 240 LM
DLP PKW
₹ 435.00 ↓
DLP SS
₹ 475.00 ↓

SATURN

Beam Angle
24°

IP Rating
20
C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-203-SQ

Powered by BRIDGELUX



Body Colour
Powder Coated WHITE
Stainless STEEL Finish

3W

Dimension
Ø L 45°W 45°H 30 mm
Cutout
Ø 40 mm
LED Current
(MA) 300 ±

Input Voltage
90-265 VAC - 50/60 HZ
Lumen Flux
225 - 240 LM
DLP PKW
₹ 435.00 ↓
DLP SS
₹ 475.00 ↓

SATURN

Beam Angle
24°

IP Rating
20
C.R.I. 80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-201 (Tilttable Spot)

Powered by **CREE**



Body Colour
Stainless STEEL Finish

3W

Dimension
Ø 40 * H 35 mm
Cutout
Ø 35 mm
LED Current
(MA) 700 ±

Input Voltage
85-264 VAC - 50/60 HZ
Lumen Flux
200 - 240 LM
DLP
₹ 950.00 ↓

SPOTY

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-204 (Tilttable Spot)

Powered by **CREE**



Body Colour
Powder Coated WHITE
Stainless STEEL Finish

5W

Dimension
Ø 50 * H 50 mm
Cutout
Ø 45 mm
LED Current
(MA) 400 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
450 - 500 LM
DLP
₹ 1150.00 ↓
Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
450 - 500 LM
DLP
₹ 1200.00 ↓

ZENITH

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-206 (Tilttable Spot)

Powered by **bridgelux**



Compact
Slim Fixture

Body Colour
Powder Coated WHITE
Stainless STEEL Finish

5W

Dimension
Ø 65 * H 20 mm
Cutout
Ø 55 mm
LED Current
(MA) 400 ±

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
450 - 500 LM
DLP PKW
₹ 1180.00 ↓
DLP SS
₹ 1230.00 ↓

ZENITH

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-208

Powered by **bridgelux**



Body Colour
Powder Coated WHITE,
GOLD, BLACK Finish

5W

Dimension
Ø 40 * H 56 mm
Cutout
Ø 31 mm
LED Current
(MA) 300 ±

Input Voltage
170-265 VAC - 50/60 HZ
Lumen Flux
450 - 500 LM
DLP
₹ 880.00 ↓
DLP - Gold
₹ 925.00 ↓

SLEEK

Beam Angle




IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-619
Powered by OSRAM



DARK LIGHTER



Shadow less

3W

Dimension
Ø 40* H 32 mm
Cutout
Ø 35 mm
LED Current
(MA) 600 ±

6W

Dimension
Ø 55* H 43 mm
Cutout
Ø 50 mm
LED Current
(MA) 1000 ±

Body Colour
Powder Coated WHITE
BLACK Finish

Input Voltage
220-240V - 50/60 HZ
Lumen Flux
270 - 300 LM
DLP
₹ 888.00 ↓

Input Voltage
220-240V - 50/60 HZ
Lumen Flux
450 - 500 LM
DLP
₹ 1225.00 ↓

AXEL

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-LB-625
Powered by OSRAM



DARK LIGHTER



Shadow less

6W

Dimension
Ø L 69*W 40*H 42 mm
Cutout
Ø 65*35 mm
LED Current
(MA) 700 ±

Body Colour
Powder Coated WHITE
BLACK Finish

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
540-600 LM
DLP
₹ 1350.00 ↓

DOT

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-LB-625
Powered by OSRAM



DARK LIGHTER



Shadow less

9W

Dimension
Ø L 100*W 40*H 42mm
Cutout
Ø 95*35 mm
LED Current
(MA) 700 ±

Body Colour
Powder Coated WHITE
BLACK Finish

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
810-900 LM
DLP
₹ 1750.00 ↓

DOT

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-LB-625
Powered by OSRAM



DARK LIGHTER



Shadow less

15W

Dimension
Ø L 160*W 40*H 42 mm
Cutout
Ø 155*35 mm
LED Current
(MA) 700 ±

Body Colour
Powder Coated WHITE
BLACK Finish

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
1350 - 1500 LM
DLP
₹ 2495.00 ↓

DOT

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-LB- 626

Powered by  bridgelux.



9W

Dimension
Ø L 78*W 28*H 38 mm
Cutout
Ø 74*24 mm
LED Current
(MA) 900 ±

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
810 - 900 LM
DLP
₹ 1600.00

SAVA

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

SLIM LASER LIGHT

Body Colour
Powder Coated WHITE
BLACK Finish



Light Colour 
Warm White (3k)
Neutral White (4k)

LW-LB-626

Powered by  bridgelux.



15W

Dimension
Ø L 20*W 28*H 38 mm
Cutout
Ø 116*24 mm
LED Current
(MA) 900 ±

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
1350 - 1500 LM
DLP
₹ 2150.00

SAVA

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

SLIM LASER LIGHT

Body Colour
Powder Coated WHITE
BLACK Finish



Light Colour 
Warm White (3k)
Neutral White (4k)

LW-LB-626

Powered by  bridgelux.



22W

Dimension
Ø L 230*W 28*H 38 mm
Cutout
Ø 226*24 mm
LED Current
(MA) 700 ±

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
1980 - 2200 LM
DLP
₹ 3400.00

SAVA

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

SLIM LASER LIGHT

Body Colour
Powder Coated WHITE
BLACK Finish



Light Colour 
Warm White (3k)
Neutral White (4k)

LW-SL-616-RD-SQ

Powered by **bridgelux**.



NEW

12W

Dimension RD
Ø 85*H 85 mm
Dimension SQ
Ø 85*H 85 mm
Cutout
RD : Ø 75 mm
SQ : Ø 75*75 mm
LED Current
(MA) 260 ±

Input Voltage
85-265V - 50/60 HZ
Lumen Flux
1020 - 1140 LM
DLP RD
₹ 1565.00
DLP RD CCT
₹ 3130.00
DLP SQ
₹ 2100.00
DLP SQ CCT
₹ 3800.00

CASCADE

Beam Angle

▲
38°

IP Rating

20

C.R.I.

80

Warranty

Two Years

Light Colour

Warm White (3k)
Neutral White (4k)



Body Colour
POWDER COATED WHITE
+ GUN BLACK Finish

WALL WASHER



LW-SL-617

Powered by **bridgelux**.



NEW

24W
12W*2

Dimension
Ø 157*H 90 mm
Cutout
Ø 145*75 mm
LED Current
(MA) 260 ±

Input Voltage
85-265V - 50/60 HZ
Lumen Flux
2040 - 2280 LM
DLP
₹ 4235.00
DLP CCT
₹ 8150.00

CASCADE

Beam Angle

▲
38°

IP Rating

20

C.R.I.

80

Warranty

Two Years

Light Colour

Warm White (3k)
Neutral White (4k)



Body Colour
POWDER COATED WHITE
+ GUN BLACK Finish

WALL WASHER



LW-SL-618

Powered by **bridgelux**.



10W

15W

25W

Dimension
Ø 70 * H 60 mm
Cutout
Ø 60 mm
LED Current
(MA) 250 ±
Input Voltage
220-240V - 50/60 HZ

Lumen Flux
1000 - 1100 LM
DLP
₹ 1650.00↓
DLP CCT
₹ 2950.00

Dimension
Ø W 84 * H 80 mm
Cutout
Ø 75 mm
LED Current
(MA) 350 ±
Input Voltage
220-240V - 50/60 HZ

Lumen Flux
1500 - 1650 LM
DLP
₹ 1775.00↓
DLP CCT
₹ 3250.00

Dimension
Ø W 93 * H 95 mm
Cutout
Ø 85 mm
LED Current
(MA) 600 ±
Input Voltage
220-240V - 50/60 HZ

Lumen Flux
2300 - 2550 LM
DLP
₹ 2495.00↓
DLP CCT
₹ 3975.00

CAPO

Beam Angle

▲
36°

IP Rating

20

C.R.I.

90

Warranty

Two Years

Light Colour

Warm White (3k)
Neutral White (4k)



Body Colour
Powder Coated WHITE
BLACK Finish

DARK LIGHTER



LW-SL-623

Powered by **bridgelux**.



35W

50W

Dimension
Ø W 110 * H 100 mm
Cutout
Ø 100 mm
LED Current
(MA) 900 ±

Input Voltage
220-240V - 50/60 HZ
Lumen Flux
3850 - 4200 LM
DLP
₹ 3650.00↓
DLP CCT
₹ 6150.00

Dimension
Ø W 135 * H 135 mm
Cutout
Ø 120 mm
LED Current
(MA) 1500 ±

Input Voltage
220-240V - 50/60 HZ
Lumen Flux
5500 - 6000 LM
DLP
₹ 5700.00↓

LUMOS

Beam Angle

▲
45°

IP Rating

20

C.R.I.

90

Warranty

Two Years

Light Colour

Warm White (3k)
Neutral White (4k)
White (6k)



Body Colour
POWER COATED WHITE
BLACK Finish

LW-SL-614 (Tiltable Spot)

Powered by **bridgelux**.



12W

20W

30W

Dimension
Ø 88 * H 75 mm
Cutout
Ø 83 mm
LED Current
(MA) 300 ±
Input Voltage
220-240V - 50/60 HZ

Dimension
Ø 123 * H 95 mm
Cutout
Ø 114 mm
LED Current
(MA) 500 ±
Input Voltage
220-240V - 50/60 HZ

Dimension
Ø 130 * H 98 mm
Cutout
Ø 121 mm
LED Current
(MA) 750 ±
Input Voltage
220-240V - 50/60 HZ

Lumen Flux
1200 - 1320 LM
DLP
₹ 1650.00↓
DLP CCT
₹ 3200.00

Lumen Flux
2000 - 2200 LM
DLP
₹ 2650.00↓
DLP CCT
₹ 5200.00

Lumen Flux
3000 - 3300 LM
DLP
₹ 2850.00↓
DLP CCT
₹ 5550.00

STATUS

Beam Angle




IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Body Colour
Powder Coated **WHITE** Finish



06

LW-SL-622-IP-65

Powered by **bridgelux**.



12W

20W

Dimension
Ø W 84*H 65 mm
Cutout
Ø 75 mm
LED Current
(MA) ± 290

Dimension
Ø W 104*H 70 mm
Cutout
Ø 95 mm
LED Current
(MA) ± 500

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
1200- 1320 LM
DLP
₹1650.00↓
DLP CCT
₹3250.00

Input Voltage
85-245V - 50/60 HZ
Lumen Flux
2000- 2200 LM
DLP
₹ 2095.00↓
DLP CCT
₹4185.00

TROVA

Beam Angle



IP Rating
65 / CCT- 44

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)



Body Colour
POWER COATED **WHITE**
BLACK Finish



LW-SL-612

Powered by **bridgelux**.



10W

15W

Dimension
Ø 78 * H 84 mm
Cutout
Ø 68 mm
LED Current
(MA) 200-36V ±

Dimension
Ø 78 * H 84 mm
Cutout
Ø 68 mm
LED Current
(MA) 350-36V ±

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
990 - 1100 LM
DLP
₹ 1375.00↓

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
1500 - 1650 LM
DLP
₹ 1475.00↓

STATUS

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Body Colour
Powder Coated **WHITE**
BLACK Finish



LW-SL-624

Powered by **bridgelux**



12W

Dimension
Ø 82 * H 64 mm
Cutout
Ø 75 mm
LED Current
(MA) 350 ±

Input Voltage
85-265V - 50/60 HZ
Lumen Flux
1200 - 1320 LM
DLP
₹ 999.00
DLP CCT
₹ 2100.00

18W

Dimension
Ø W 105 * H 78 mm
Cutout
Ø 95 mm
LED Current
(MA) 450 ±

Input Voltage
85-265V - 50/60 HZ
Lumen Flux
1800 - 1980 LM
DLP
₹ 1650.00
DLP CCT
₹ 2750.00

Body Colour
POWER COATED **WHITE**
BLACK Finish



ARTIC

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-SL-611-RD (Tilttable Spot)

Powered by **bridgelux**



9W

Dimension
Ø 87 * H 75 mm
Cutout
Ø 80 mm
LED Current
(MA) 200 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
720 - 810 LM
DLP PKW
₹ 1300.00 ↓
DLP SS
₹ 1350.00 ↓

Body Colour
Powder Coated **WHITE**
Stainless STEEL Finish

CORONA

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-611 (Tilttable Spot)

Powered by **bridgelux**



16W

Dimension
Ø 120 * H 80 mm
Cutout
Ø 105 mm
LED Current
(MA) 400 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1280 - 1440 LM
DLP
₹ 2200.00 ↓

Body Colour
Powder Coated **WHITE** Finish

CORONA

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-610-GU10

Powered by **EPISTAR**



7W

Dimension
Ø 50 * H 60 mm

Lumen Flux
400 - 450 LM
DLP
₹ 300.00

Body Colour
WHITE Finish

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
One Year

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

General Lights

A simple yet fully
functional lighting solution
for your Office and Home

LW-DL-101

Powered by OSRAM



5W

Dimension
Ø 60 * H 37 mm
Cutout
Ø 55
LED Current
(MA) 270 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
500 - 550 LM
DLP
₹700.00↓

Beam Angle
90°

8W

Dimension
Ø 80 * H 44 mm
Cutout
Ø 70
LED Current
(MA) 280 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
800 - 880 LM
DLP
₹900.00↓

IP Rating
20
C.R.I.
90

15W

Dimension
Ø 100 * H 53 mm
Cutout
Ø 90
LED Current
(MA) 300 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1500 - 1650 LM
DLP
₹1280.00↓
DLP CCT
₹2350.00↓


Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)
CCT
Adjustable &
Dimmable 2.4G

20W

Dimension
Ø 125 * H 54 mm
Cutout
Ø 115
LED Current
(MA) 310 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
2000 - 2200 LM
DLP
₹1570.00↓
DLP CCT
₹3050.00↓



Back light Series
Body Colour
Powder Coated WHITE
BLACK Finish



LW-DL-102

Powered by EPISTAR



12W

Dimension
Ø 120 * H 50 mm
Cutout
Ø 110
LED Current
(MA) 300 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1080 - 1200 LM
DLP
₹1700.00↓

Beam Angle
110°

IP Rating
20
C.R.I.
80


18W

Dimension
Ø 155 * H 55 mm
Cutout
Ø 145
LED Current
(MA) 300 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1620 - 1800 LM
DLP
₹2350.00↓

Warranty
Two Years


Light Colour
CCT
Adjustable &
Dimmable 2.4G



Back light Series
Body Colour
Powder Coated WHITE
BLACK Finish



CCT REMOTE



CCT DLP
₹800.00

LW-BL-812-RD
Powered by EPISTAR



8W

Dimension
Ø 96* H 18 mm
Cutout
Ø 94mm
LED Current
(MA) 230 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
560 - 640 LM
DLP
₹575.00

CONE

Beam Angle
▲
120°

IP Rating
20

C.R.I.
80

Warranty
Two Years



Body Colour
Powder Coated WHITE Finish

15W

Dimension
Ø 154* H 18 mm
Cutout
Ø 152 mm
LED Current
(MA) 320 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1080 - 1200 LM
DLP
₹975.00

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

20W

Dimension
Ø 178* H 18 mm
Cutout
Ø 176 mm
LED Current
(MA) 320 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1440 - 1600 LM
DLP
₹1195.00

LW-BL-812-SQ
Powered by EPISTAR



8W

Dimension
Ø L 96*W 96*H 18 mm
Cutout
Ø 94*94 mm
LED Current
(MA) 230 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
560 - 640 LM
DLP
₹575.00

CONE

Beam Angle
▲
120°

IP Rating
20

C.R.I.
80

Warranty
Two Years



Body Colour
Powder Coated WHITE Finish

15W

Dimension
Ø L 154*W 154*H 18 mm
Cutout
Ø 152*152 mm
LED Current
(MA) 320 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1080 - 1200 LM
DLP
₹975.00

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

20W

Dimension
Ø L 178*W 178*H 18 mm
Cutout
Ø 176*176 mm
LED Current
(MA) 320 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1440 - 1600 LM
DLP
₹1195.00

LW-BL-105-RD
Powered by EPISTAR



8W

Dimension
Ø 104* H 21 mm
Cutout
Ø 90 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
720 - 880 LM
DLP
₹695.00↓

DEW

Beam Angle
▲
110°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Back light Series

Body Colour
Powder Coated WHITE Finish

15W

Dimension
Ø 157* H 21 mm
Cutout
Ø 145 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1450 - 1650 LM
DLP
₹1150.00↓

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

22W

Dimension
Ø 184* H 21 mm
Cutout
Ø 175 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
2150 - 2420 LM
DLP
₹1535.00↓

LW-BL-105-SQ

Powered by EPISTAR



Black light Series

Body Colour
Powder Coated **WHITE** Finish

8W

Dimension
Ø L 104*W 104*H 21 mm
Cutout
Ø 90*90 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
720 - 880 LM
DLP
₹ 695.00 ↓

DEW

Beam Angle
▲
110°

15W

Dimension
Ø L 157*W 157*H 21 mm
Cutout
Ø 145*145 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1450 - 1650 LM
DLP
₹ 1150.00 ↓

IP Rating
20

C.R.I.
80

22W

Dimension
Ø L 184*W 184*H 21 mm
Cutout
Ø 175*175 mm
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
2150 - 2420 LM
DLP
₹ 1535.00 ↓

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-PL-800-RD

Powered by EPISTAR



Body Colour
Powder Coated **WHITE** Finish

8W

Dimension
Ø 110 * H 26 mm
Cutout
Ø 97 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
640 - 720 LM
DLP
₹ 565.00 ↓

Beam Angle
▲
120°

15W

Dimension
Ø 160 * H 30 mm
Cutout
Ø 150 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
1200 - 1350 LM
DLP
₹ 925.00 ↓

IP Rating
20

C.R.I.
80

22W

Dimension
Ø 185 * H 30 mm
Cutout
Ø 174 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
1760 - 1980 LM
DLP
₹ 1425.00 ↓

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-PL-800-SQ

Powered by EPISTAR



Body Colour
Powder Coated **WHITE** Finish

8W

Dimension
Ø L 110*W 110*H 26 mm
Cutout
Ø 98*98 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
640 - 720 LM
DLP
₹ 565.00 ↓

JUPITER

Beam Angle
▲
120°

15W

Dimension
Ø L 160*W 160*H 30 mm
Cutout
Ø 148*148 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
1200 - 1350 LM
DLP
₹ 925.00 ↓

IP Rating
20

C.R.I.
80

22W

Dimension
Ø L 185*W 185*H 30 mm
Cutout
Ø 173*173 mm
LED Current
(MA) 240 ±

Input Voltage
100-250 VAC-50/60 HZ
Lumen Flux
1760 - 1980 LM
DLP
₹ 1425.00 ↓

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-PL-811-SQ
Powered by EPISTAR



Body Colour
Powder Coated WHITE Finish

16W

Dimension
Ø L 150*W 150*H 21 mm
Cutout
Ø 130 mm
LED Current
(MA) 300 ±

Input Voltage
100-240 VAC-50/60 HZ
Lumen Flux
1700 - 1760 LM
DLP
₹ 875.00 ↓

24W

Dimension
Ø L 200*W 200*H 21 mm
Cutout
Ø 180 mm
LED Current
(MA) 300 ±

Input Voltage
100-240 VAC-50/60 HZ
Lumen Flux
2550 - 2650 LM
DLP
₹ 1200.00 ↓

TITAN

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-PL-801
Powered by EVERLIGHT®



Body Colour
Powder Coated WHITE Finish

22W

Dimension-RD
Ø 225 * H 25 mm
Cutout
Ø 210 mm
LED Current
(MA) 600 ±

Input Voltage
170-240 VAC-50/60 HZ
Lumen Flux
1470 - 1680 LM
DLP
₹ 1200.00 ↓

Dimension-SQ
Ø L 225*W 225*H 25 mm
Cutout
Ø 210*210 mm
LED Current
(MA) 600 ±

Input Voltage
170-240 VAC-50/60 HZ
Lumen Flux
1470 - 1680 LM
DLP
₹ 1200.00 ↓

LUCIA

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-PL-801-SQ-2/2
Powered by EVERLIGHT®



Body Colour
Powder Coated WHITE Finish

48W

Dimension
Ø L 595*W 595*H 15 mm
Cutout
Ø 582*582 mm
LED Current
(MA) 1500 ±

Input Voltage
85-265 VAC-50/60 HZ
Lumen Flux
3910 - 4010 LM
DLP
₹ 3200.00
2/2 CLAMP
₹ 250.00
(Set of 4 pcs)

LUCIA

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)



Shadow less

Surface Lights

Designed to blend in
with the surroundings
and generate minimal
visual impact

LW-SUR-414-INDOOR
Powered by EPISTAR



Body Colour
Powder Coated
WHITE / BLACK Finish

3W

Dimension RD
Ø 55 * H 12.6 mm
Cutout
Surface

Input Voltage
85-245 VAC - 50/60 HZ
Lumen Flux
230 - 250 LM
DLP
₹ 300.00↓

NOBLE

Beam Angle



IP Rating
20

Warranty
One Year

Light Colour
Warm White (3k)

LW-SUR-414-INDOOR
Powered by EPISTAR



Body Colour
GOLD / ANTIQUE BRASS Finish

3W

Dimension RD
Ø 55 * H 12.6 mm
Cutout
Surface

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
230 - 250 LM
DLP
₹ 330.00↓

NOBLE

Beam Angle



IP Rating
20

Warranty
One Year

Light Colour
Warm White (3k)

LW-CB-SUR-210
Powered by SAMSUNG



Body Colour
Powder Coated WHITE Finish

3.3W

Dimension SQ
Ø L 65*W 65*H 14.5 mm
Cutout
Surface

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
230 - 250 LM
DLP
₹ 600.00↓

NOBLE

Beam Angle



IP Rating
20

C.R.I
90

Warranty
Two Years

Light Colour
Warm White (3k)
White (6k)

LW-SUR-802-SQ-2/2
Powered by EPISTAR



Body Colour
Powder Coated WHITE Finish

48W

Dimension
Ø L 595*W 595*H 48 mm
Cutout
Surface
LED Current
(MA) 1400 ±

Input Voltage
85-265 VAC - 50/60 HZ
Lumen Flux
3910 - 4010 LM
DLP
₹ 3900.00

OASIS

Beam Angle



IP Rating
20

C.R.I
80

Warranty
Two Years
Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)



Shadow less

LW-SUR-803-RD
Powered by EPISTAR



Body Colour
Powder Coated **WHITE**
BLACK Finish

7W

Dimension
Ø 95 * H 31 mm
Cutout
Surface
LED Current
(MA) 190±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
490 - 560 LM
DLP
₹ 595.00

CONE

Beam Angle
▲
120°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

15W

Dimension
Ø 150 * H 35 mm
Cutout
Surface
LED Current
(MA) 200±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1050 - 1200 LM
DLP
₹ 1050.00

20W

Dimension
Ø 178 * H 35 mm
Cutout
Surface
LED Current
(MA) 200±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1400 - 1600 LM
DLP
₹ 1350.00

LW-SUR-803-SQ
Powered by EPISTAR



Body Colour
Powder Coated **WHITE**
BLACK Finish

7W

Dimension
Ø L 95 * W 95 * H 31 mm
Cutout
Surface
LED Current
(MA) 190±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
490 - 560 LM
DLP
₹ 595.00

CONE

Beam Angle
▲
120°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

15W

Dimension
Ø L 150 * W 150 * H 35 mm
Cutout
Surface
LED Current
(MA) 200±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1050 - 1200 LM
DLP
₹ 1050.00

20W

Dimension
Ø L 178 * W 178 * H 35 mm
Cutout
Surface
LED Current
(MA) 200±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1400 - 1600 LM
DLP
₹ 1350.00

LW-SUR-802-RD
Powered by EPISTAR



Back light Series

Body Colour
Powder Coated **WHITE** Finish

8W

Dimension
Ø 113 * H 33 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
720 - 880 LM
DLP
₹ 840.00 ↓

OASIS

Beam Angle
▲
90°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

16W

Dimension
Ø 168 * H 33 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1440 - 1760 LM
DLP
₹ 1335.00 ↓

24W

Dimension
Ø 218 * H 40 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
2160 - 2640 LM
DLP
₹ 2020.00 ↓

35W

Dimension
Ø 300 * H 40 mm
Cutout
Surface
LED Current
(MA) 770 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
3150 - 3500 LM
DLP
₹ 3080.00 ↓

LW-SUR-802-SQ
Powered by EPISTAR



8w

16w

24w

35w

Back light Series Body Colour Powder Coated WHITE Finish

Dimension
Ø L 113*W 113*H 33 mm
Cutout
Surface
LED Current
(MA) 240 ±
Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
720 - 880 LM
DLP
₹ 840.00↓

Dimension
Ø L 168*W 168*H 33 mm
Cutout
Surface
LED Current
(MA) 240 ±
Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1440 - 1760 LM
DLP
₹ 1335.00↓

Dimension
Ø L 218*W 218*H 40 mm
Cutout
Surface
LED Current
(MA) 240 ±
Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
2160 - 2640 LM
DLP
₹ 2020.00↓

Dimension
Ø L 300*W 300*H 40 mm
Cutout
Surface
LED Current
(MA) 770 ±
Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
3150 - 3500 LM
DLP
₹ 3080.00↓

OASIS

Beam Angle
▲
90°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-825
Powered by EVERLIGHT®

16



16w

Body Colour
Powder Coated WHITE
BLACK Finish

Dimension
Ø 175 * H 39 mm
Cutout
Surface
LED Current
(MA) 400 ±
Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1400 - 1600 LM
DLP
₹ 1990.00↓

MARS

Beam Angle
▲
110°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
White (6k)

LW-SUR-822
Powered by EVERLIGHT®



7w

12w

18w

Body Colour
Powder Coated WHITE
BLACK Finish

Dimension
Ø 90 * H 65 mm
Cutout
Surface
LED Current
(MA) 300 ±
Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
660 - 740 LM
DLP
₹ 1595.00↓

Dimension
Ø 120 * H 65 mm
Cutout
Surface
LED Current
(MA) 300 ±
Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
940 - 1060 LM
DLP
₹ 1995.00↓

Dimension
Ø 140 * H 65 mm
Cutout
Surface
LED Current
(MA) 400 ±
Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1320 - 1440 LM
DLP
₹ 2595.00↓

VENUS

Beam Angle
▲
90°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-820

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE**
BLACK / BRASS / CHROME Finish

8W

15W

20W

Dimension
Ø 74 * H 99 mm
Cutout
Surface
LED Current
(MA) 300 ±

Dimension
Ø 94 * H 115 mm
Cutout
Surface
LED Current
(MA) 350 ±

Dimension
Ø 118 * H 136 mm
Cutout
Surface
LED Current
(MA) 500 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
720 - 800 LM
DLP
₹ 1345.00

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1350 - 1500 LM
DLP
₹ 2150.00

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1620 - 1800 LM
DLP
₹ 2700.00

DOWO

Beam Angle
36°

IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-821

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE / BLACK**
Metallic **BRASS / BROWN / GREY** Finish

7W

12W

Dimension
Ø 80 * H 60 mm
Cutout
Surface
LED Current
(MA) 350 ±

Dimension
Ø 90 * H 70 mm
Cutout
Surface
LED Current
(MA) 450 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
660 - 740 LM
DLP
₹ 2050.00 ↓

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
940 - 1060 LM
DLP
₹ 2500.00 ↓

FORZA

Beam Angle
36°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-211-RD

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE**
BLACK Finish + Rose **GOLD** Cap

10W

Dimension
Ø 70 * H 83 mm
Cutout
Surface
LED Current
(MA) 700 ±

Input Voltage
90-240VAC-50/60 Hz
Lumen Flux
900 - 1000 LM
DLP
₹ 2350.00 ↓

ANDY

Beam Angle
36°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (5k)

LW-SUR-211-SQ

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE**
BLACK Finish + Rose **GOLD** Cap

10W

Dimension
Ø L 66* W 66*H 83 mm
Cutout
Surface
LED Current
(MA) 700 ±

Input Voltage
90-240VAC-50/60 Hz
Lumen Flux
900 - 1000 LM
DLP
₹ 2625.00 ↓

ANDY

Beam Angle
36°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

LW-SUR-213

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE**
BLACK Finish +
Rose **GOLD** Cap

12W

Dimension
L 36 * W 138 * H 83 mm
Cutout
Surface
LED Current
(MA) 700 ±

Input Voltage
90-240VAC-50/60 Hz
Lumen Flux
1080 - 1200 LM
DLP
₹ 2990.00↓

ANDY

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (5k)

LW-SUR-216

Powered by **CREE**



Silver Cap Black Cap White Cap

Body Colour
Powder Coated **WHITE**
BLACK Finish +
Rose **GOLD** Cap

6W

12W

20W

30W

Dimension
Ø 55 * H 75 mm
Cutout
Surface
LED Current
(MA) 300 ±

Dimension
Ø 74 * H 110 mm
Cutout
Surface
LED Current
(MA) 300 ±

Dimension
Ø 94 * H 120 mm
Cutout
Surface
LED Current
(MA) 600 ±

Dimension
Ø 114 * H 130 mm
Cutout
Surface
LED Current
(MA) 750 ±

Input Voltage
90-240VAC-50/60 Hz
Lumen Flux
600 - 660 LM
DLP
₹ 890.00↓

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
1200 - 1320 LM
DLP
₹ 1650.00↓

Input Voltage
85-265 VAC - 50/60 HZ
Lumen Flux
2000 - 2200 LM
DLP
₹ 2450.00↓

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
3000 - 3300 LM
DLP
₹ 3500.00↓

ERA

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-SUR-220-RD (Tilttable Spot)

Powered by **bridgelux**.



Body Colour
Powder Coated **WHITE**
BLACK Finish

9W

16W

Dimension
Ø 90 * H 125 mm
Cutout
Surface
LED Current
(MA) 200 ±

Dimension
Ø 120 * H 140 mm
Cutout
Surface
LED Current
(MA) 400 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
730 - 820 LM
DLP
₹ 2050.00↓

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1250 - 1350 LM
DLP
₹ 3150.00↓

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-SUR-219
Powered by CREE



Body Colour
Powder Coated **WHITE**
BLACK Finish

10W

Dimension
Ø 55*H 130 mm
Cutout
Surface
LED Current
(MA) 300 ±

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
1000 - 1100 LM
DLP
₹ 1100.00↓

SPAN

Beam Angle



IP Rating
20

C.R.I
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SL-SUR-220-SQ
Powered by CREE



Body Colour
Powder Coated **WHITE**
BLACK Finish + **GOLD** Cap

6W

Dimension
Ø L 55*W 55*H 58 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
540 - 600 LM
DLP
₹ 795.00↓

VIOLA

Beam Angle



IP Rating
20

C.R.I
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

12W

Dimension
Ø L 70*W 70*H 70 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1080 - 1200 LM
DLP
₹ 1125.00↓

18W

Dimension
Ø L 100*W 100*H 120 mm
Cutout
Surface
LED Current
(MA) 240 ±

Input Voltage
90-250 VAC - 50/60 HZ
Lumen Flux
1620 - 1800 LM
DLP
₹ 1935.00↓

LW-SUR-221-SQ
Powered by bridgelux



Body Colour
Powder Coated **WHITE**
BLACK Finish + **GOLD** Cap

14W
7W * 2

Dimension
Ø L 105*W 55*H 120 mm
Cutout
Surface
LED Current
(MA) 330 ±

Input Voltage
90-266 VAC - 50/60 HZ
Lumen Flux
1260 - 1400 LM
DLP
₹ 1250.00↓

VIOLA

Beam Angle



IP Rating
20

C.R.I
90

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)

24W
12W * 2

Dimension
Ø L 145*W 75*H 95 mm
Cutout
Surface
LED Current
(MA) 600 ±

Input Voltage
90-265 VAC - 50/60 HZ
Lumen Flux
2160 - 2400 LM
DLP
₹ 1800.00↓

LW-SUR-222-gu-10



Body Colour
GOLD Finish

7W

Dimension
Ø 58*H 160 mm
Cutout
Surface

DLP
₹ 1785.00↓
without Lamp

SYMBOL

IP Rating
20

LW-SUR-227

Powered by **CREE**



7W

Body Colour
Powder Coated **WHITE**
BLACK Finish



Dimension
Ø 55 * L 75 * H 130 mm
Cutout
Surface
LED Current
(MA) 200 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
700 - 770 LM
DLP
₹ 1700.00 ↓

LEAP

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-231

Powered by **bridgelux**



12W

Body Colour
BRUSH GBK Finish



Dimension
Ø 60 * H 110 mm
Cutout
Surface
LED Current
(MA) 300 ±

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
960 - 1080 LM
DLP
₹ 1450.00

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SUR-225

Powered by **CREE**



10W

Body Colour
Powder Coated **WHITE**
BLACK Finish



Dimension
Ø 58 * H 100 mm
Cutout
Surface
LED Current
(MA) 300 ±

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
780 - 850 LM
DLP
₹ 2275.00 ↓

EVEREST

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Dimension
Ø 73 * H 135 mm
Cutout
Surface
LED Current
(MA) 500 ±

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
1600 - 1800 LM
DLP
₹ 3150.00 ↓

20W

30W

Dimension
Ø 93 * H 158 mm
Cutout
Surface
LED Current
(MA) 800 ±

Input Voltage
100-240 VAC - 50/60 HZ
Lumen Flux
2400 - 2700 LM
DLP
₹ 4300.00 ↓

LW-SUR-223

Powered by **CREE**



6W

Body Colour
Powder Coated **WHITE** +
GOLD Finish



Dimension
Ø 45 * L 140 * H 141 * W 32 mm
Cutout
Surface
LED Current
(MA) 650 ±

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
600 - 660 LM
DLP
₹ 1500.00 ↓

SHOAL

Beam Angle



IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Dimension
Ø 62 * L 170 * H 62 * W 32 mm
Cutout
Surface
LED Current
(MA) 300 ±

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
1200 - 1320 LM
DLP
₹ 2500.00 ↓

12W

18W

Dimension
Ø 62 * L 170 * H 92 * W 32 mm
Cutout
Surface
LED Current
(MA) 500 ±

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
1800 - 1980 LM
DLP
₹ 3000.00 ↓

Track Lights

Track lighting is the ideal option when multiple demands must be met in a restricted space and when flexibility is essential.



LW-TR-226
Powered by CREE



Body Colour
Powder Coated WHITE
BLACK Finish

7W

Dimension
Ø 55 * L 75 * H 120
LED Current
(MA) 200 ±
Track
2 LINE

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
680 - 760 LM
DLP
₹ 1525.00↓

Beam Angle
▲
28°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Dimension
Ø 55 * L 130 * H 190
LED Current
(MA) 300 ±
Track
2 LINE

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1020 - 1140 LM
DLP
₹ 2050.00↓

12W

LW-TR-228
Powered by bridgelux



Body Colour
Powder Coated WHITE
BLACK Finish

12W

Dimension
Ø 50 * H 125 mm
LED Current
(MA) 290 ±
Track
2 LINE

Input Voltage
90-320 VAC - 50/60 HZ
Lumen Flux
1200- 1320 LM
DLP
₹ 1595.00↓

Beam Angle
▲
38°

IP Rating
20

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

Dimension
Ø 65 * H 155 mm
LED Current
(MA) 450 ±
Track
2 LINE

Input Voltage
90-320 VAC - 50/60 HZ
Lumen Flux
2000- 2200 LM
DLP
₹ 1995.00↓


20W

Dimension
Ø 75 * H 182 mm
LED Current
(MA) 750 ±
Track
2 LINE

Input Voltage
90-320 VAC - 50/60 HZ
Lumen Flux
3000 - 3300 LM
DLP
₹ 2550.00↓

30W

LW-TR-229-gu-10



Body Colour
Powder Coated WHITE
BLACK/GOLD Finish

7W

Dimension
Ø 58 * H 157 mm
Track
2 LINE

DLP
₹ 1515.00↓
without lamp
DLP - GOLD
₹ 1715.00↓
without lamp

IP Rating
20

SYMBOL

LW-TR-229-gu-10

Powered by **bridgelux**



14W
7W*2

Dimension
Ø L 145 * W 58 * H 180 mm

Track
2 LINE

DLP
₹ 2850.00↓
without lamp

DLP - GOLD
₹ 3425.00↓
without lamp

IP Rating
20

Body Colour
Powder Coated **WHITE**
BLACK/GOLD Finish

SYMBOL

LW-TR-212

Powered by **CREE**



30W

Dimension
Ø 100 * L 107 * H 165 mm
LED Current
(MA) 830 ±
Track
2 LINE

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
3300 - 3600 LM
DLP
₹ 3550.00↓

Beam Angle
60°

IP Rating
33

C.R.I.
80

Warranty
Two Years

Body Colour
Powder Coated **WHITE**
BLACK Finish

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

NEW ZUPO

LW-TR-215

Powered by **CREE**



35W

Dimension
Ø 95 * L 155 * H 200 mm
LED Current
(MA) 700 ±
Track
2 LINE

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
3850 - 4200 LM
DLP
₹ 4200.00↓

Beam Angle
38°

IP Rating
33

45W

Dimension
Ø 95 * L 155 * H 200 mm
LED Current
(MA) 1050 ±
Track
2 LINE

Input Voltage
220-240 VAC - 50/60 HZ
Lumen Flux
4950 - 5400 LM
DLP
₹ 4200.00↓

C.R.I.
80

Warranty
Two Years

Body Colour
Powder Coated **WHITE**
BLACK Finish

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

SYMBOL

LW-TR-251-2LINE



HEAVY DUTY

Body Colour
Powder Coated **WHITE**
BLACK Finish

1MTR
1.5MTR
2MTR

Dimension
1 MTR * W 35mm * H 17mm
1.5 MTR * W 35mm * H 17mm
2 MTR * W 35mm * H 17mm

Line
2 Line
2 Line
2 Line

TRACT TRAIL

DLP
₹ 600.00↓
DLP
₹ 950.00↓
DLP
₹ 1200.00↓

LW-TR-251-3LINE



HEAVY DUTY

Body Colour
Powder Coated **WHITE**
BLACK Finish

1MTR
2MTR

Dimension
1 MTR * W 35mm * H 17mm
2 MTR * W 35mm * H 17mm

Line
3 Line
3 Line

TRACT TRAIL

DLP
₹ 990.00↓
DLP
₹ 1980.00↓

TRACK -I-JOINTER



Body Colour
Powder Coated **WHITE**
BLACK Finish

2 LINE
3 LINE

LINK

DLP
₹ 175.00↓
DLP
₹ 360.00↓

TRACK JOINTER - L



Body Colour
Powder Coated **WHITE**
BLACK Finish

2 LINE
3 LINE

LINK

DLP
₹ 285.00↓
DLP
₹ 505.00↓

TRACK FLEXY JOINTER



Body Colour
WHITE / BLACK Finish

2 LINE

LINK

DLP
₹ 735.00↓

TRACK JOINTER - T



Body Colour
WHITE / BLACK Finish

2 LINE DLP
₹ 380.00↓
3 LINE DLP
₹ 665.00↓

TRACK SUSPENSION KIT



Body Colour
SILVER Finish

Hanging wire set
DLP 1Pair (1mtr)
₹ 200.00↓
DLP 1Pair (2mtr)
₹ 300.00↓



Zoom Light

Adjustable distribution of light beams

LW-ZM-501

Powered by [bridgelux](#).



12W

Dimension
Ø 100 * H 192 mm
Cutout
Ø 90 mm
LED Current
(MA) 300 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1080 - 1200 LM
DLP
₹ 2250.00↓
CCT
₹ 3950.00↓

FLASH

Beam Angle



20W

Dimension
Ø 130 * H 130 mm
Cutout
Ø 120 mm
LED Current
(MA) 500 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
1800 - 2000 LM
DLP
₹ 3595.00↓
CCT
₹ 6600.00↓

IP Rating
20

C.R.I.
80

30W

Dimension
Ø 150 * H 140 mm
Cutout
Ø 140 mm
LED Current
(MA) 700 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
2700 - 3000 LM
DLP
₹ 4600.00↓
CCT
₹ 8325.00↓


Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

40W

Dimension
Ø 150 * H 140 mm
Cutout
Ø 140 mm
LED Current
(MA) 900 ±

Input Voltage
170-240 VAC - 50/60 HZ
Lumen Flux
3600 - 4000 LM
DLP
₹ 4750.00↓
CCT
₹ 8550.00↓



Body Colour
Powder Coated WHITE Finish



LW-301-2835-60LED/12V-DC

GALAXY



6W
Per MTR

No. of LED
60L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 80.00 ↓ (8mm)
DLP PINK Per MTR
₹ 100.00 ↓ (8mm)

Warranty
Two Years

Beam Angle
180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)
RED, GREEN,
BLUE, PINK

LW-301-2835-120LED/12V-DC

GALAXY



12W
Per MTR

No. of LED
120L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 105.00 ↓ (8mm)
₹ 135.00 ↓ (5mm)

Warranty
Two Years

Beam Angle
180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)
BLUE

LW-301-2835-120LED/12V-DC-RGB



GALAXY



12W
Per MTR

No. of LED
120L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 235.00 (8mm)

Warranty
Two Years

Beam Angle
180°
IP Rating
20

Light Colour
RGB

26

LW-301-2835-168LED/12V-DC

GALAXY



16W
Per MTR

No. of LED
168L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 198.00 ↓ (10mm)
₹ 198.00 ↓ (5mm)

Warranty
Two Years

Beam Angle
180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-301-2835-240LED/12V-DC

GALAXY



20W
Per MTR

No. of LED
240L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 270.00 ↓ (10mm)

Warranty
Two Years

Beam Angle
180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-304-2835-120LED/12V-DC-IP 68

GALAXY



12W
Per MTR

No. of LED
120L / MTR
Input Voltage
12V DC

Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 550.00 (12mm) ↓
Warranty
Two Years

Beam Angle
180°
IP Rating
68

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-304-2835-168LED/12v-DC-IP 68



GALAXY



16W
Per MTR

No. of LED
168L / MTR
Input Voltage
12V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 625.00 (12mm)
Warranty
Two Years

Beam Angle

180°
IP Rating
68

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-303-5050-60LED/12v-DC

GALAXY



14.4W
Per MTR

No. of LED
60L / MTR
Input Voltage
12V DC
Efficiency
20-22 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 125.00 (10mm) ↓
Warranty
Two Years

Beam Angle

180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k) RED,
GREEN,
BLUE,
PINK

LW-303-5050-60LED/12v-DC-AMBER

GALAXY



12W
Per MTR

No. of LED
60L / MTR
Input Voltage
12V DC
Efficiency
20-22 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 150.00 (10mm) ↓
Warranty
Two Years

Beam Angle

180°
IP Rating
20

Light Colour
AMBER

LW-303-5050-60LED/12v-DC/RGB-WW

GALAXY



12W
Per MTR

No. of LED
60L / MTR
Input Voltage
12V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 550.00 (10mm) ↓
Warranty
Two Years

Beam Angle

180°
IP Rating
20

Light Colour
RGB-WW

LW-313-2835-120LED/24v-DC- RUNNING STRIP



GALAXY



12W
Per MTR

No. of LED
120L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 350.00 (8mm)
Warranty
Two Years

Beam Angle

180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)

LW-307-2835-60LED/24v-DC



GALAXY



6W
Per MTR

No. of LED
60L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 125.00 (8mm)
Warranty
Two Years

Beam Angle

180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-307-2835-120LED/24V-DC



GALAXY



12W
Per MTR

No. of LED
120L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹160.00(8mm)
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-307-2835-168LED/24V-DC



GALAXY



16W
Per MTR

No. of LED
168L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 245.00(8mm)
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-307-2835-240LED/24V-DC



GALAXY



20W
Per MTR

No. of LED
240L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 350.00(8mm)
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

28

LW-308-2835-192LED/24V-DC - CCT STRIP




16W
Per MTR

No. of LED
192L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 345.00(10mm) ↓
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
2200k to 6500k



LW-309-2835-360LED-2LINE- 24V-DC



26W
Per MTR

No. of LED
360L / MTR
Input Voltage
24V DC
Efficiency
24-26 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 445.00(10mm) ↓
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)

LW-308-2835-120LED-ALUMINIUM RIGID STRIP/24V-DC

GALAXY



14.4W
Per MTR

No. of LED
120L / MTR
Input Voltage
24V DC
Efficiency
20-22 LM/LED

Packaging
5 mtr / Roll
DLP Per MTR
₹ 250.00(12mm) ↓
Warranty
Two Years

Beam Angle
 180°
IP Rating
20

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)
ICE BLUE,
PINK, AMBER

LW-SEN-900 (12v-24v-DC)

SENSA



200W
MAX

Dimension
95*26mm
Cutout
Surface
Induction Distance
3-10m (Option)
Induction Angle
360°

Input Voltage
100-265 VAC 50/60Hz
DLP
₹ 925.00↓

IP Rating
20
Warranty
Six Months



Body Colour
WHITE

LW-SEN-901 (12v-24v-DC)

SENSA



200W
MAX

Dimension
86*36mm
Cutout
Ø 70 mm

Input Voltage
85-265 VAC 50/60Hz
DLP
₹ 900.00↓

IP Rating
20
Warranty
Six Months



Body Colour
WHITE

LW-SEN-902(12v-24v-DC)

SENSA



60W / 100W

Dimension
D 12mm*H 12mm
Opening Size
10mm
Wire length
1.5 meter

Input Voltage - DC
12v-60W / 24v-100w
DLP
₹ 700.00↓

IP Rating
20
Warranty
Six Months



Body Colour
BLACK Finish
CHROME Finish

LW-SEN-903 (12v-24v-DC)

SENSA



60W / 100W

Dimension
D 12mm*H 12mm
Opening Size
10mm
Wire length
1.5 meter

Input Voltage - DC
12v-60W / 24v-100w
Double Gear Switch
DLP
₹ 850.00↓

IP Rating
20
Warranty
Six Months

Body Colour
BLACK Finish
CHROME Finish

LW-SEN-904 (12v-24v-DC/10A)

SENSA



180W /
360W
MAX

Dimension
75*20*16mm
Wiring Port
6 wiring port

Input Voltage - DC
12v-Channel 3 A
24v-Load 3 A
DLP
₹ 1050.00↓


IP Rating
20
Warranty
Six Months

Induction Power Amplifier

Body Colour
WHITE Finish

LW-SEN-905 JUNCTION BOX

SENSA



Working Voltage - DC
12v-24v / 8A

MRP 4 head
₹ 195.00↓

IP Rating
20

4 Male Head
6 Male Had

MRP 6 head
₹ 400.00↓

LW-SEN-DR -906-DC-12v

SENSA
Power



36W

Input Voltage
AC 180-265v
Output Voltage
DC 12v-3A

Input Port
2 Hole - 8 Port
Output Port
6 Line Dividing Port
1 Centralized Control Port

IP Rating
20

Warranty
One Year

Circuit Design
Double Panel

Production Size
140x55x18mm

MRP
₹ 950.00↓

LW-SEN-DR -906-DC-12v

SENSA
Power



60W

Input Voltage
AC 180-265v
Output Voltage
DC 12v-5A

Input Port
2 Hole - 8 Port
Output Port
6 Line Dividing Port
1 Centralized Channel Port

IP Rating
20

Warranty
One Year

Circuit Design
Double Panel

Production Size
170x60x20mm

MRP
₹ 1500.00↓

LW-SEN-DR -906-DC-12v

SENSA
Power



100W

Input Voltage
AC 180-265v
Output Voltage
DC 12v-8.3A

Input Port
2 Hole - 8 Port
Output Port
6 Line Dividing Port
1 Centralized Channel Port

IP Rating
20

Warranty
One Year

Circuit Design
Double Panel

Production Size
200x60x20mm

MRP
₹ 2650.00↓

LW-DR-704-1 AMP-24V-DC

CONNECT



24W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+24V=1A DC

Input Voltage
175 - 265 V
DLP
₹ 575.00↑

IP Rating
20
Warranty
One Year

LW-DR-704-2.5 AMP-24V-DC

CONNECT



60W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+24V=2.5A DC

Input Voltage
175-265V
DLP
₹ 810.00↓

IP Rating
20
Warranty
One Year

LW-DR-704-5 AMP-24V-DC

CONNECT



120W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+24V DC

Input Voltage
180 - 275 V
DLP
₹ 1225.00↓

IP Rating
20
Warranty
One Year

LW-DR-704-10 AMP-24V-DC

CONNECT



240W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+24V DC

Input Voltage
180 - 275 V
DLP
₹ 1990.00↓

IP Rating
20
Warranty
One Year

LW-DR-704-12.5 AMP-24V-DC

CONNECT



300W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+24V DC

Input Voltage
180 - 275 V
DLP
₹ 2400.00↓

IP Rating
20
Warranty
One Year

LW-DR-704-16.5 AMP-24V-DC

CONNECT



400W

Body Colour
ANODIZED



Shape
RECTANGLE
Output Voltage
+24V DC

Input Voltage
180 - 275 V
DLP
₹ 3150.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-2 AMP-12V-DC

CONNECT



24W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=2A DC

Input Voltage
175 - 265 V
DLP
₹ 375.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-5 AMP-12V-DC

CONNECT



60W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=5A DC

Input Voltage
175 - 265 V
DLP
₹ 575.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-8.5AMP-12V-DC

CONNECT



100W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=8.5A DC

Input Voltage
175 - 265 V
DLP
₹ 799.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-10AMP-12V-DC

CONNECT



120W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=10A DC

Input Voltage
175 - 265 V
DLP
₹ 850.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-12.5AMP-12V-DC

CONNECT



150W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=12.5AMP DC

Input Voltage
175 - 265 V
DLP
₹ 999.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-16.5AMP-12V-DC

CONNECT



200W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=16.5AMP DC

Input Voltage
175 - 265 V
DLP
₹ 1350.00↓

IP Rating
20
Warranty
One Year

LW-DR-710-20AMP-12V-DC

CONNECT



250W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=20AMP DC

Input Voltage
175 - 265 V
DLP
₹ 1700.00 ↓

IP Rating
20
Warranty
One Year

LW-DR-710-25AMP-12V-DC

CONNECT



300W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=25AMP DC

Input Voltage
175 - 265 V
DLP
₹ 1900.00 ↓

IP Rating
20
Warranty
One Year

LW-DR-711-3 AMP-12V-DC-SUPER SLIM

CONNECT



36W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=3AMP DC

Input Voltage
175 - 265 V
DLP
₹ 365.00 ↓

IP Rating
20
Warranty
One Year

LW-DR-711-5AMP-12V-DC-SUPER SLIM

CONNECT



60W

Body Colour
ANODIZED

Shape
RECTANGLE
Output Voltage
+12V=5AMP DC

Input Voltage
220 - 240 V
DLP
₹ 630.00 ↓

IP Rating
20
Warranty
One Year

LW-SW-314-SWITCH-DC-12V-24V

RUNNING STRIP CONTROLLER



200W
MAX

SWITCH CONTROL SYSTEM=10-15MTR

Effect Modes
20 Kinds
DLP
₹ 795.00

CONTROL PANEL BUTTON
SPEED IS REDUCED BY 10 LEVELS
BRIGHTNESS IS REDUCED BY 10 LEVELS

LW-RM-315-REMOTE-DC-12V-24V

RUNNING STRIP CONTROLLER



200W
MAX

REMOTE CONTROL SYSTEM=10-15MTR

Effect Modes
20 Kinds
DLP
₹ 795.00

CONTROL PANEL BUTTON
SPEED IS REDUCED BY 10 LEVELS
BRIGHTNESS IS REDUCED BY 10 LEVELS

LW-305-RGB CONTROLLER-12V/24V-DC



288W
MAX

Shape
RECTANGLE
Max Watts
RGB 288W

Body Colour
BLACK Finish

CONNECT CONTROL

Input Voltage
100 - 240 V
DLP
₹ 1625.00↓

IP Rating
33

Warranty
Two Years

LW-307-RGB-W CONTROLLER-12V/24V-DC



288W
MAX

Shape
RECTANGLE
Max Watts
RGB 288W

Body Colour
BLACK Finish

CONNECT CONTROL

Input Voltage
100 - 240 V
DLP
₹ 1800.00↓

IP Rating
33

Warranty
Two Years

LW-308-CCT CONTROLLER-12V/24V-DC



288W
MAX

Shape
RECTANGLE
Max Watts
CCT 288W

Body Colour
BLACK Finish

CONNECT CONTROL

Input Voltage
100 - 240 V
DLP
₹ 1750.00↓

IP Rating
33

Warranty
Two Years

34

LW-309-SINGLE COLOUR DIMMING-12V/24V-DC CONNECT CONTROL



288W
MAX

Shape
RECTANGLE
Max Watts
CCT 288W

Body Colour
BLACK Finish

Input Voltage
100 - 240 V
DLP
₹ 1650.00↓

IP Rating
33

Warranty
Two Years

LW-306-RGB AMPLIFIER-12V/24V-DC



42W

Body Colour
ANODIZED

Shape
RECTANGLE
Max Watts
300W

CONNECT CONTROL

Input Voltage
12.24 V DC
DLP
₹ 1195.00↓

IP Rating
33

Warranty
Two Years

LW-306-RGB-W AMPLIFIER-12V/24V-DC



42W

Body Colour
ANODIZED

Shape
RECTANGLE
Max Watts
300W

CONNECT CONTROL

Input Voltage
12.24 V DC
DLP
₹ 1290.00↓

IP Rating
33

Warranty
Two Years

LW-306-CCT AMPLIFIER-12V/24V-DC



42W

Body Colour
ANODIZED

Shape
RECTANGLE
Max Watts
300W


CONNECT CONTROL

Input Voltage
12.24 V DC
DLP
₹ 1290.00↓

IP Rating
33

Warranty
Two Years

LW-RP-312-2835-120L-24V-DC / 48V-DC



12W
Per MTR

Super SLEEK neon

Lumen Flex

24-26 LM / LED

Input Voltage

24V-DC / 48V-DC

Dimension

6mm * 12 mm

Cutting

3 bulb as per the marking

Packaging

25 mtr / roll

DLP Per MTR 24V (3K,4K,6K)

₹ 480.00 ↓

DLP Per MTR 48V (3K,4K,6K)

₹ 750.00

DLP Per MTR 24V (Colours)

₹ 595.00 ↓

DLP Per MTR 24V (R.G.B)

₹ 750.00

MIZU

Beam Angle


180°

IP Rating

65

Warranty

One Year



PLUG FOR NEON LIGHT



DLP
₹ 98.00

ALUMINUM PROFILE / CLAMP



DLP Per MTR Profile
₹ 235.00 / MTR

DLP Clamp
₹ 50.00 / Pair

END CAP / P-CLAMP



DLP - End Cap
₹ 28.00 / Pair

DLP - P-Clamp
₹ 28.00 / Pair

FLEXIBLE ROLL FOR NEON



DLP Per MTR
₹ 350.00 MTR

LW-RP-310



7W
Per MTR

Lumen Flex

560-630 LM / MTR

Input Voltage

220V

DLP Per MTR

₹ 200.00 ↓

DLP PINK Per MTR

₹ 200.00 ↓

Beam Angle

320°

IP Rating

65

Warranty

One Year



BLUE

PINK

White (6k)

All accessories
are available on
request

Light Colour
White (6k)
BLUE, PINK



Pendent Light

Designed to adjust in any direction and style
It is Magnetic, you can play with it and
it will suit any interior

LW-SL-1027

Powered by CREE



4.5W

Body Colour
Rose GOLD, DARK Chrome
BLACK Finish

Dimension
Ø 51 * H 91.5 mm
LED Current
(MA) 150 ±

Input Voltage
220-240V
Material
Aluminium
DLP
₹ 3150.00↓

DROP

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)

LW-HG-1025

Powered by CREE



4.5W

Body Colour
Rose GOLD
DARK Chrome Finish

Dimension
Ø 51 * H44 -2147 mm
LED Current
(MA) 150 ±
Wire length
1.5 MTR

Input Voltage
220-240VAC 50/60Hz
Material
Aluminium
DLP
₹ 3750.00↓

DROP

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)

LW-HG-1026

Powered by CREE



4.5W

Body Colour
Rose GOLD
DARK Chrome Finish

Dimension
Ø 51 * H44 -2147 mm
LED Current
(MA) 150 ±
Wire length
1.5 MTR

Input Voltage
220-240VAC 50/60Hz
Material
Aluminium
DLP
₹ 6050.00↓

DROP

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)

LW-HG-1029

Powered by CREE



7W

Body Colour
BLACK
GOLD Finish

Dimension
Ø 60 * H 66 mm
LED Current
(MA) 180 ±
Wire length
1.25 MTR

Input Voltage
220-240VAC 50/60Hz
Lumen Flex
630 - 700 LM
DLP
₹ 3850.00↓

SYMBOL

Beam Angle



IP Rating
20

C.R.I.
90

Warranty
Two Years

Light Colour
Warm White (3k)

LW-HG-1030-ILLUSIONAL RINGS

Powered by CREE



CASCADE



7W

Dimension
 Ø 90 * H 130 mm
 Ø 110 * H 160 mm

LED Current
 (MA) 160 ±
 Wire length
 1.5 MTR

Input Voltage
 220-240VAC 50/60Hz
 Material
 Aluminium
 DLP 130 mm
 ₹ 4200.00
 DLP 160 mm
 ₹ 4400.00

Beam Angle

 24°

IP Rating
 20

C.R.I.
 90

Warranty
 Two Years
 Glass No Warranty



Body Colour
SMOKE GREY Finish

Light Colour
 Warm White (3k)

LW-HG-1031- MAGNETIC BALL

Powered by CREE



CASCADE

38



7W

Dimension
 Ø 120 mm

LED Current
 (MA) 180 ±
 Wire length
 1.5 MTR

Input Voltage
 220-240VAC 50/60Hz
 Material
 Aluminium
 DLP
 ₹ 8350.00

Beam Angle

 24°

IP Rating
 20

C.R.I.
 90

Warranty
 Two Years

Light Colour
 CCT 3000k-6000k
 DIMMABLE

Wire Length Adjustable With Motor

Body Colour
 WHITE / BLUE / PEACH / CHROME /
 GUN BLACK / ROSE GOLD Finish



LW-HG-1028-GU-10

SYMBOL



7W
MAX

Dimension
Ø 58 * H 90 mm

Wire length
1.2 MTR

DLP
₹ 2600.00↓
without lamp

DLP - GOLD
₹ 2950.00↓
without lamp

IP Rating
20

Body Colour
Powder Coated **WHITE**
BLACK/GOLD Finish

LW-HG-223

Powered by **CREE**

PIANO



6W

Dimension
Ø 55 * H 70 mm
LED Current
(MA) 300 ±
Wire length
1.5 MTR

Input Voltage
220-240VAC 50/60Hz
Lumen Flex
600 - 660 LM
DLP
₹ 1000.00↓

Beam Angle
38°

IP Rating
20

Warranty
Two Years

Body Colour
Powder Coated **WHITE** Finish

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-HG-224

Powered by **CREE**

PIANO+



6W

Dimension
Ø 120 * H 50 mm
LED Current
(MA) 200 ±
Wire length
1.5 MTR

Input Voltage
220-240VAC 50/60Hz
Lumen Flex
600 - 660 LM
DLP
₹ 1990.00↓

Beam Angle
38°

IP Rating
20

Warranty
Two Years

Body Colour
Powder Coated **WHITE**
BLACK Finish

Light Colour
Warm White (3k)

LW-WL-1013 (GOLD LEAF)

Powered by OSRAM



STYLISH



24W

Dimension L 300 * W 300 * H 130 mm DLP ₹ 10750.00
Cutout Wall Mounting

IP Rating 20

C.R.I. 80

Warranty Two Years

Body Colour BRUSH GOLD Finish

Light Colour Warm White (3k)

LW-ML-1008

Powered by OSRAM



STYLISH



7W

Dimension L 415 * W 52 * H 135 mm DLP ₹ 5200.00
Cutout Surface

IP Rating 20

C.R.I. 80

Warranty Two Years

Body Colour BRASS Finish

Light Colour Warm White (3k)

40

LW-ML-1009

Powered by OSRAM



STYLISH



8W

Dimension L 340 * W 50 * H 105 mm DLP ₹ 5050.00
Cutout Surface

IP Rating 44

C.R.I. 80

Warranty Two Years

12W

Dimension L 605 * W 50 * H 105 mm DLP ₹ 7250.00
Cutout Surface

Body Colour CHROME Finish

Light Colour Warm White (3k)

LW-ML-1006
Powered by OSRAM



10W

Dimension
Ø L 250*W 98*H 75 mm
Cutout
Surface

DLP - Chrome
₹ 6150.00 ↓
DLP - Rose Gold
₹ 6800.00 ↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Body Colour
ROSE GOLD / CHROME Finish

Light Colour
Warm White (3k)

LW-ML-1006
Powered by OSRAM



15W

Dimension
Ø L 380*W 98*H 75 mm
Cutout
Surface

DLP - Chrome
₹ 8850.00 ↓
DLP - Rose Gold
₹ 9300.00 ↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Body Colour
ROSE GOLD / CHROME Finish

Light Colour
Warm White (3k)

LW-ML-1007
Powered by OSRAM



12W

Dimension
Ø L 375*W 30*H 80 mm
Cutout
Surface

DLP
₹ 6700.00 ↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Body Colour
OXIDATION Brass Finish

Light Colour
Warm White (3k)

20W

Dimension
Ø L 570*W 30*H 80 mm
Cutout
Surface

DLP
₹ 7900.00 ↓

LW-ML-1011
Powered by OSRAM



7W

Dimension
Ø L 300*W 63*H 95 mm
Cutout
Surface

DLP
₹ 4750.00 ↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Body Colour
CHROME Finish

Light Colour
Warm White (3k)

12W

Dimension
Ø L 600*W 63*H 95 mm
Cutout
Surface

DLP
₹ 7450.00 ↓

LW-ML-1012
Powered by OSRAM



Body Colour
CHROME Finish

7W

Dimension
Ø L 300*W 63*H 95 mm
Cutout
Surface

DLP
₹ 4750.00↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)

LW-ML-1005
Powered by OSRAM



Body Colour
CHROME Finish

12W

Dimension
Ø L 375*W 100*H 55 mm
Cutout
Surface

DLP
₹ 5450.00↓

STYLISH

IP Rating
44

C.R.I.
80

Warranty
Two Years

Light Colour
Warm White (3k)

18W

Dimension
Ø L 540*W 100*H 55 mm
Cutout
Surface

DLP
₹ 6600.00↓

LW-ML-1002
Powered by OSRAM



Body Colour
CHROME Finish

8W

Dimension
Ø L 360*W 102*H 55 mm
Cutout
Surface

DLP
₹ 4700.00↓

STYLISH

IP Rating
44

Warranty
Two Years

Light Colour
Warm White (3k)

12W

Dimension
Ø L 525*W 102*H 55 mm
Cutout
Surface

DLP
₹ 5700.00↓

LW-ML-1003
Powered by OSRAM



Body Colour
CHROME Finish

8W

Dimension
Ø L 325*W 105*H 50 mm
Cutout
Surface

DLP
₹ 5700.00↓

STYLISH

IP Rating
44

Warranty
Two Years

Light Colour
Warm White (3k)

12W

Dimension
Ø L 425*W 105*H 50 mm
Cutout
Surface

DLP
₹ 6060.00↓

LW-ML-1004
Powered by OSRAM

STYLISH



12W

Dimension
Ø L 390*W 170*H 50 mm
Cutout
Surface

DLP
₹ 5600.00↓

IP Rating
44

18W

Dimension
Ø L 555*W 170*H 50 mm
Cutout
Surface

DLP
₹ 7200.00↓

Warranty
Two Years

Body Colour
CHROME Finish

Light Colour
Warm White (3k)

LW-WL-1010 - High Speed Charging
(2A USB/wireless mobile charger)

STYLISH

Powered by bridgelux CREE



12W
(8W + 4W)

Dimension
Ø L 300*W 110*H 110 mm
Cutout
Wall Mounting

DLP
₹ 4900.00↓

IP Rating
44

Warranty
Two Years

Body Colour
Powder Coated WHITE Finish

Light Colour
Warm White (3k)

LW-ML-1001-SQ
Powered by OSRAM

STYLISH



6W

Dimension
Ø L 150*W 75*H 190 mm
Cutout
Surface

DLP
₹ 3100.00↓

Beam Angle



IP Rating
33

C.R.I.
80

Warranty
Two Years

Body Colour
CHROME Finish

Light Colour
Warm White (3k)

LW-WL-1001-RD
Powered by OSRAM

STYLISH



6W

Dimension
Ø L 150*W 120*H 160 mm
Cutout
Surface

DLP
₹ 3100.00↓

Beam Angle



IP Rating
33

C.R.I.
80

Warranty
Two Years

Body Colour
CHROME Finish

Light Colour
Warm White (3k)

LW-BTN-602
Powered by EPISTAR



8w

Dimension
Ø L 300*W 65*H 25 mm
Cutout
Surface
LED Current
(MA) 290 ±

Input Voltage
85-260 VAC - 50/60 HZ
Lumen Flux
600 - 700 LM
DLP
₹ 675.00↓

SABER

Beam Angle
120°

IP Rating
33

Warranty
Two Years

Light Colour
Warm White (3k)
White (6k)



Body Colour
WHITE Finish

LW-BTN-606
Powered by EPISTAR



8w

Dimension
Ø L 340*W 80*H 40 mm
Cutout
Surface
LED Current
(MA) 300 ±

Input Voltage
85-260 VAC - 50/60 HZ
Lumen Flux
800 - 880 LM
DLP
₹ 925.00↓

Beam Angle
120°

IP Rating
33

Warranty
Two Years

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)



Body Colour
Silver GREY Finish

LW-BTN-607
Powered by EPISTAR



16w

Dimension
Ø L 630*W 82*H 42 mm
Cutout
Surface
LED Current
(MA) 290 ±

Input Voltage
85-260 VAC - 50/60 HZ
Lumen Flux
1600 - 1760 LM
DLP
₹ 1100.00↓

ALTAIR

Beam Angle
120°

IP Rating
33

Warranty
Two Years

Light Colour
Warm White (3k)



Body Colour
WHITE Finish

LW-BTN-608-3 IN 1
Powered by EPISTAR



8w

Dimension
Ø L 340*W 80*H 40 mm
Cutout
Surface

Lumen Flux
800 - 880 LM
DLP
₹ 1050.00↓

TRITON

Beam Angle
120°

IP Rating
33

16w

Dimension
Ø L 552*W 80*H 40 mm
Cutout
Surface

Lumen Flux
1600 - 1760 LM
DLP
₹ 1550.00↓

Warranty
Two Years



Body Colour
Silver GREY Finish

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-BTN-601
Powered by EPISTAR



18w

Dimension
Ø L 600*W 38*H 19 mm
Cutout
Surface
LED Current
(MA) 290 ±

Input Voltage
85-260 VAC - 50/60 HZ
Lumen Flux
1620 - 1710 LM
DLP
₹ 1150.00↓

RADEON

Beam Angle
110°

IP Rating
33

36w

Dimension
Ø L 1205*W 38*H 19 mm
Cutout
Surface
LED Current
(MA) 570 ±

Input Voltage
85-260 VAC - 50/60 HZ
Lumen Flux
3240 - 3420 LM
DLP
₹ 2100.00↓

Warranty
Two Years

Body Colour
Matt GREY Finish

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)

LW-SC-608
Powered by EPISTAR



4w

Dimension
Ø L 325*W 23*H 8 mm
Cutout
Surface

Lumen Flux
320 - 360 LM
DLP
₹ 370.00↓

Beam Angle
120°

8w

Dimension
Ø L 586*W 23*H 8 mm
Cutout
Surface

Lumen Flux
640 - 720 LM
DLP
₹ 590.00↓

IP Rating
33

12w

Dimension
Ø L 902*W 23*H 8 mm
Cutout
Surface

Lumen Flux
960 - 1080 LM
DLP
₹ 790.00↓

Warranty
One Year

18w



Dimension
Ø L 1200*W 23*H 8 mm
Cutout
Surface

Lumen Flux
1218 - 1440 LM
DLP
₹ 999.00↓

Light Colour
Warm White (3k)
Neutral White (4k)
White (6k)



Body Colour
Powder Coated WHITE Finish




Profile Lights

is ideal for creating an array of unique lighting effects, whether you're adding grandeur to buildings, highlighting intricate architectural features or drawing guests to an entrance.

LW-SUR-AP-BLK-371

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 175.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-AP-BLK-372

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 180.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-AP-BLK-375

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 165.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-BLK-376

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 160.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-AP-BLK-379

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 205.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-BLK-373

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 290.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-AP-BLK-374

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 310.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-BLK-377

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 240.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-BLK-378

CONTOUR



2 MTR

STD LENGTH

DLP per MTR
₹ 250.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-BLK-380

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 175.00↓

Body Colour
Powder Coated **BLACK**
BLACK Acrylic

LW-SUR-AP-351

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 85.00↓

LW-AP-353

CONTOUR



Body Colour
Anodized

2 MTR

STD LENGTH

DLP per MTR
₹ 85.00↓

LW-SUR-AP-350

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 75.00↓

LW-SUR-AP-383

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 105.00↓

LW-AP-384

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 115.00↓

LW-SUR-AP-370

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 190.00↓

LW-SUR-AP-369

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 150.00↓

Body Colour
Anodized

LW-SUR-AP-361

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 70.00↓

Body Colour
Anodized

LW-AP-360

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 85.00↓

Body Colour
Anodized

LW-SUR-AP-358

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 90.00↓

Body Colour
Anodized

LW-AP-357

CONTOUR



2 MTR

STD LENGTH

DLP per MTR
₹ 95.00↓

Body Colour
Anodized

LW-SUR-AP-352

CONTOUR



2 MTR

STD LENGTH


DLP per MTR
₹ 85.00↓

Body Colour
Anodized

LW-AP-386



WARDROBE PROFILE



Body Colour
Anodized


CONTOUR

2 MTR

STD LENGTH

DLP per MTR
₹ 325.00

LW-AP-359



Body Colour
Anodized


CONTOUR

2 MTR

STD LENGTH

DLP per MTR
₹ 205.00↓

LW-AP-354



Body Colour
Anodized


CONTOUR

2 MTR

STD LENGTH

DLP per MTR
₹ 275.00↓

LW-SUR-AP-356



Body Colour
Anodized


CONTOUR

2 MTR

STD LENGTH

DLP per MTR
₹ 110.00↓

LW-AP-365



Body Colour
Anodized


CONTOUR

2 MTR

STD LENGTH

DLP per MTR
₹ 115.00↓

LW-AP-355



Body Colour
Anodized

CONTOUR


2 MTR

STD LENGTH

DLP per MTR
₹ 550.00↓

LW-AP-362

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 550.00↓

LW-AP-363

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 650.00↓

LW-AP-364

CONTOUR



Body Colour
Anodized

2 MTR

STD LENGTH

DLP per MTR
₹ 950.00↓

LW-AP-SUR-381

CONTOUR



Body Colour
Anodized


2 MTR

STD LENGTH

DLP per MTR
₹ 650.00↓

LW-AP-382

CONTOUR



Body Colour
Anodized



2 MTR

STD LENGTH

DLP per MTR
₹ 890.00↓

LW-AP-387

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 750.00

Body Colour
POWDER COATED WHITE

LW-AP-388

CONTOUR



2 MTR

STD LENGTH


DLP per MTR
₹ 1950.00

CORNER COVE LIGHT PROFILE

Body Colour
POWDER COATED WHITE

LW-AP-385

CONTOUR



2 MTR

STD LENGTH



DLP per MTR
₹ 1800.00

CORNER COVE LIGHT PROFILE

Body Colour
POWDER COATED WHITE

LW-AP-389

CONTOUR



2 MTR

STD LENGTH


DLP per MTR
₹ 2250.00

INDIRECT LIGHT PROFILE

Body Colour
POWDER COATED WHITE

LW-AP-366

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 495.00↓

Body Colour
Anodized

LW-AP-367

CONTOUR



2 MTR


STD LENGTH

DLP per MTR
₹ 425.00↓

Body Colour
Anodized

LW-AP-368

CONTOUR



Body Colour
Anodized

2 MTR

STD LENGTH

DLP per MTR
₹ 495.00 ↓

AP - I



₹ 70.00
MRP

AP - 90° OUT



₹ 70.00
MRP

AP - 90° -IN



₹ 70.00
MRP

AP - Y



₹ 120.00
MRP

AP - 120° OUT



₹ 75.00
MRP

AP - 120° OUT



₹ 75.00
MRP

AP - 30°




₹ 75.00
MRP

WOODEN SAMPLE BOX FOR PROFILE




₹ 2500.00
MRP



Outdoor Lights

Playful, Unique and Versatile

LW-SUR-OD-413 OUTDOOR



Body Colour
Powder Coated **WHITE**
BLACK Finish

3W

Dimension
Ø L 45 * H 30 mm
Cutout
SURFACE

Lumen Flux
300 - 330 LM
DLP
₹ 600.00↓

6W

Dimension
Ø L 80 * H 30 mm
Cutout
SURFACE

Lumen Flux
480 - 540 LM
DLP
₹ 850.00↓

SPARK

Beam Angle




IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

LW-SUR-OD-413-CG OUTDOOR



Body Colour
COPPER /
ROSE GOLD Finish

3W

Dimension
Ø L 45 * H 30 mm
Cutout
SURFACE

Lumen Flux
300 - 330 LM
DLP
₹ 700.00↓

6W

Dimension
Ø L 80 * H 30 mm
Cutout
SURFACE

Lumen Flux
480 - 540 LM
DLP
₹ 950.00↓

SPARK

Beam Angle



IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

LW-BL-391

Powered by *bridgelux*.



3W

Dimension
Ø 60 * H 80 mm
Cutout
Ø 42 mm

Lumen Flux
300 - 330 LM
DLP
₹ 1250.00↓

LITHOS

Beam Angle



IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

LW-BR-OD-410



6W

Dimension
Ø 86 * H 97 mm
Cutout
Ø 82 mm

Lumen Flux
510 - 570 LM
DLP
₹ 1995.00↓

12W

Dimension
Ø 110 * H 112 mm
Cutout
Ø 106 mm

Lumen Flux
1020 - 1140 LM
DLP
₹ 3300.00↓

LITHOS

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)
White (6k)

LW-BL-394

Powered by *bridgelux*.



3W

Dimension
Ø 45 * H 80 mm
Cutout
Ø 42 mm

Lumen Flux
300 - 330 LM
DLP
₹ 1300.00↓

SHADOW

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-398

Powered by **CREE**



EAGLERISE
Driver

3W

Dimension RD
Ø 55 * H 43 mm
Dimension SQ
L 55 W 55 * H 43 mm
Cutout
Ø 45 mm

Lumen Flux
300 - 330 LM
DLP
₹ 1490.00↓

Body Colour
Powder Coated **WHITE / GREY** Finish

SHADOW

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-415-1WAY

Powered by **bridgelux**



eco

DOT LENSE

1W

Dimension
Ø L 42*W 32*H 35 mm
Cutout
Surface

Lumen Flux
80 - 90 LM
DLP
₹ 700.00

Body Colour
Powder Coated **WHITE / GREY** Finish

RICA SHADOW


IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-WL-416-2WAY

Powered by **bridgelux**



eco

DOT LENSE

2W
1W * 2

Dimension
Ø L 42*W 32*H 35 mm
Cutout
Surface

Lumen Flux
160 - 180 LM
DLP
₹ 775.00

Body Colour
Powder Coated **WHITE / GREY** Finish

RICA SHADOW

IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-WL-417-1WAY

Powered by **bridgelux**



eco

DOT LENSE

1W

Dimension
Ø L 35*W 35*H 50 mm
Cutout
Surface

Lumen Flux
80 - 90 LM
DLP
₹ 850.00

Body Colour
Powder Coated **WHITE / GREY** Finish

RICA SHADOW

IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-WL-418-3W-2WAY

Powered by **bridgelux**



eco

DOT LENSE

2W
1W * 2

Dimension
Ø L 35*W 35*H 50 mm
Cutout
Surface

Lumen Flux
160 - 180 LM
DLP
₹ 925.00

Body Colour
Powder Coated **WHITE / GREY** Finish

RICA SHADOW

IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-419-1WAY

Powered by **bridgelux**.



DOT LENSE



1W

Dimension
Ø L 25*W 25*H 70 mm
Cutout
Surface

Lumen Flux
80 - 90 LM
DLP
₹ 850.00

IP Rating
54

Warranty
One Year

Body Colour
Powder Coated **WHITE / GREY** Finish

Light Colour
Warm White (3k)

RICA SHADOW

LW-WL-421-2WAY

Powered by **bridgelux**.



DOT LENSE



2W
1W*2

Dimension
Ø L 25*W 25*H 70 mm
Cutout
Surface

Lumen Flux
160 - 180 LM
DLP
₹ 925.00

IP Rating
54

Warranty
One Year

Body Colour
Powder Coated **WHITE / GREY** Finish

Light Colour
Warm White (3k)

RICA SHADOW

LW-WL-422-4WAY

Powered by **bridgelux**.



DOT LENSE



4W
1W*4

Dimension
Ø L 50*W 50*H 30 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 1220.00

IP Rating
54

Warranty
One Year

Body Colour
Graphite **GREY** Finish

Light Colour
Warm White (3k)

RICA SHADOW

LW-WL-466-2WAY



4W
2W*2

Dimension
Ø L42 * W 42* H 14 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 1120.00↓

Beam Angle



IP Rating
54

Warranty
One Years

Body Colour
Powder Coated **WHITE /**
Graphite **GREY** Finish

Light Colour
Warm White (3k)

SPARI

LW-WL-466-4WAY



8W
2W*4

Dimension
Ø L42 * W 42* H 14 mm
Cutout
Surface

Lumen Flux
960 - 1080 LM
DLP
₹ 1285.00↓

Beam Angle



IP Rating
54

Warranty
One Years

Body Colour
Dark **GREY** Finish

Light Colour
Warm White (3k)

SPARI

LW-WL-411-2WAY



Body Colour
Powder Coated **WHITE**
BLACK Finish

2W
1W * 2

Dimension
L 55*W 55* H 70mm
Cutout
Surface

Lumen Flux
160 - 180 LM
DLP
₹ 1150.00 ↓

IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

RICA SHADOW

LW-FL-473

Powered by .



Body Colour
DARK GREY Finish



3W

Dimension
Ø 90*H 35
Cutout
Surface

Lumen Flux
450 - 500 LM
DLP
₹ 2850.00

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

SHADOW

LW-FL-474

Powered by .



Body Colour
DARK GREY Finish



3W

Dimension
Ø L 95*W 60*H 95
Cutout
Surface

Lumen Flux
450 - 500 LM
DLP
₹ 3100.00

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

SHADOW

LW-WL-426-2WAY

Powered by .



Body Colour
DARK GREY Finish



6W
3W * 2

Dimension
Ø L 90*W 80*H 60 mm
Cutout
Surface

Lumen Flux
960 - 1080 LM
DLP
₹ 3250.00

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

SHADOW

LW-WL-428-6W-2WAY

Powered by .



Body Colour
SAND GREY Finish



6W
3W * 2

Dimension
Ø L 85*W 82*H 70 mm
Cutout
Surface
LED Current
(MA) 500 ±

Lumen Flux
480 - 540 LM
DLP
₹ 1250.00

Beam Angle

80°

IP Rating
54


Warranty
One Year

Light Colour
Warm White (3k)

SHADOW

LW-WL-462-3W-2WAY

Powered by **CREE**



3W

Dimension
Ø L 70*W 70*H 70mm
Cutout
Surface

Lumen Flux
270-300 LM
Voltage
100-240V 50-60hz
DLP
₹ 2900.00↓

Body Colour
Powder Coated **WHITE**
Graphite **GREY** / Sand **BROWN** Finish

FORMA

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-467-2WAY

Powered by **CREE**



6W
3W*2

Dimension
Ø 80 * 70 mm
Cutout
Surface

Lumen Flux
600 - 660 LM
DLP
₹ 4500.00↓

Body Colour
WHITE Finish

DUAL

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-468-2WAY-BEAM LIGHT

Powered by **CREE**



6W
3W*2

Dimension
Ø L 90*W 78*H 50 mm
Cutout
Surface

Lumen Flux
540 - 600 LM
DLP
₹ 4500.00↓

Body Colour
Powder Coated **WHITE** /
Graphite **GREY** Finish

BEAM

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-469

Powered by **CREE**



6W

Dimension
Ø 60 * 76 MM
Cutout
SURFACE

Lumen Flux
540 - 600 LM
DLP
₹ 3395.00↓

Body Colour
Graphite **GREY** Finish

SHADOW

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-471-2WAY-2D

Powered by **CREE**



4W
1W*4

Dimension
Ø L 35*W 60*H 100 mm
Cutout
Surface

Lumen Flux
400 - 440 LM
DLP
₹ 3100.00↓

Body Colour
Graphite **GREY** Finish

SPLASH

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-472-2WAY-3D

Powered by **CREE**



Body Colour
Graphite GREY Finish

6W
1W*6

Dimension
Ø L 35*W 80*H 100 mm
Cutout
Surface

Lumen Flux
540 - 600 LM
DLP
₹ 3550.00↓

SPLASH

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-BS-470

Powered by **CREE**



ITALIAN DESIGN
AMBIENCE LIGHTING

Body Colour
Graphite GREY Finish

3W

Dimension
Ø L 100*W 100 mm
Cutout
Floor Mounting

Lumen Flux
300 - 330 LM
DLP
₹ 5250.00↓

ELEGANT

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-455-RD

Powered by **CREE**



Body Colour
Graphite GREY Finish

3W

Dimension
Ø L 60*W 60*H 70 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 2965.00↓

SHADOW

Beam Angle




IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-455-SQ

Powered by **CREE**



Body Colour
Dark GREY Finish

3W

Dimension
Ø L 60*W 60*H 70 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 2965.00↓

BELLA

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-456-RD-UD

Powered by **CREE**



Body Colour
Graphite GREY Finish

6W
3W*2

Dimension
L 60 * W 60 * H 110 mm
Cutout
SURFACE

Lumen Flux
480 - 540 LM
DLP
₹ 3650.00↓

BELLA

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-456-SQ-UD

Powered by CREE



6W
3W*2

Dimension
L 60*W 60*H 110 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 3650.00↓

Body Colour
Graphite GREY Finish

SHADOW

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-UD-OD-g66

Powered by CREE



10W
5W*2

Dimension
L280*W95*H100 mm
Cutout
Surface

Lumen Flux
1000*1100 LM
DLP
₹ 4250.00↓

Body Colour
BLACK / GOLD Finish

LITHOS

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-463-6W

Powered by CREE



6W
3W*2

Dimension
Ø L61*W 135*H 180 mm
Cutout
Surface

Lumen Flux
2*270 LM
DLP
₹ 3030.00↓

Body Colour
BLACK / PKW Finish

CODEK

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-464

Powered by CREE



6W

Dimension
Ø L 55 * W 90 * H 90mm
Cutout
Surface

Input Voltage
100-240V 50-60hz
Lumen Flux
540 - 600 LM
DLP
₹ 2990.00↓

Body Colour
Dark GREY /
BROWN Finish

KEVLAR

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-479

Powered by EPISTAR



2W

Dimension
Ø L 128 * W 128 * H 30 mm
Cutout
Surface

Input Voltage
100-240V 50-60hz
Lumen Flux
160 - 180 LM
DLP
₹ 1150.00↓

Body Colour
Dark GREY Finish

ORBIT

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-424



Body Colour
GREY Finish

3W

Dimension
Ø L 39.5"W 36"H 32.5mm
Cutout
Surface

Lumen Flux
300-330 LM
DLP
₹ 595.00↓

GRACE

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-WL-425



Body Colour
GREY Finish

6W
3W*2

Dimension
Ø L 52"W 22"H 42.5 mm
Cutout
SURFACE

Lumen Flux
600 - 660 LM
DLP
₹ 850.00↓

GRACE

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-400

Powered by: EDISON



Body Colour
GREY Finish

3W

Dimension
Ø L 60"W 90"H 40 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 1100.00↓

GRACE

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-400

Powered by: EDISON



Body Colour
GREY Finish

6W

Dimension
Ø L 70"W 150"H 40 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 1400.00↓

GRACE

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-476

Powered by: EPISTAR



Body Colour
GREY Finish

3W

Dimension
Ø L 155"W 75"H 37 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 1425.00↓

CANYON

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-476

Powered by EPISTAR



5W

Dimension
Ø L 240*W 75*H 37 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 1850.00↓

Body Colour
GREY Finish

CANYON

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-477

Powered by EPISTAR



3W

Dimension
L 210*W 85*H 30 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 1499.00↓

Body Colour
Dark GREY Finish

WALNUT

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-478

Powered by EPISTAR



5W

Dimension
L 210*W 85*H 30 mm
Cutout
Surface

Lumen Flux
400- 450 LM
DLP
₹ 1600.00↓

Body Colour
Dark GREY Finish

VELOCITY

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-487

Powered by EPISTAR



13W

Dimension
L 200*W 135*H 30 mm
Cutout
Surface

Lumen Flux
1040 - 1170 LM
DLP
₹ 3300.00↓

Body Colour
Dark GREY Finish

SLATE

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-480

Powered by EPISTAR



3W

Dimension
Ø L 110*W 110*H 22 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 1650.00↓

Body Colour
Dark GREY Finish

DELTA-R

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-480

Powered by EPISTAR



6w

Dimension
Ø L 160*W 160 *H 30mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 2225.00↓

Body Colour
Dark GREY Finish

DELTA-R

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-481

Powered by EPISTAR



3w

Dimension
Ø L 105*W 105*H 22 mm
Cutout
Surface

Lumen Flux
240 - 270 LM
DLP
₹ 1650.00↓

Body Colour
Dark GREY Finish

DELTA-S

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-481

Powered by EPISTAR



6w

Dimension
Ø L 160*W 160*H 30mm
Cutout
Surface

Lumen Flux
480-540LM
DLP
₹ 2225.00↓

Body Colour
Dark GREY Finish

DELTA-S

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-482

Powered by EPISTAR



6w

Dimension
Ø L 210*W 108*H 25 mm
Cutout
Surface

Lumen Flux
480 - 540 LM
DLP
₹ 2240.00↓

Body Colour
Dark GREY Finish

CARAMEL

Beam Angle



IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-460

Powered by CREE



2w

Dimension
Ø L 114*W 114*H 65mm
Cutout
Surface

Lumen Flux
120-180LM
DLP
₹ 1725.00↓

Body Colour
Sand GREY Finish

GRACE

Beam Angle



IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-FL-460
Powered by CREE



4W

Dimension
Ø L 170*W 114*H 65 mm
Cutout
Surface

Lumen Flux
240-360 LM
DLP
₹ 2225.00↓

Body Colour
Sand GREY Finish

GRACE

Beam Angle
24°

IP Rating
54

Warranty
One Year

Light Colour
Warm White (3k)

LW-CL-489
Powered by EPISTAR



8W

Dimension
Ø L 160*W 160*H 45 mm
Cutout
Surface

Lumen Flux
640 - 720 LM
DLP
₹ 2235.00↓

Body Colour
BLACK Finish

COIN

Beam Angle
180°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-CL-489
Powered by EPISTAR



14W

Dimension
Ø L 220*W 220*H 50 mm
Cutout
Surface

Lumen Flux
1120 - 1260 LM
DLP
₹ 3300.00↓

Body Colour
BLACK Finish

COIN

Beam Angle
180°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-CL-490
Powered by EPISTAR



8W

Dimension
Ø L 190*W 190*H 75 mm
Cutout
Surface

Lumen Flux
640 - 720 LM
DLP
₹ 1990.00↓

Body Colour
Dark GREY Finish

AMAZE

Beam Angle
120°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-CL-490
Powered by EPISTAR



13W

Dimension
Ø L 245*W 245*H 75 mm
Cutout
Surface

Lumen Flux
1040 - 1170 LM
DLP
₹ 3300.00↓

Body Colour
Dark GREY Finish

AMAZE

Beam Angle
120°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-488

Powered by EPISTAR



9W

Dimension
Ø L 245*W 139*H 70 mm
Cutout
Wall Surface

Lumen Flux
720 - 810 LM
DLP
₹ 2200.00↓

Body Colour
Dark GREY Finish

OWEN

Beam Angle

120°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-485

Powered by EPISTAR



13W

Dimension
Ø L 230*W 81*H 82 mm
Cutout
Wall Surface

Lumen Flux
1040 - 1170 LM
DLP
₹ 3650.00↓

Body Colour
Dark GREY Finish

VENICE

Beam Angle

120°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-FL-486

Powered by EPISTAR



18W

Dimension
Ø L 250*W 110*H 95 mm
Cutout
Wall Surface

Lumen Flux
1440 - 1620 LM
DLP
₹ 4250.00↓

Body Colour
Dark GREY Finish

AURA

Beam Angle

120°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WLS-491

Powered by CREE



12W

Dimension
Ø L 160*W 160*H 235 mm
Cutout
Surface / SPIKE

Lumen Flux
1080 - 1200 LM
DLP
₹ 5350.00↓

SPIKE ONLY

₹ 295.00

Body Colour
Dark GREY Finish

EFFECT

Beam Angle

90°

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)

LW-BH-509
E27 HOLDER



40W
MAX

Dimension
Ø L 54*W 42*H 24 mm
Cutout
Wall Surface

DLP
₹ 1080.00
without lamp

A Vintage Design

Body Colour
Dark GREY Finish

DRAVA

Beam Angle

120°

IP Rating
54

LW-BH-517
E27 HOLDER



OVAL BULKHEAD

A Vintage Design

60W
MAX

Dimension
Ø L 35.5"W 24.5"H 28.5 mm
Cutout
Wall Surface

DLP
₹ 2850.00
without lamp

Body Colour
Dark GREY Finish

DNIPRO

Beam Angle



IP Rating
44

LW-WL-510
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 46"W 35"H 33 mm
Cutout
Wall Surface

DLP
₹ 16,250.00
without lamp

Body Type
SOLID BRASS

THAMES

Beam Angle



IP Rating
44

LW-WL-511
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 37.5"W 26.5"H 57.5 mm
Cutout
Wall Surface

DLP
₹ 2200.00
without lamp

Body Colour
MATT BLACK Finish

NESTOS

Beam Angle



IP Rating
44

LW-WL-512
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 37.5"W 26.5"H 57.5 mm
Cutout
Wall Surface

DLP
₹ 2900.00
without lamp

Body Colour
MATT BLACK Finish

TAGUS

Beam Angle



IP Rating
44

LW-WL-513
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 58.5"W 45"H 22 mm
Cutout
Wall Surface

DLP
₹ 2150.00
without lamp

Body Colour
Dark GREY Finish

URAL

Beam Angle



IP Rating
44

LW-WL-514
E27 HOLDER



60W
MAX

Dimension
Ø L 65*W 46*H 28 mm
Cutout
Wall Surface

DLP
₹ 2450.00
without lamp

A Vintage Design

Body Colour
Dark GREY Finish

VOLGA

Beam Angle
360°

IP Rating
44

LW-WL-515- SENSOR
E27 HOLDER



40W
MAX

Dimension
Ø L 40.5*W 37.5*H 31.5 mm
Cutout
Wall Surface

DLP
₹ 4150.00
without lamp

A Vintage Design

Body Colour
Dark GREY Finish

OISA

Beam Angle
360°

IP Rating
44

LW-WL-516
E27 HOLDER



60W
MAX

Dimension
Ø L 53*W 42*H 38 mm
Cutout
Wall Surface

DLP
₹ 3200.00
without lamp

A Vintage Design

Body Colour
Dark GREY Finish

RHINE

Beam Angle
360°

IP Rating
44

LW-OD-493
E27 HOLDER



60W
MAX

Dimension
Ø L 320*W 310*H 355 mm
Cutout
Wall Surface

DLP
₹ 4600.00 ↓
without lamp

A Vintage Design

Body Colour
Dark GREY Finish

OLD-FYRE

Beam Angle
360°

IP Rating
54

Light Colour
Warm White (3k)

LW-WL-503
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 185*W 112 * H 215 mm
Cutout
Surface

Body Colour
BLACK Finish

DLP
₹ 1650.00
without lamp

EPOCH

Beam Angle



IP Rating
54 Class II

LW-WL-505
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 149*W 170*H 280 mm
Cutout
Surface

Body Colour
Dark GREY Finish

DLP
₹ 2990.00
without lamp

DOLMA

Beam Angle



IP Rating
44

LW-WL-502
Powered by CREE



A Vintage Design

12W
6W x 2

Dimension
Ø L 160*W 375*H 260 mm
Cutout
Surface

Body Colour
Dark GREY Finish

Lumen Flux
840 - 960 LM
DLP
₹ 6900.00 ↓

GUZEL

Beam Angle



IP Rating
54 Class II

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WL-504
Powered by CREE



A Vintage Design

20W

Dimension
Ø L 253*W 279*H 383 mm
Cutout
Surface

Body Colour
Dark GREY Finish

Lumen Flux
1400 - 1600 LM
DLP
₹ 5050.00 ↓

EFFECT

Beam Angle



IP Rating
44 Class II

Warranty
Two Years

Light Colour
Warm White (3k)

LW-HG-492
E27 HOLDER



A Vintage Design

60W
MAX

Dimension
Ø L 320 *W 320*H 860 mm
Cutout
Hanging

DLP
₹ 4600.00
without lamp

Body Colour
Dark GREY Finish

GRANDIOSE

Beam Angle



IP Rating
54

Light Colour
Warm White (3k)

LW-WW-FLX-427

Powered by **bridgelux**



18W
Per MTR

No. of LED
36L/MTR
Input Voltage
24V DC
Efficiency
50-60 LM / LED

Body Colour
WHITE Finish

Packaging
5 mtr / Roll
DLP PER MTR
₹ 1950.00

KENA FLEXI

Beam Angle



IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

LW-WW-475-24V DC

Powered by **CREE**



18W

Dimension
1MTR 1000 mm
Cutout
Surface

Body Colour
Iron GREY Finish

Lumen Flux
1530 - 1800 LM
DLP
₹ 5500.00↓
W/O Driver

KENA

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-WW-475-24V DC

Powered by **CREE**



36W

Dimension
1MTR 1000 mm
Cutout
Surface

Body Colour
Iron GREY Finish

Lumen Flux
3060 - 3600 LM
DLP
₹ 7450.00↓
W/O DRIVER

KENA

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SUR-OD-461
Powered by CREE

THRUST



Body Colour
Dark GREY Finish

10W

Dimension
Ø L 90*W 90*H 95 mm
Cutout
Surface

Lumen Flux
900 - 1000 LM
DLP
₹ 3400.00↓

Beam Angle
38°

20W

Dimension
Ø L 120*W 120*H 100 mm
Cutout
Surface

Lumen Flux
1800- 2000 LM
DLP
₹ 5600.00↓

IP Rating
54

Warranty
Two Years

Light Colour
Warm White (3k)



LW-GL-499- 4WAY

Powered by **CREE**



Body Colour
Dark GREY Finish

12W

Dimension
Ø L 100*W 100*H 150 mm
Cutout
Surface Bollard /
Gate Light

Lumen Flux
960 - 1080 LM
DLP
₹ 4650.00↓

CUBOID

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-BLD-500-4WAY

Powered by **CREE**



Body Colour
Dark GREY Finish

12W

Dimension
Ø L 100*W 100*H 500MM
Ø L 100*W 100*H 800MM

Cutout
Surface Bollard Light

Lumen Flux
960 - 1080 LM
DLP
₹ 7100.00↓

800MM
₹ 8500.00↓

CUBOID

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-BLD-408-RING LIGHT

Powered by **CREE**



ITALIAN DESIGN
AMBIENCE LIGHTING

Body Colour
Dark GREY Finish

3W

Dimension
Ø L 80*H 400 MM
Ø L 80*H 600 MM

Cutout
Surface Bollard Light

Lumen Flux
300 - 330 LM

DLP
400MM
₹ 6990.00↓

600MM
₹ 7990.00↓

CUBOID


Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)



LW-WL-506
Powered by EPISTAR



Body Colour
Dark GREY Finish

9w

Dimension
Ø 107*H120MM
Cutout
Surface Wall Light

Lumen Flux
720 - 800 LM
DLP
₹ 4150.00↓

PISA

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-GL-507
Powered by EPISTAR



Body Colour
Dark GREY Finish

9w

Dimension
Ø 107*H 130MM
Cutout
Bollard / Gate Light

Lumen Flux
720 - 800 LM
DLP
₹ 3750.00↑

PISA

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

74

LW-BLD-508
Powered by EPISTAR



Body Colour
Dark GREY Finish

9w

Dimension
Ø 107*H 400MM
Ø 107*H 600MM
Cutout
Bollard Light

Lumen Flux
720 - 800 LM

DLP
400MM
₹ 4700.00↑

600MM
₹ 5400.00↓

PISA

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)



LEDwell®

Spike Lights (Outdoor)

Spike are excellent at providing impressive and powerful outdoor illumination to aid both security and aesthetics.



LW-SP-450
Powered by CREE



Body Colour
Graphite GREY Finish

5W

Dimension
Ø 37*L 90*H 262 mm
LED Current
(MA) 100 ±

Lumen Flux
450 - 500 LM
DLP
₹ 990.00

FOCUS

Beam Angle
24°

IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

LW-SP-450
Powered by CREE



Body Colour
Graphite GREY Finish

10W

Dimension
Ø 52*L 110*H 277 mm
LED Current
(MA) 210 ±

Lumen Flux
900 - 1000 LM
DLP
₹ 1350.00

FOCUS

Beam Angle
24°

IP Rating
65

Warranty
One Year

Light Colour
Warm White (3k)

76

LW-SP-445N
Powered by CREE



Body Colour
Graphite GREY Finish

3W

Dimension
Ø L 67*W 45*H 212 mm

Lumen Flux
300 - 330 LM
DLP
₹ 1050.00↓

FOCUS

Beam Angle
24°

IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-445N
Powered by CREE



Body Colour
Graphite GREY Finish

6W

Dimension
Ø L 65*W 100*H 230 mm

Lumen Flux
600 - 660 LM
DLP
₹ 1550.00↓

FOCUS

Beam Angle
24°

IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-445N

Powered by **CREE**



12W

Dimension
Ø L 76*W 110*H 289 mm

Lumen Flux
1200 - 1320 LM
DLP
₹ 2020.00↓

Body Colour
Graphite **GREY** Finish

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-448

Powered by **CREE**



30W

Dimension
Ø L 189*W 93*H 473 mm

Lumen Flux
2550 - 2700 LM
DLP
₹ 9150.00↓

Body Colour
Sand **BLACK** Finish

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-448

Powered by **CREE**



40W

Dimension
Ø L 189*W 93*H 473 mm

Lumen Flux
3400 - 3600 LM
DLP
₹ 11500.00↓

Body Colour
Sand **BLACK** Finish

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-447

Powered by **CREE**



3W

Dimension
Ø L 43*H 67 mm

Lumen Flux
300 - 330 LM
DLP
₹ 1050.00↓

Body Colour
Graphite **GREY** Finish

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

LW-SP-447

Powered by **CREE**



6W

Dimension
Ø L 65*H 100 mm

Lumen Flux
600 - 660 LM
DLP
₹ 1550.00↓

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

Body Colour
Graphite **GREY** Finish

LW-SP-447

Powered by **CREE**



12W

Dimension
Ø L 75*H 110 mm

Lumen Flux
1200 - 1320 LM
DLP
₹ 2020.00↓

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

Body Colour
Graphite **GREY** Finish

78

LW-SP-449

Powered by **CREE**



30W

Dimension
Ø L 208*W 114*H 218 mm

Lumen Flux
2550 - 2700 LM
DLP
₹ 9150.00↓

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

Body Colour
Sand **BLACK** Finish

LW-SP-449

Powered by **CREE**



40W

Dimension
Ø L 208*W 114*H 218 mm

Lumen Flux
3400 - 3600 LM
DLP
₹ 11500.00↓

FOCUS

Beam Angle



IP Rating
65

Warranty
Two Years

Light Colour
Warm White (3k)

Body Colour
Sand **BLACK** Finish

LW-ST-451
Powered by EPISTAR



15W

Dimension
Ø L60*W 100*H 350 mm
MOUNTING DIE
45 mm

Lumen Flux
1350 - 1500 LM
DLP
₹ 750.00↓



Body Colour
GREY Finish

TARMAC

Beam Angle



IP Rating
65

Warranty
One Years

Light Colour
White (6k)

LW-ST-452
Powered by EPISTAR-2835



30W

Dimension
Ø L 128*W 51*H 353 mm
MOUNTING DIE
40 mm

Lumen Flux
2400 - 2700 LM
DLP
₹ 1300.00↓



Body Colour
GREY Finish

TARMAC

Beam Angle



IP Rating
65

Warranty
One Year

Light Colour
White (6k)

LW-ST-452
Powered by EPISTAR-2835



100W

Dimension
Ø L 175*W 63*H 455 mm
MOUNTING DIE
45 mm

Lumen Flux
9600 - 10800 LM
DLP
₹ 2900.00↓



Body Colour
GREY Finish

TARMAC

Beam Angle



IP Rating
65

Warranty
One Year

Light Colour
White (6k)

IP68 CONNECTORS FOR OUTDOORS



I-CONNECTORS
HEAVY DUTY

DLP - 2 PIN
₹ 350.00

DLP - 3 PIN
₹ 465.00

IP68 CONNECTORS FOR OUTDOORS



T-CONNECTORS
HEAVY DUTY

DLP - 2 PIN
₹ 515.00

DLP - 3 PIN
₹ 750.00



IP44

Bathrooms

IP54

Outdoor
(Covered)

IP67

Outdoor
Floor & Steps

IP RATING LOCATIONS

IP20

Protected against solid objects

IP44

Protection against direct sprays of water up to 15°

IP54

Protected against direct sprays of water up to 60°




IP65 Outdoor Walls
(Uncovered)

IP20 Bedrooms
Living Area
Dining Area

IP68 Underwater

LEDwell®

- IP65** Protected against low-pressure jets of water from all directions
- IP67** Protected against temporary flooding of water
- IP68** Protects against long periods of immersion under pressure



Terms & Conditions :

- Final products may vary from the images shown.
- Prices & specifications may change without prior notice.
- Stocks are subject to availability.
- This price list supercedes all previous price lists.
- Disputes, if any subject to Bengaluru Jurisdiction.
- Goods once sold cannot be taken back or exchanged.



Energy Saver



Eco Friendly



Recycle



Long Lasting