


**PRICE**



MCB DB


**LIST**



MCB & RCBO's



LOOM SWITCH



MCB & OVM



RCBO's (MCCB+ELR)

**Effect from Date :- 15 June 2023**



**NemiParshwa**  
TRADER LLP

## ABOUT US

NemiParshva Trader LLP was incorporated on 1 Jan 2017, started as a wholly sister concern unit of MOTI Group. Moti Group started its journey with manufacturing of Iron Clad Switches at Udhna Surat in 1961 by Shree Chinubhai Doshi. Moti Group believed in Growing through Quality from day one. Shree Kanubhai & Shree Babubhai Doshi had given Respectable support in the venture. As years passed, "MOTI" gained popularity and experience in Manufacturing Switchgear Products. This lead to addition of Loom Switches, Rewireable Switch Boards & Various L.T switches to the range.

Encouraged by the progress and entry of young blood in the setup of Nemi Parshva Trader LLP, we started manufacturing Miniature Circuit Breaker with upgradation & advancement at our Kosamba factory Unit. With Passage of time MCB's, Rccb, Rcbo's, Tiny MCB'S, & Over Voltage Miniature Circuit Breaker were added with complete and innovative contribution by our R&D Department.

As times have changed, we have started importing best quality parts from overseas to manufacture Higher Rating Rcbo, RCD Plug & Socket, MCCB, MCCB+ELR, Industrial Plug Socket and DC MCB for Solar & Electrical Vehicle.

We have also introduced Cable Tray & Building Hardware material such as U Bolt, Z perline, Chilly Clamp Etc. with advancement in Building Infrastructure Line. With an objective of providing all electrical & Building solution under one roof, we always aim at zero defect products.

MOTI started its operations more than five decades ago. We hope to conquer new achievements through the young bridge of Mr. Rakesh Doshi & his sons Mr. Shashank Doshi & Mr. Falak Doshi and encouragement from valued patrons. We have a strong dealer & marketing network all over the nation with strong service support to our customers.

## MANUFACTURING UNIT :





List Price (LP) are in Indian ₹ (Per Nos.)




7 STAR MINIATURE CIRCUIT BREAKERS

HSN Code : 8536

MCBs UP TO 240/415 V 50HZ SUPPLY BREAKING CAPACITY UP TO 10 KA CONFIRMS IS/IEC:60898-1 WITH ISI MARK ( 6 TO 40 AMP)

'B' Series MCBs  
10 kA Breaking Capacity

RATING 'B' SERIES	SP	SPN	DP	TP	TPN	FP
6,7,5,10,16,20,25,32 A	158	451	514	802	1135	1283
40 A	302	703	811	1274	1630	1734
63 A	392	811	923	1477	1850	1900




7 STAR MINIATURE CIRCUIT BREAKERS

HSN Code : 8536

'C' Series MCBs  
10 kA Breaking Capacity


RATING 'C' SERIES	SP	SPN	DP	TP	TPN	FP
0.5,1,1.6,2,2.5,3,4,5 A	361	703	793	1234	1504	1661
6,7,5,10,16,20,25,32 A	158	451	514	802	1135	1283
40 A	302	703	811	1274	1630	1733
63 A	392	811	923	1477	1850	1900
100 A 'D' Series	1392	---	1616	2003	---	4262



ISOLATORS

HSN Code : 8536

RATING	SP	DP	TP	FP
40 A I	253	406	721	950
63 A I	262	608	802	1031
100 A I	401	721	1108	1288



SHUNT TRIP B & C SERIES

HSN Code : 8536

WITHOUT AUXILIARY


WITH AUXILIARY

THERMAL TRIP WITH SHUNT



SINGLE MODULE SHUNT MCB USED FOR STABILIZER & MINI FLOUR MILL

RATING	SPN	TPN	SPN	TPN	SP
B OR C 32 A	604	1202	644	1234	415
B OR C 40 A	703	1477	743	1504	442
B OR C 63 A	820	1670	851	1693	604



CENTER OFF CHANGE OVER SWITCH

MANUAL TRANSFER SWITCH

HSN Code : 8536

RATING	DP	FP	RATING	DP	FP
25 A	964	1801	25 A	860	1715
40 A	1405	2750	40 A	1333	2611
63 A	1522	2719	63 A	1405	2701
			100 A	---	3502
			125 A	---	4001



ELCB + MCB (RCBOs)

HSN Code : 8536

'B & C' Series RCBO  
Breaking Capacity up to 10 kA

RATING	TRIP CURRENT →	30 mA	100 mA	300 mA	30 mA	100 mA	300 mA
0.5 to 5 A		2957	2957	3007	3934	3934	4213
6 to 32 A		2336	2336	2449	3821	3821	4024
40 A		2710	2710	2822	3992	3992	4105
63 A		3061	3061	3119	4501	4501	4600



RCCB (RESIDUAL CURRENT CIRCUIT BREAKERS) ELCB

HSN Code : 8536

RCCB Breaking Capacity up to 3 kA

RATING	TRIP CURRENT →	30 mA	100 mA	300 mA	30 mA	100 mA	300 mA
25, 32 A		1999	1999	1999	2602	2602	2705
40 A		2255	2255	2354	2701	2701	2899
63 A		2503	2503	2602	2908	2908	3106
100 A		3002	3002	3002	5707	5707	5707




TINY MINIATURE CIRCUIT BREAKER MODULAR & SCREW TYPE

HSN Code : 8536

'B & C' Series Tiny MCBs  
Breaking Capacity up to 3kA

RATING	SP	SPN	DP
6,10,16,20,25,32 A	167	451	460



OVER VOLTAGE MCBs

HSN Code : 8536

SP+N+E 3 POLE

TP+N 5 POLE

'B & C' MCBs  
10 kA Breaking Capacity with High Voltage Cut Off at 270 Volt

RATING	WITH INDICATOR	FOR THREE PHASE W/O INDICATOR
0.5 to 5 A	1553	2840
10,16,20,25,32 A	1310	2602
40 A	1472	2800
63 A	2012	3821



SPECIAL BIG KNOB MINIATURE CIRCUIT BREAKER

USED FOR STABILIZER & MINI FLOUR MILL APPLICATION

HSN Code : 8536

'B & c' Series MCBs  
Breaking Capacity up to 10 kA

RATING	SP
1,6,2,4 & 5 A	374
6, 10 & 16 A	190


PILOT LIGHT LED INDICATOR 230 VOLT A.C SINGLE MODULE

HSN Code : 8536



Characteristics	M.R.P.
RED, YELLOW, BLUE & GREEN INDICATOR	302

List Price (LP) are in Indian ₹ (Per Nos.)



DC MINATURE CIRCUIT BREAKER | 800V DC | 1000V DC

RATING	SP	DP	TP	FP	DP	FP	DP	FP
0.5 TO 5 AMP	361	865	1306	1733	1333	3362	1000	1000
6 TO 32 AMP	298	748	1117	1495	1157	2642	1000	1000
40 AMP	415	986	1463	1963	--	2885	1000	1000
63 AMP	446	1148	1720	2287	--	3362	1000	1000



'B & C' Series RCBOs Breaking Capacity up to 10 kA



ELCB + MCB (RCBOs) WITH ENCLOUSER & BYPASS FACILITY ELECTRONIC TYPE  
HSN Code : 8536

RATING	SPN		TPN	
TRIP CURRENT	30/100 mA	300 mA	30/100 mA	300 mA
0.5 to 5 A	3002	3002	3983	3983
6 TO 32 A	2336	2336	3709	3709
40 A	2710	2710	3803	3803
63 A	3061	3061	4100	4100



'B & C' Series Digital RCBO's Breaking Capacity up to 10 kA



DIGITAL ELCB + MCB (RCBOs) WITH ENCLOUSER & BYPASS FACILITY ELECTRONIC TYPE  
HSN Code : 8536

RATING	SPN Digital	TPN Digital
TRIP CURRENT	30/100/300 mA	30/100/300 mA
0.5 to 5 A	4600	17002
6 TO 32 A	4600	17002
40 A	5000	17002
63 A	5500	17002



AUTO SOURCE CHANGE OVER WITH CURRENT LIMITER DEVICE - ACCLD HSN Code : 8536

FOR SINGLE PHASE MODEL

SPECIFICATION	EB MAXIMUM LOAD CURRENT	DG MAXIMUM LOAD CURRENT	MOUNTING	DIMENSION (LxWxH) MM	M.R.P.
1PHASE EB 1PHASE DG SPN/SPN	30AMPS/PHASE	1.5 AMP (300 W) to 20 AMP 4000 W	DIN CHANNEL	105 x 70 x 62	2800

\* Minimum qty order 5 Pcs.

6/16 amp SWITCH SOCKET BOX WITH MCB PROTECTION  
HSN Code : 8536



RATING	M.R.P.
6 AMP TO 16 AMP SINGLE POLE MCB	541

MOTOR STARTER SINGLE PHASE 2 MODULE WITH INDICATOR  
MANUALLY OPERATED WITH THERMAL TRIPPING AUTOMATICALLY IN CASE OF SUSTAINED OVERLOADS



Single phase motor starter	RATING	M.R.P.
240 v a/c, 50Hz	10, 16, 20 & 25 AMP	509

HSN Code : 8536



HOME VOLTAGE PROTECTOR FOR SINGLE PHASE

SPECIFICATION	HIGH VOLTAGE	LOW VOLTAGE	MOUNTING	DIMENSION (LxWxH) MM	M.R.P.
1 PHASE 4 MODULE	280 VAC +/- 5V	170 VAC +/- 5V	DIN CHANNEL	85.5X65X70	3151

\* Minimum qty order 5 Pcs.



SINGLE PHASE PREVENTER OPERATED WITH SHUNT CIRCUIT BREAKER

SPECIFICATION	3 PHASE	DIFFERENCE VOLTAGE	MOUNTING	DIMENSION (LxWxH) MM	M.R.P.
3 PHASE 4 MODULE	415 VAC +/- 15V	50 VAC +/- 5V	DIN CHANNEL	90X65X70	2003

\* Minimum qty order 5 Pcs.

RCD SOCKET HSN Code : 8538



RATING	TRIP CURRENT	M.R.P.
10 Amp	10 mA	1364

RCD PLUG HSN Code : 8538



RATING	TRIP CURRENT	WITHOUT WIRE	WITH WIRE
10 Amp	10 mA	833	1279



List Price (LP) are in Indian ₹ (Per Nos.)

**COMFORT SERIES DB..... "GIVES VALUE FOR YOUR MONEY"**



HSN Code : 8537

**COMFORT SERIES POLE BOX SHEET METAL ENCLOSURE**

POLE	M. R. P.
1	185
2	185
3	226
4	262
6	334
8	433
10*	473



\* Minimum qty order 5 Pcs.  
HSN Code : 8537

BUSBAR WITH HRC FUSE		
SIZE IN INCHES	RATED CURRENT	ALU. BUSBAR & COPPER BUSBAR WITH HRC FUSE BASE & LINK
18" X 16" X 5"	100A	Order & Price On Request
22" X 20" X 10"	250A	
22" X 20" X 10"	400A	



HSN Code : 8537

Per Pcs

FUSE LINK & BASE		
AMP	LINK M.R.P	BASE M.R.P.
63 TO 125	325	334
250	622	1072
400	883	1549
600	1288	2944



HSN Code : 8537

**COMFORT WHITE LINE SERIES SPN BOX WITH NEUTRAL LINK & EARTH LINK**

WAYS	M. R. P.
4	838
6	1031
8	1162
10	1315
12	1567
16	1774



HSN Code : 8537

**COMFORT SERIES DISTRIBUTION BOARD WITH NEUTRAL SPN SINGLE DOOR**

WAYS	M. R. P.
4	347
6	415
8	460
10	554
12	613
16	766
18*	1112
20*	1279



HSN Code : 8537

**COMFORT SERIES DISTRIBUTION BOARD WITH TPN SINGLE DOOR**

WAYS	M. R. P.
4	1418
6	1742
8	2017
10*	2791
12*	3124
16*	3772




HSN Code : 8537

M. S. BOX	
TYPE	M.R.P.
24" X 20" X 10" (HRC FUSE BOX)	5171
12" X 5" X 3" (MCCB BOX)	1274
16" X 9" X 4" (MCCB BOX)	1720
18" X 8" X 6" (MCCB BOX)	2503
24" X 8" X 6" (MCCB BOX)	4006

**ACCESSORIES**

HSN Code : 8536



WAYS	COPPER BUS BAR	NEUTRAL LINK	DIN CHANNEL
1 METER	---	---	172
2	---	---	
3	---	---	
4	154	131	
6	244	145	
8	343	163	
10	406	181	
12	500	221	
16	662	262	

NOTE : FOR COMFORT SERIES DB NEUTRAL LINK ARRANGEMENT FOR SPN & TPN SYSTEM IS AS UNDER 4 WAY NEUTRAL LINK UP TO 4,6 & 8 WAY 8 WAY NEUTRAL LINK UP TO 10,12,16,18 & 20 WAY

List Price (LP) are in Indian ₹ (Per Nos.)

**COMFORT SERIES DB..... "GIVES VALUE FOR YOUR MONEY"**



HSN Code : 8537

COMFORT SERIES DISTRIBUTION BOARD WITH NEUTRAL SPN DOUBLE DOOR	
WAYS	M. R. P.
4	896
6	986
8	1085
10	1238
12	1490
16	1702
18*	2611
20*	2930



HSN Code : 8537

COMFORT SERIES DISTRIBUTION BOARD WITH NEUTRAL TPN DOUBLE DOOR	
WAYS	M. R. P.
4	2233
6	2719
8	3371
10*	4411
12*	5005
16*	6521



HSN Code : 8538

ABS PLASTIC ENCLOSURE	
POLE	ECONOMY
1	113
2	113
3	172
4	172

HSN Code : 8538



DUMMY PLUG	
	28

**DELUXE SERIES DB..... "GIVES VALUE FOR YOUR MONEY"**



HSN Code : 8537

DELUXE SERIES DISTRIBUTION BOARD SPN DOUBLE DOOR	
WAYS	WITH NEUTRAL LINK & EARTH LINK
4	1234
6	1432
8	1652
10	1832
12	2071
16	2611
18	3133
20	3551



HSN Code : 8537

DELUXE SERIES DISTRIBUTION BOARD TPN DOUBLE DOOR	
WAYS	WITH NEUTRAL LINK & EARTH LINK
4	2840
6	3308
8	3911
10	4510
12	5104
16	6310



HSN Code : 8537

DELUXE SERIES DISTRIBUTION BOARD SPN SINGLE DOOR	
WAYS	W/O NEUTRAL LINK & BUS BAR
4	473
6	523
8	613
10	676
12	770
16	991
18	1135
20	1382



HSN Code : 8537

DELUXE SERIES DISTRIBUTION BOARD TPN SINGLE DOOR		
WAYS	W/O NEUTRAL LINK & BUS BAR	WITH NEUTRAL LINK & BUSBAR
4	1405	--
6	1742	--
8	1954	--
10	2471	--
12	2512	--
16	3475	--



HSN Code : 8537

M.S. ENCLOSURE FOR PLUG & SOCKET		
RATING	BOX	ONLY SOCKET BOX
SP 10 A	415	235
SP 20 A	415	262
TP 20 A	604	293
TP 30 A	604	302
TP 63 A	1702	---



HSN Code : 8537

INDUSTRIAL PLUG & SOCKET BOX IP 44		
RATING	PIN	ONLY BOX
20 A	3	631
20 A	3	631
32 A	5	640
32 A	3	640
63 A	5	1702



HSN Code : 8537

M.S. ENCLOSURE FOR PLUG & SOCKET WITH MCB	
RATING	BOX WITH PL, SOC & MCB
	A/C Box
SP 20 A	910



HSN Code : 8538

ALUMINUM PLUG & SOCKET		
RATING	PLUG	SOCKET
SP 10 A	190	217
SP 20 A	221	244
TP 20 A	307	352
TP 30 A	536	568
TP 63 A	5000	5000



List Price (LP) are in Indian ₹ (Per Nos.)

**COMFORT SERIES COPPER BUS BAR DISTRIBUTION CHAMBER**

HSN Code : 8537



SIZE IN INCHES	M.T. BOX	60 AMP	100 AMP	200 AMP	300 AMP	400 AMP
15" X 12" X 4.0"	2053	2800	3070	3421	4820	5000
18" X 13" X 6.0"	2507	3920	4411	4910	6940	8321
22" X 16.0" X 6.0"	3808	4852	5900	6422	8938	12457

**DELUXE SERIES COPPER BUS BAR DISTRIBUTION CHAMBER**

HSN Code : 8537



SIZE IN INCHES	M.T. BOX	60 AMP	100 AMP	200 AMP	300 AMP	400 AMP	500 AMP	600 AMP
15" X 12" X 4.5"	2453	4510	5113	6130	9163	10891	---	---
18" X 16.5" X 6.5"	3871	6751	7480	9082	13082	15643	19864	---
24" X 16.5" X 6.5"	4870	9181	10360	12772	18721	22330	28711	34255
36" X 21" X 10"	10063	---	19054	23041	33481	39421	50401	59495

**DELUXE SERIES ALUMINUM BUS BAR DISTRIBUTION CHAMBER**

HSN Code : 8537



SIZE IN INCHES	M.T. BOX	60 AMP	100 AMP	200 AMP	300 AMP	400 AMP	500 AMP	600 AMP
15" X 12" X 4.5"	2453	2795	3083	3983	5878	5036	---	---
18" X 16.5" X 6.5"	3871	4730	5194	6269	7417	8861	10382	---
24" X 16.5" X 6.5"	4870	6134	6877	9523	10184	1202	14473	16840
36" X 21" X 10"	10063	---	13334	16138	19630	23225	27361	31501

**MAIN SWITCH HC TYPE SHEET METAL**



HSN Code : 8536

TYPE	AMPS	MRP
SMTF	32 A X 240 V	1333
SMTF	16 A X 415 V	1733
SMTF	32 A X 415 V	2552
SMTF	63 A X 415 V	5747
SMTF	100 A X 415 V	11656
SMTF	200 A X 415 V	22798

**SIDE HANDLE CHANGE OVER SWITCH**



HSN Code : 8536

TYPE	AMPS	MRP
2 POLE	16 A X 415 V	2197
2 POLE	32 A X 415 V	2125
4 POLE	32 A X 415 V	3394
4 POLE	63 A X 415 V	8438
4 POLE	100 A X 415 V	13519
4 POLE	200 A X 415 V	25372

**LT CONTROL SWITCH**



HSN Code : 8537

TYPE	M.R.P.
16 A REVERSE - FORWARD	581
16 A CHANGE OVER	581
16 A ON-OFF	581
32 A REVERSE - FORWARD	1652
32 A CHANGE OVER 2 POLE	1504
32 A CHANGE OVER 4 POLE	1972
63 A REVERSE - FORWARD	4303

**LOOM SWITCH 16 AMP X 415 V**

HSN Code : 8536

LOOM SWITCH	1040
-------------	------

**LOOM SWITCH SPARE PARTS**

BAKELITE PLATE WITH PARTS	433
BAKELITE HOUSING WITH PARTS	433
"C" CONTACT WITH SILVER CONTACT	86
HEXAGONAL SCREW WITH SILVER CONTACT	73
WIRE HOLE TERMINAL WITH SCREW	
PUSH ROD	82
SPRING FOR PILLER OR HOUSING	14
ABS COVER	82
ABS PATTI	28



List Price (LP) are in Indian ₹ (Per Nos.)

**ISOLATORS (SOCOMEK DESIGN) LOAD BREAK SWITCH**  
FP, FRONT OPERATED PANEL MOUNTING  
AS PER IS/IEC 60947 PART 3

HSN Code : 8536

RATING	CODE	FRAME SIZE	OPEN EXECUTION	WITH ENCLOSURE	OPEN EXECUTION PKG	WITH ENCLOSURE PKG
OLI			MRP	MRP	NOS	NOS
125 AMP	OLI125	SIZE I	4879	9325	8	1
200 AMP	OLI200	SIZE I	5572	10324	8	1
250 AMP	OLI250	SIZE II	7264	13451	2	1
320AMP	OLI320	SIZE II	8533	15562	2	1
400 AMP	OLI400	SIZE III	9820	18046	1	1
630 AMP	OLI630	SIZE IV	14000	19000	1	1



**ON-LOAD CHANGEOVERS (SOCOMEK DESIGN)**  
FP, FRONT OPERATED PANEL MOUNTING  
AS PER IS/IEC 60947 PART 3

HSN Code : 8536

RATING	CODE	FRAME SIZE	OPEN EXECUTION	WITH ENCLOSURE	OPEN EXECUTION PKG	WITH ENCLOSURE PKG
OLC	---		MRP	MRP	NOS	NOS
63 AMP	OLC63	SIZE 0	5788	9491	8	2
125 AMP	OLC125	SIZE I	10450	15593	6	1
200 AMP	OLC200	SIZE I	12682	16916	6	1
250 AMP	OLC250	SIZE II	17569	24625	4	1
400 AMP	OLC400	SIZE III	22649	40307	4	1
630 AMP	OLC630	SIZE III	34628	45001	4	1
800 AMP	OLC800	SIZE IV	38003	48002	2	1



**CUBICAL FUSE SWITCHES WITHOUT HRC FUSE DELUXE MODEL**  
SWITCH DISCORRCTOR FUES PIN TYPE  
AS PER IS/IEC 60947 PART 3 (CATEGORY AC 23 A)

HSN Code : 8536

RATING	CODE	FRAME SIZE	OPEN EXECUTION	WITH ENCLOSURE	OPEN EXECUTION PKG	WITH ENCLOSURE PKG
CFS			MRP	MRP	NOS	NOS
100 AMP	DS100	SIZE II	7390	11062	8	1
125 AMP	DS125	SIZE II	8920	13771	8	1
160 AMP	DS160	SIZE III	10558	14743	8	1
250 AMP	DS250	SIZE III	14320	21551	2	1
400 AMP	DS400	SIZE III	22717	30025	2	1
630 AMP	DS630	SIZE IV	35730	46333	1	1



**SFU SWITCH BOX WITH BUSBAR CHAMBER (450 X 950 X 275)**



SIZE IN INCHES	RATED CURRENT	SFU BOX WITH ALU. BUSBAR SFU SW. FUSE BASE & LINK	SFU BOX WITH COP. BUSBAR SFU SW. FUSE BASE & LINK
14" X 26" X 10"	125 A	25003	35002
14" X 26" X 11"	250 A	39250	52714
18" X 36" X 11"	400 A	56521	68050
HSN Code : 8537			


HSN Code : 8536







List Price (LP) are in Indian ₹ (Per Nos.)



**GALVANIZED "Z PERLINE" HSN Code : 7208**

SIZE "H"	HOLE	LP RATE / NOS	
		3" (75 MM)	2" ( 50 MM)
81 MM			
119 MM			
157 MM			
196 MM			
235 MM			
275 MM			
314 MM			
354 MM			
394 MM			
434 MM			
473 MM			
511 MM			
550 MM			
589 MM			
628 MM			
667 MM			
707 MM			
746 MM			
785 MM			
4'(Ft.)			

On Request

On Request

**"C" Channel Patti HSN Code : 7208**

Length	PER NOS
14 G	On Request
16 G	On Request



**"L" Channel Patti HSN Code : 7208**

Length	PER NOS
14 G	On Request
16 G	On Request



**ANCHORE FASTENERS HSN Code : 7318**



THREAD	SIZE "H"	RATE/NOS
10 MM	50MM	
10 MM	60MM	
10 MM	75MM	On Request
10 MM	100MM	
10 MM	125MM	
10 MM	150MM	
10 MM	200MM	
DROP IN ANCHOR 10MM X 40 MM (BULLET FASTENER)		
FULL THREADED ROD 10MM X 1 MTR		On Request
FULL THREADED ROD 10MM X 2 MTR		



\* "Z Perline" Size available in 2.5", 4", 4.5", 5", 6", 7", 8", 9" & Special Size available on Request.

**RUBBER LINED (CHILLY TYPE SPLIT CLAMP) HSN Code : 7307**

SUITABLE FOR PIPE	SIZE (I.D.)	RATE/NOS
1/2"	15 MM	
3/4"	20 MM	
1.0"	25 MM	On Request
1 1/4"	32 MM	
1 1/2"	40 MM	
2.0"	50 MM	
2 1/2"	65 MM	
3.0"	75 MM	
4.0"	100 MM	
6.0"	150 MM	On Request
8.0"	200 MM	



**U BOLT PVC COATED (M.S. U CLAMP) WITH NUT & WASHER HSN Code : 7318**


SUITABLE FOR PIPE	SIZE (I.D.)	RATE/NOS
0.5"	15MM	
0.75"	22MM	
1"	29MM	On Request
1.25"	35MM	
1.5"	40MM	
2"	55MM	
2.5"	65MM	
3"	85MM	
4"	110MM	
5"	135MM	On Request
6"	160MM	
8"	200 MM	

**GI KHILLA 1.1/2", 2", 2.1/2" & 3" Per packet (2.5 Kg)**

739=00 PER PACKET

HSN Code : 7317

**HSN Code : 7308**



**PERFORATED PRE GALVANIZED STARK CABLE TRAY**

WIDTH SIZE IN MM "W"	18 GAUGE				16 GAUGE				14 GAUGE						
	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER			
50	25MM	50MM	75MM	100MM	15MM	25MM	50MM	75MM	100MM	15MM	25MM	50MM	75MM	100MM	15MM
75															
100															
150															
200															
250															
300															
350															
400															
450															
500															
550															
600															
650															
700															
750															
800															
850															
900															
950															
1000															
COUPLER															

On Request

**LADDER TYPE PRE GALVANIZED STARK CABLE TRAY**

WIDTH SIZE IN MM "W"	18 GAUGE				16 GAUGE				14 GAUGE						
	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER	HEIGHT "H"	COVER			
50	25MM	50MM	75MM	100MM	15MM	25MM	50MM	75MM	100MM	15MM	25MM	50MM	75MM	100MM	15MM
75															
100															
150															
200															
250															
300															
350															
400															
450															
500															
550															
600															
650															
700															
750															
800															
850															
900															
950															
1000															
COUPLER															

On Request

\* Above All The Rate are In Meters

List Price (LP) are in Indian ₹ (Per Nos.)

**MODULAR CASE CIRCUIT BREAKER (MCCB)**

HSN Code : 8536

MCCB CONFORMS TO IS : 13947-2-1993

Rs. UNIT

Frame size Economy Type Ultimate breaking capacity (Icu) • Service breaking capacity (Ics)



Current Rating (Amps)	Adjustable Overload(Thermal) & Short Circuit(Magnetic) current setting Fixed Type							
	1 POLE		2 POLE		3 POLE		4 POLE	
	Breaking Capacity		Breaking Capacity		Breaking Capacity		Breaking Capacity	
	10kA Icu=Ics	25kA Icu	10kA Icu=Ics	25kA Icu	10kA Icu=Ics	25kA Icu	10kA Icu=Ics	25kA Icu
16,20,25,32,40,50,63,80 & 100 Amp	1652	2341	2363	3574	2732	3281	4001	8002
125 Amp	1724	2426	2422	3583	4001	6652	4501	9001
160 Amp	1850	2692	3034	4411	6004	8960	6013	13001
250 Amp	2503	3200	4001	5000	---	12002	7003	19000

\* Minimum qty order 10 Pcs

**SINGLE PHASE STARTER**

	<b>RATING</b> 4A TO 24 AMP Input 230 Volt 1 Phase AC Supply 50 Hz	<b>M.R.P.</b>  <b>1243</b>
--	--	----------------------------------


**SINGLE PHASE DIGITAL STARTER**

	<b>RATING</b> 4A TO 24 AMP Input 230 Volt 1 Phase AC Supply 50 Hz	<b>M.R.P.</b>  <b>1909</b>
--	--	----------------------------------

**SINGLE PHASE ELECTRONIC STARTER**

	<b>RATING</b> 1A TO 32 AMP Adjustable Leakage Current Setting (1-50 MA) Input 230 Volt 1 Phase AC Supply 50 Hz	<b>M.R.P.</b>  <b>3043</b>
--	---	----------------------------------

**MODULAR CASE CIRCUIT BREAKER (MCCB) ACCESSORIES**



ITEM	M.R.P.
	\$/ UNIT
Shunt Release (110-415volt)	2620
Trip Alarm	1202
Auxillary Contact	1202
Phase Barrier	50
Extended Copper Link 63Amp	113
Copper Link 100Amp	113
Copper Link 160Amp	163
Copper Link 200Amp	334
Copper Link 250Amp	401

**RESIDUAL CURRENT CIRCUIT BREAKER + MCCB WITH ELR**









PARAMETER	Goldline series Rcbos		
	MCCB + RCCB WITH ELCTRONICS CIRCUIT= RCCBO'S WITH HV CUTOFF		
RATING ( In)	100 AMP	160AMP	250AMP
RATED OPERATIONAL VOLTAGE (Ue)	400/415V AC	400/415V AC	400/415V AC
NUMBER OF POLE	4P / 3P	4P / 3P	4P / 3P
BREAKING CAPACITY UP TO	25kA	25kA	25kA
THERMAL TRIP fixed type	At 6×In 5sec ± 20%	At 6×In 5sec ± 20%	At 6×In 5sec ± 20%
MAGNETIC TRIP fixed type	At10xIn(+/-20%)	At10xIn(+/-20%)	At10xIn(+/-20%)
LEAKAGE ADJUSTABLE	100 & 300 mA	100 & 300 mA	100 & 300 mA
TIME DEALY (when leakage set to 30mA)	NA	NA	NA
TRIPPING TIME	<0.05 sec	<0.05 sec	<0.05 sec
VOLTAGE PROTECTION	above 305 volt trip	above 305 volt trip	above 305 volt trip
BYPASS FACELITY	YES	YES	YES
DIMENSSION	h840xw337xd240	h840xw337xd240	h840xw337xd240
Cabel size	Aluminum Armor cable up to 70mm2	Aluminum Armor cable up to 70mm2	Aluminum Armor cable up to 185mm2
REFERANCE STANDARD	IS 12640(Part 2)	IS 12640(Part 2)	IS 12640(Part 2)
Application:	motor control panels & switchboards earth mines steel plants Generators & transformors Cement plants Oil refineries Buildings Mobile operating Equipment		
	100 4P	125 4P	160 4P
MRP Rs each	21002	23000	35650
			47120



List Price (LP) are in Indian ₹ (Per Nos.)

HSN Code : 8536

**Industrial Plug Sockets IP44 according to IEC/EN 60309-2 (Earth - Contact Position 6h)**

Description	Current Rating	Voltage	No. of Pin (Poles)	M.R.P.	Application	Features
     	Panel Mounting Socket	16 A	200/250 V AC 50 Hz	1P+N+E (3 PIN)	406	Agriculture Construction Industry Sport & Entertainment Dustproof Guarding Against Flash Anticorrosion Fire-Resistance Thermal Stability Aging Resistance The Content Components are made from H59-1 cooper material Cable Area 2.5 to 6 mm <sup>2</sup>
	Panel Mounting Socket	32 A	200/250 V AC 50 Hz	1P+N+E (3 PIN)	568	
	Plugs	16 A	200/250 V AC 50 Hz	1P+N+E (3 PIN)	298	
	Plugs	32 A	200/250 V AC 50 Hz	1P+N+E (3 PIN)	541	
	Panel Mounting Socket	16 A	380/415 V AC 50 Hz	2P+N+E (4 PIN)	451	
	Panel Mounting Socket	32 A	380/415 V AC 50 Hz	2P+N+E (4 PIN)	577	
	Plugs	16 A	380/415 V AC 50 Hz	2P+N+E (4 PIN)	406	
	Plugs	32 A	380/415 V AC 50 Hz	2P+N+E (4 PIN)	608	
	Panel Mounting Socket	16 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	482	
	Panel Mounting Socket	32 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	671	
	Panel Mounting Socket	63 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	4042	
	Plugs	16 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	433	
	Plugs	32 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	622	
	Plugs	63 A	380/415 V AC 50 Hz	3P+N+E (5 PIN)	3002	



**Multiple Outlet Socket**

16 A 200/250 V 2P + E    32 A 200/250 V 2P + E  
AC 50 Hz    AC 50 Hz

**2161**

**3682**



## Manufacturing of :

- AC & DC Miniature Circuit Breaker (MCB)
- MCB & Rewireable Distribution Board
- RCBO's (MCCB+ELR)
- Busbar Chambers
- SDF, Onload Change Over & Isolator
- Plug Socket Boxes
- Reverse - Forward Switches
- MCCB (Molded Case Circuit Breaker)
- Waterproof Industrial Plug & Socket
- Loom Switches
- Cable Tray
- Building Hardware Items


**Upcoming Products :**  
IC Card Control Prepaid Breaker  
Auto Reclosing RCBO's (ELCB)  
Arc Fault Circuit Interrupter (AFCI)  
Wires & Cables  
Contactor



# NemiParshva®

TRADER LLP

The Solution For Safety



### Technical Data of MCB

- ★ 1. Nonflammable Housing Thermoplastics (PBT) RAL7035 960° c / 3 Sec
- 2. Moving Contact Pure Sliver 99% Inlay (3 X 0.8 X 0.1Ag Layer)
- 3. Arc Runner (M S Rail)
- 4. Ceramic Plate
- 5. Arc Extinction Chamber 12 Plate
- 6. Dual Position clip (Snap Pusher)
- 7. Load side Terminal (Out Put) with 35mm<sup>2</sup> Capacity of AL/CU wire
- 8. Magnetic Coil, Short Circuit Protection, H class Insulation
- 9. Knob/Dolly
- 10. Plunger
- 11. Trip Free Latch Mechanism > 90cN force
- 12. Fixed Contact Pure Sliver 99% Inlay (3 X 0.8 X 0.1Ag Layer)
- 13. Anchor (Trip Bar)
- 14. Bimetal (Thermal Cutoff)
- 15. Line Terminal (In Put) with 35mm<sup>2</sup> Capacity of AL/CU wire
- ★ 16. Cooler Operation Air Flow Chanel in housing & cover Surface
- ★ 17. Phase Barrier Protection from cornea voltage
- 18. Calibration screw
- 19. Calibration Plate
- 20. Bimetal Carrier
- 21. Slider
- 22. Cord wire
- ★ 23. Contact Gap > 4mm
- ★ 24. Multiple Cable Connection up to 35mm<sup>2</sup> cross section
- 25. Din Channel

**Factory : Plot No. 73 & 74, Goriwala Industrial Estate, Near Safri Complex,  
Next to Surat Co-Op National Bank Lane, Radhe Nagar, Ichhanath,  
Bhestan, Surat, Gujarat - 395023, India**

9374513537 | 8000047666 | 9323125284 ✉ nemiparshva@gmail.com 🌐 motigroup.net